

Performance Table

Performans Tablosu



n1=1400		Geared Motors				
i	n2 1/min	Type	P1 (kW)		M2 (Nm)	f.s.
5	280.0	MSVR030	0.22	63C4	6.5	2.8
7.5	186.7		0.22	63C4	10	1.9
10	140.0		0.22	63C4	12	1.5
15	93.3		0.22	63C4	17	1.0
20	70.0		0.22	63C4	22	0.8
25	56.0		0.18	63B4	21	1.0
30	46.7		0.18	63B4	24	0.8
40	35.0		0.12	63A4	19	0.9
50	28.0		0.12	63A4	23	0.8
60	23.3		0.09	56B4	19	0.9
80	17.5		0.06	56B4	14	0.9
5	280.0	MSVR040	0.55	71C4	17	2.0
7.5	186.7		0.55	71C4	24	1.6
10	140.0		0.55	71C4	32	1.3
15	93.3		0.55	71C4	46	0.9
20	70.0		0.37	71B4	39	1.0
25	56.0		0.37	71B4	47	0.8
30	46.7		0.37	71B4	53	0.8
40	35.0		0.25	71A4	44	0.9
50	28.0		0.22	63C4	47	0.8
60	23.3		0.18	63B4	43	0.8
80	17.5		0.12	63A4	34	1.0
100	14.0		0.12	63A4	38	0.8
5	280.0	MSVR050	0.92	80C4	28	2.2
7.5	186.7		0.92	80C4	41	1.7
10	140.0		0.92	80C4	54	1.3
15	93.3		0.92	80C4	77	1.0
20	70.0		0.75	80B4	81	0.9
25	56.0		0.55	80A4	71	1.0
30	46.7		0.55	80A4	81	1.0
40	35.0		0.37	71B4	68	1.1
50	28.0		0.37	71B4	80	0.9
60	23.3		0.37	71B4	89	0.8
80	17.5		0.25	71A4	72	0.9
100	14.0		0.18	63B4	60	0.9

Performance Table

Performans Tablosu



n1=1400		Geared Motors				
i	n2 1/min	Type	P1 (kW)		M2 (Nm)	f.s.
7.5	186.7	MSVR063	1.84	90L4	83	1.5
10	140.0		1.84	90L4	109	1.2
15	93.3		1.84	90L4	156	0.9
20	70.0		1.5	90L4	166	0.8
25	56.0		1.1	90S4	146	0.9
30	46.7		1.1	90S4	167	1.0
40	35.0		0.92	80C4	176	0.8
50	28.0		0.55	80A4	124	1.1
60	23.3		0.55	80A4	140	0.9
80	17.5		0.37	71B4	115	1.1
100	14.0		0.37	71B4	129	0.9
7.5	186.7	MSVR075	4	112M4	182	1.0
10	140.0		4	112M4	240	0.8
15	93.3		3	100LB4	261	0.8
20	70.0		1.84	90L4	206	1.0
25	56.0		1.84	90L4	251	0.8
30	46.7		1.84	90L4	286	0.8
40	35.0		1.1	90S4	216	1.0
50	28.0		0.92	80C4	217	1.0
60	23.3		0.92	80C4	245	0.8
80	17.5		0.55	80A4	180	1.1
100	14.0		0.55	80A4	206	0.9
7.5	186.7	MSVR090	4.8	112MS4	221	1.3
10	140.0		4.8	112MS4	291	1.1
15	93.3		4.8	112MS4	422	0.9
20	70.0		4	112M4	458	0.8
25	56.0		3	100LB4	420	0.8
30	46.7		3	100LB4	479	0.9
40	35.0		1.84	90L4	377	1.0
50	28.0		1.84	90L4	452	0.8
60	23.3		1.5	90L4	424	0.8
80	17.5		0.92	80C4	316	0.9
100	14.0		0.75	80B4	302	0.9

Performance Table

Performans Tablosu



n1=1400		Geared Motors				
i	n2 1/min	Type	P1 (kW)		M2 (Nm)	f.s.
7.5	186.7	MSVR110	9.2	132L4	424	1.3
10	140.0		7.5	132M4	455	1.3
15	93.3		7.5	132M4	660	1.0
20	70.0		5.5	132S4	638	1.0
25	56.0		4.8	112MS4	688	1.0
30	46.7		4	112M4	647	1.1
40	35.0		3	100LB4	638	1.1
50	28.0		3	100LB4	767	0.9
60	23.3		2.2	100LA4	648	1.0
80	17.5		1.5	90L4	548	0.9
100	14.0		1.1	90S4	473	1.0
7.5	186.7	MSVR130	15	160L4	698	1.7
10	140.0		15	160L4	921	1.3
15	93.3		15	160L4	1351	0.9
20	70.0		15	160L4	1760	0.7
25	56.0		11	160M4	1576	0.8
30	46.7		9.2	132M4	1563	0.8
40	35.0		9.2	132M4	1958	0.8
50	28.0		5.5	132S4	1426	1.0
60	23.3		5.5	132S4	1643	0.8
80	17.5		4	112M4	1484	0.8
100	14.0		3	100LB4	1310	0.8