



H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	260.3	4	18.9	5.38	HA32	63A4	1096	82-83
	214.8	5	15.6	6.52			1169	
	172.6	6	11.8	8.11			1257	
	128.0	9	10.5	10.94			1389	
	105.7	10	7.7	13.25			1481	
	84.9	13	6.2	16.49			1593	
	69.1	16	5.7	20.26			1706	
	57.0	19	4.4	24.55			1818	
	45.8	24	3.3	30.55			1956	
	39.5	28	3.2	35.44			2000	
	31.7	35	2.6	44.10			2000	
	28.7	38	2.1	48.75			2000	
	23.1	48	2.0	60.67			2000	
	20.4	54	1.7	44.10	HA32	63B6	2000	82-83
	18.5	60	1.3	48.75			2000	
	14.8	74	1.3	60.67			2000	
	23.5	46	2.2	59.65	HA33	63A4	2000	84-85
	19.4	56	1.8	72.27			2000	
	15.6	69	1.4	89.94			2000	
	12.7	85	1.2	110.51			2000	
	10.5	103	1.0	133.88			2000	
	8.4	128	0.8	166.61			2000	
	177.8	6	4.0	7.88	HA41	63A4	1000	86-87
	129.2	9	2.3	10.83			1000	
	15.6	69	2.2	89.94	HA43	63A4	4300	90-91
	12.7	85	1.8	110.51			4300	
	10.5	103	1.5	133.88			4300	
	8.4	128	1.2	166.61			4300	
	7.2	149	1.0	193.30			4300	
	5.8	185	0.8	240.55			4300	
	7.0	154	1.9	200.27	HA53	63A4	6000	96-97
	5.9	181	1.7	235.41			6000	
	4.9	219	1.4	284.81			6000	
	4.0	272	1.1	353.98			6000	
	4.9	219	2.2	284.81	HA63	63A4	8000	102-103
	4.0	272	1.8	353.98			8000	
	13.0	83	2.4	108.05	H033	63A4	5500	106-107
	11.3	95	2.10	123.71			5500	
	9.8	110	1.81	143.33			5500	
	7.8	137	1.46	178.61			5500	
	7.1	152	1.32	197.17			5500	
	5.7	189	1.06	245.70			5500	
	8.5	127	2.4	165.38	H043	63A4	6600	110-111
	6.8	158	1.90	205.07			6600	
	6.2	175	1.71	227.50			6600	
	5.0	217	1.38	282.10			6600	
0.18	260.3	6	12.6	5.38	HA32	63B4	1096	82-83
	214.8	8	10.4	6.52			1169	
	172.6	10	7.8	8.11			1257	
	128.0	13	7.0	10.94			1389	
	105.7	16	5.1	13.25			1481	
	84.9	19	4.1	16.49			1593	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	69.1	24	3.8	20.26	HA32	63B4	1706	82-83
	57.0	29	2.9	24.55			1818	
	45.8	36	2.2	30.55			1956	
	39.5	42	2.2	35.44			2000	
	31.7	52	1.7	44.10			2000	
	28.7	57	1.4	48.75			2000	
	23.1	72	1.3	60.67			2000	
	20.4	81	1.1	44.10			2000	
	18.5	89	0.9	48.75	HA32	71A6	2000	82-83
	14.8	111	0.9	60.67			2000	
	27.3	59	1.7	51.32	HA33	63B4	2000	84-85
	23.5	69	1.5	59.65			2000	
	19.4	83	1.2	72.27			2000	
	15.6	104	1.0	89.94			2000	
	12.7	128	0.8	110.51			2000	
	177.8	9	2.7	7.88			900	
	129.2	13	1.6	10.83	HA41	63B4	1001	86-87
	31.7	52	2.7	44.10			4300	
	28.7	57	2.3	48.75	HA42	63B4	4300	88-89
	23.1	72	2.0	60.67			4300	
	20.4	81	1.7	44.10	HA42	71A6	4300	88-89
	18.5	89	1.5	48.75			4300	
	14.8	111	1.3	60.67			4300	
	23.5	69	2.2	59.65			4300	
	19.4	83	1.8	72.27	HA43	63B4	4300	90-91
	15.6	104	1.4	89.94			4300	
	12.7	128	1.2	110.51			4300	
	10.5	155	1.0	133.88			4300	
	8.4	192	0.8	166.61			4300	
	10.1	160	1.9	138.71			6000	
	8.6	188	1.6	163.05	HA53	63B4	6000	96-97
	7.0	231	1.3	200.27			6000	
	5.9	272	1.1	235.41			6000	
	4.9	329	0.9	284.81			6000	
	7.0	231	2.1	200.27	HA63	63B4	8000	102-103
	5.9	272	1.8	235.41			8000	
	4.9	329	1.5	284.81			8000	
	4.0	409	1.2	353.98			8000	
	14.1	115	1.7	99.27	H033	63B4	5500	106-107
	13.0	125	1.60	108.05			5500	
	11.3	143	1.40	123.71			5500	
	9.8	165	1.21	143.33			5500	
	7.8	206	0.97	178.61			5500	
	7.1	228	0.88	197.17			5500	
	12.2	132	2.3	114.55	H043	63B4	6600	110-111
	11.1	145	2.07	125.69			6600	
	9.9	164	1.83	142.04			6600	
	8.5	191	1.57	165.38			6600	
	6.8	237	1.27	205.07			6600	
	6.2	263	1.14	227.50			6600	
	5.0	326	0.92	282.10			6600	
							6600	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	6.5	250	2.0	216.38	H053	63B4	8000	114-115
	5.2	309	1.62	267.65			8000	
0.25	260.3	9	9.1	5.38	HA32	71A4	1096	82-83
	214.8	11	7.5	6.52			1169	
	172.6	13	5.6	8.11			1257	
	128.0	18	5.0	10.94			1389	
	105.7	22	3.7	13.25			1481	
	84.9	27	3.0	16.49			1593	
	69.1	33	2.7	20.26			1706	
	57.0	40	2.1	24.55			1818	
	45.8	50	1.6	30.55			1956	
	39.5	58	1.6	35.44			2000	
	31.7	72	1.2	44.10			2000	
	28.7	80	1.0	48.75			2000	
	23.1	99	1.0	60.67			2000	
	29.5	78	1.0	30.55	HA32	71B6	2000	82-83
	25.4	90	1.0	35.44			2000	
	20.4	112	0.8	44.10			2000	
	27.3	82	1.2	51.32	HA33	71A4	2000	84-85
	23.5	96	1.0	59.65			2000	
	19.4	116	0.9	72.27			2000	
	966.7	2	12.5	1.45	HA41	71A4	512	86-87
	475.5	5	6.2	2.94			648	
	294.7	8	3.8	4.75			760	
	256.7	9	3.3	5.45			796	
	177.8	13	1.9	7.88			900	
	129.2	18	1.1	10.83			1001	
	31.7	72	1.9	44.10	HA42	71A4	4300	88-89
	28.7	80	1.6	48.75			4300	
	23.1	99	1.4	60.67			4300	
	25.4	90	1.7	35.44	HA42	71B6	4300	88-89
	20.4	112	1.2	44.10			4300	
	18.5	124	1.0	48.75			4300	
	14.8	154	0.9	60.67			4300	
	27.3	82	1.8	51.32	HA43	71A4	4300	90-91
	23.5	96	1.6	59.65			4300	
	19.4	116	1.3	72.27			4300	
	15.6	144	1.0	89.94			4300	
	12.7	177	0.8	110.51			4300	
	15.9	141	2.1	88.02	HA53	71A4	6000	96-97
	12.5	179	1.7	111.61			6000	
	10.1	222	1.3	138.71			6000	
	8.6	261	1.1	163.05			6000	
	7.0	321	0.9	200.27			6000	
	5.9	377	0.8	235.41			6000	
	5.9	377	0.8	235.41			6000	
	10.1	222	2.2	138.71	HA63	71A4	8000	102-103
	8.6	261	1.8	163.05			8000	
	7.0	321	1.5	200.27			8000	
	5.9	377	1.3	235.41			8000	
	4.9	457	1.1	284.81			8000	
	4.0	567	0.8	353.98			8000	
	4.0	567	0.8	353.98			8000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.25	26.1	86	2.3	53.59	H033	71A4	5500	106-107
	21.0	107	1.87	66.78			5500	
	18.7	120	1.67	74.84			5500	
	14.1	159	1.26	99.27			5500	
	13.0	173	1.15	108.05			5500	
	11.3	198	1.01	123.71			5500	
	18.3	123	2.4	76.67	H043	71A4	6600	110-111
	16.1	140	2.15	87.05			6600	
	12.2	184	1.63	114.55			6600	
	11.1	201	1.49	125.69			6600	
	9.9	228	1.32	142.04			6600	
	8.5	265	1.13	165.38			6600	
	6.8	329	0.91	205.07			6600	
	8.9	252	2.0	157.29	H053	71A4	8000	114-115
	7.2	312	1.60	194.56			8000	
	6.5	347	1.44	216.38			8000	
	5.2	429	1.17	267.65			8000	
	6.5	345	2.5	215.21	H063	71A4	12000	118-119
	6.0	376	2.26	234.67			12000	
	5.2	430	1.98	268.00			12000	
0.37	260.3	13	6.1	5.38	HA32	71B4	1096	82-83
	214.8	16	5.1	6.52			1169	
	172.6	20	3.8	8.11			1257	
	128.0	26	3.4	10.94			1389	
	105.7	32	2.5	13.25			1481	
	84.9	40	2.0	16.49			1593	
	69.1	49	1.8	20.26			1706	
	57.0	59	1.4	24.55			1818	
	45.8	74	1.1	30.55			1956	
	39.5	86	1.0	35.44			2000	
	31.7	107	0.8	44.10			2000	
	966.7	4	8.5	1.45	HA41	71B4	512	86-87
	475.5	7	4.2	2.94			648	
	294.7	12	2.6	4.75			760	
	256.7	13	2.2	5.45			796	
	177.8	19	1.3	7.88			900	
	69.1	49	3.1	20.26	HA42	71B4	3591	88-89
	57.0	59	2.6	24.55			3828	
	45.8	74	1.9	30.55			4118	
	39.5	86	1.7	35.44			4300	
	31.7	107	1.3	44.10			4300	
	28.7	118	1.1	48.75			4300	
	23.1	147	1.0	60.67			4300	
	27.3	122	1.2	51.32	HA43	71B4	4300	90-91
	23.5	142	1.1	59.65			4300	
	19.4	171	0.9	72.27			4300	
	256.7	13	3.7	5.45	HA51	71B4	2194	92-93
	177.8	19	2.1	7.88			2479	
	129.2	27	0.9	10.83			2757	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	30.1	113	2.7	29.89	HA52	80A6	5921	94-95
	24.9	136	2.2	36.17			6000	
	20.0	169	1.7	44.95			6000	
	18.1	188	1.6	49.78			6000	
	14.5	233	1.2	61.87			6000	
	23.2	143	2.1	60.25	HA53	71B4	6000	96-97
	18.7	178	1.7	74.88			6000	
	15.9	209	1.4	88.02			6000	
	12.5	265	1.1	111.61			6000	
	10.1	329	0.9	138.71			6000	
	8.6	387	0.8	163.05			6000	
	15.9	209	2.3	88.02	HA63	71B4	8000	102-103
	12.5	265	1.8	111.61			8000	
	10.1	329	1.5	138.71			8000	
	8.6	387	1.2	163.05			8000	
	7.0	475	1.0	200.27			8000	
	5.9	558	0.9	235.41			8000	
	36.9	92	2.2	37.92	H032	71B4	5500	106-107
	33.8	100	1.99	41.40			5500	
	29.6	114	1.75	47.25			5500	
	26.1	127	1.6	53.59	H033	71B4	5500	106-107
	21.0	158	1.26	66.78			5500	
	18.7	178	1.13	74.84			5500	
	14.1	236	0.85	99.27			5500	
	229.9	15	3.4	6.09	H041	71B4	1000	108-109
	182.6	19	2.66	7.67			1000	
	160.0	21	2.57	8.75			1000	
	29.5	115	2.4	47.53	H042	71B4	6600	110-111
	25.8	131	2.13	54.25			6600	
	22.6	147	2.0	61.83	H043	71B4	6600	110-111
	18.3	182	1.65	76.67			6600	
	16.1	207	1.45	87.05			6600	
	12.2	272	1.10	114.55			6600	
	11.1	298	1.01	125.69			6600	
	12.9	258	1.9	108.95	H053	71B4	8000	114-115
	10.4	320	1.56	134.76			8000	
	8.9	373	1.34	157.29			8000	
	7.2	462	1.08	194.56			8000	
	6.5	513	0.97	216.38			8000	
	8.2	405	2.1	170.67	H063	71B4	12000	118-119
	7.5	442	1.92	186.18			12000	
	6.5	511	1.66	215.21			12000	
	6.0	557	1.53	234.67			12000	
	5.2	636	1.34	268.00			12000	
0.55	260.3	19	4.1	5.38	HA32	80A4	1096	82-83
	214.8	23	3.4	6.52			1169	
	172.6	29	2.6	8.11			1257	
	128.0	39	2.3	10.94			1389	
	105.7	48	1.7	13.25			1481	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	84.9	59	1.3	16.49	HA32	80A4	1593	82-83
	69.1	73	1.2	20.26			1706	
	57.0	88	1.0	24.55			1818	
	167.3	30	2.7	5.38	HA32	80B6	1270	82-83
	138.1	37	2.2	6.52			1354	
	111.0	45	1.7	8.11			1457	
	82.3	61	1.5	10.94			1609	
	67.9	74	1.1	13.25			1716	
	54.6	92	0.9	16.49			1845	
	44.4	114	0.8	20.26			1976	
	966.7	5	4.7	1.45	HA41	80A4	512	86-87
	475.5	11	2.3	2.94			648	
	294.7	17	1.7	4.75			760	
	256.7	20	1.5	5.45			796	
	69.1	73	2.1	20.26	HA42	80A4	3591	88-89
	57.0	88	1.8	24.55			3828	
	45.8	110	1.3	30.55			4118	
	36.7	138	1.1	24.55	HA42	80B6	4300	88-89
	29.5	171	0.8	30.55			4300	
	475.5	11	3.7	2.94	HA51	80A4	1786	92-93
	294.7	17	2.9	4.75			2095	
	256.7	20	2.5	5.45			2194	
	38.7	130	2.3	36.17	HA52	80A4	5445	94-95
	31.1	162	1.7	44.95			5855	
	28.1	179	1.7	49.78			6000	
	22.6	223	1.3	61.87			6000	
	30.1	167	1.8	29.89	HA52	80B6	5921	94-95
	24.9	203	1.5	36.17			6000	
	20.0	252	1.1	44.95			6000	
	18.1	279	1.1	49.78			6000	
	14.5	347	0.8	61.87			6000	
	28.1	176	1.7	49.80	HA53	80A4	6000	96-97
	23.2	212	1.4	60.25			6000	
	18.7	264	1.1	74.88			6000	
	15.9	310	1.0	88.02			6000	
	12.5	394	0.8	111.61			6000	
	180.6	28	3.2	7.75	HA61	80A4	3691	98-99
	131.3	39	1.8	10.67			4106	
	20.0	252	1.7	44.95	HA62	80B6	8000	100-101
	18.1	279	1.3	49.78			8000	
	14.5	347	1.3	61.87			8000	
	18.7	264	1.8	74.88	HA63	80A4	8000	102-103
	15.9	310	1.5	88.02			8000	
	12.5	394	1.2	111.61			8000	
	10.1	489	1.0	138.71			8000	
	8.6	575	0.8	163.05			8000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	53.0	95	2.1	26.39	H032	80A4	5500	106-107
	47.1	107	1.87	29.70			5500	
	42.6	118	1.69	32.89			5500	
	36.9	137	1.46	37.92			5500	
	33.8	149	1.34	41.40			5500	
	29.6	170	1.18	47.25			5500	
	26.1	189	1.1	53.59	H033	80A4	5500	106-107
	21.0	236	0.85	66.78			5500	
	280.0	18	2.5	5.00	H041	80A4	990	108-109
	254.5	20	2.50	5.50			1000	
	229.9	22	2.26	6.09			1000	
	182.6	28	1.79	7.67			1000	
	160.0	32	1.73	8.75			1000	
	41.1	123	2.3	34.10	H042	80A4	6600	110-111
	37.1	136	2.06	37.76			6600	
	32.0	158	1.78	43.75			6600	
	29.5	171	1.64	47.53			6600	
	25.8	195	1.43	54.25			6600	
	22.6	218	1.4	61.83	H043	80A4	6600	110-111
	18.3	270	1.11	76.67			6600	
	16.1	307	0.98	87.05			6600	
	19.2	257	1.9	72.75	H053	80A4	8000	114-115
	15.5	319	1.57	90.51			8000	
	12.9	384	1.30	108.95			8000	
	10.4	475	1.05	134.76			8000	
	10.3	478	1.8	135.40	H063	80A4	12000	118-119
	9.4	527	1.61	149.51			12000	
	8.2	602	1.41	170.67			12000	
	7.5	657	1.29	186.18			12000	
	6.5	759	1.12	215.21			12000	
	6.0	828	1.03	234.67			12000	
	5.2	945	0.90	268.00			12000	
	6.3	786	2.3	222.78	H083	80A4	18000	122-123
0.75	260.3	26	3.0	5.38	HA32	80B4	1096	82-83
	214.8	32	2.5	6.52			1169	
	172.6	40	1.9	8.11			1257	
	128.0	54	1.7	10.94			1389	
	105.7	65	1.2	13.25			1481	
	84.9	81	1.0	16.49			1593	
	69.1	100	0.9	20.26			1706	
	966.7	7	3.5	1.45	HA41	80B4	512	86-87
	475.5	15	1.7	2.94			648	
	294.7	24	1.3	4.75			760	
	256.7	27	1.1	5.45			796	
	105.7	65	2.2	13.25	HA42	80B4	3117	88-89
	84.9	81	1.7	16.49			3353	
	69.1	100	1.5	20.26			3591	
	57.0	121	1.3	24.55			3828	
	45.8	150	0.9	30.55			4118	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	44.4	155	1.0	20.26	HA42	90S6	4161	88-89
	36.7	188	0.8	24.55			4300	
	475.5	15	2.7	2.94	HA51	80B4	1786	92-93
	294.7	24	2.1	4.75			2095	
	256.7	27	1.8	5.45			2194	
	46.8	147	2.0	29.89	HA52	80B4	5110	94-95
	38.7	178	1.7	36.17			5445	
	31.1	221	1.3	44.95			5855	
	28.1	244	1.2	49.78			6000	
	22.6	304	1.0	61.87			6000	
	53.2	129	2.3	16.91	HA52	90S6	4897	94-95
	44.0	156	1.9	20.46			5218	
	35.4	194	1.4	25.43			5610	
	30.1	228	1.3	29.89			5921	
	24.9	276	1.1	36.17			6000	
	20.0	343	0.8	44.95			6000	
	28.1	239	1.3	49.80	HA53	80B4	6000	96-97
	23.2	290	1.0	60.25			6000	
	18.7	360	0.8	74.88			6000	
	319.3	22	5.1	4.38	HA61	80B4	3053	98-99
	180.6	38	2.3	7.75			3691	
	131.3	53	1.3	10.67			4106	
	28.1	244	1.5	49.78	HA62	80B4	8000	100-101
	22.6	304	1.4	61.87			8000	
	30.1	228	2.0	29.89	HA62	90S6	8000	100-101
	24.9	276	1.7	36.17			8000	
	20.0	343	1.3	44.95			8000	
	18.1	380	1.0	49.78			8000	
	14.5	473	0.9	61.87			8000	
	28.1	239	2.0	49.80	HA63	80B4	8000	102-103
	23.2	290	1.7	60.25			8000	
	18.7	360	1.3	74.88			8000	
	15.9	423	1.1	88.02			8000	
	12.5	537	0.9	111.61			8000	
	70.4	98	2.0	19.90	H032	80B4	5440	106-107
	58.7	117	1.71	23.83			5500	
	53.0	130	1.54	26.39			5500	
	47.1	146	1.37	29.70			5500	
	42.6	162	1.24	32.89			5500	
	36.9	186	1.07	37.92			5500	
	33.8	203	0.98	41.40			5500	
	29.6	232	0.86	47.25			5500	
	333.3	21	2.2	4.20	H041	80B4	918	108-109
	280.0	25	1.81	5.00			960	
	254.5	27	1.83	5.50			983	
	229.9	30	1.65	6.09			1000	
	182.6	38	1.31	7.67			1000	
	160.0	43	1.27	8.75			1000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	46.0	150	1.9	30.45	H042	80B4	6600	110-111
	41.1	167	1.67	34.10			6600	
	37.1	185	1.51	37.76			6600	
	32.0	215	1.30	43.75			6600	
	29.5	233	1.20	47.53			6600	
	25.8	266	1.05	54.25			6600	
	22.6	297	1.0	61.83	H043	80B4	6600	110-111
	28.5	241	2.0	49.13	H052	80B4	8000	114-115
	24.9	276	1.78	56.11			8000	
	23.8	283	1.8	58.81	H053	80B4	8000	114-115
	19.2	350	1.43	72.75			8000	
	15.5	435	1.15	90.51			8000	
	12.9	524	0.95	108.95			8000	
	14.8	456	1.9	94.76	H063	80B4	12000	118-119
	11.9	567	1.50	118.00			12000	
	10.3	651	1.31	135.40			12000	
	9.4	719	1.18	149.51			12000	
	8.2	821	1.04	170.67			12000	
	7.5	895	0.95	186.18			12000	
	7.8	861	2.1	179.13	H083	80B4	18000	122-123
	7.2	938	1.92	195.07			18000	
	6.3	1071	1.68	222.78			18000	
0.92	260.3	32	2.5	5.38	HA32	80C4	1096	82-83
	214.8	39	2.0	6.52			1169	
	172.6	49	1.5	8.11			1257	
	128.0	66	1.4	10.94			1389	
	105.7	80	1.0	13.25			1481	
	966.7	9	2.8	1.45	HA41	80C4	512	86-87
	475.5	18	1.4	2.94			648	
	294.7	29	1.0	4.75			760	
	105.7	80	1.8	13.25	HA42	80C4	3117	88-89
	84.9	99	1.4	16.49			3353	
	69.1	122	1.2	20.26			3591	
	57.0	148	1.0	24.55			3828	
	475.5	18	2.2	2.94	HA51	80C4	1786	92-93
	294.7	29	1.7	4.75			2095	
	256.7	33	1.5	5.45			2194	
	46.8	180	1.7	29.89	HA52	80C4	5110	94-95
	38.7	218	1.4	36.17			5445	
	31.1	271	1.0	44.95			5855	
	28.1	300	1.0	49.78			6000	
	28.1	294	1.0	49.80	HA53	80C4	6000	96-97
	23.2	355	0.8	60.25			6000	
	319.3	27	4.1	4.38	HA61	80C4	3053	98-99
	180.6	47	1.9	7.75			3691	
	131.3	65	1.1	10.67			4106	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	38.7	218	2.2	36.17	HA62	80C4	8000	100-101
	31.1	271	1.6	44.95			8000	
	28.1	300	1.2	49.78			8000	
	22.6	373	1.2	61.87			8000	
	28.1	294	1.6	49.80	HA63	80C4	8000	102-103
	23.2	355	1.4	60.25			8000	
	18.7	442	1.1	74.88			8000	
	15.9	519	0.9	88.02			8000	
	119.0	71	2.0	11.76	H032	80C4	4691	106-107
	102.0	83	2.06	13.72			4851	
	95.5	88	1.93	14.66			4918	
	76.9	110	1.55	18.20			5129	
	70.4	120	1.67	19.90			5209	
	61.7	137	1.46	22.68			5320	
	58.7	144	1.39	23.83			5359	
	53.0	159	1.26	26.39			5433	
	47.1	179	1.12	29.70			5500	
	42.6	198	1.01	32.89			5500	
	36.9	228	0.88	37.92			5500	
	973.9	9	2.9	1.44	H041	80C4	672	108-109
	700.0	12	2.05	2.00			738	
	550.0	15	1.94	2.55			788	
	515.8	17	1.82	2.71			802	
	450.8	19	2.12	3.11			831	
	390.2	22	2.06	3.59			862	
	333.3	26	1.76	4.20			896	
	280.0	30	1.48	5.00			934	
	254.5	33	1.49	5.50			954	
	229.9	37	1.35	6.09			975	
	182.6	47	1.07	7.67			1000	
	160.0	53	1.03	8.75			1000	
	66.7	127	2.0	21.00	H042	80C4	6600	110-111
	60.5	139	1.86	23.15			6600	
	53.8	157	1.66	26.04			6600	
	50.9	166	1.69	27.50			6600	
	46.0	183	1.53	30.45			6600	
	41.1	205	1.36	34.10			6600	
	37.1	228	1.23	37.76			6600	
	32.0	264	1.06	43.75			6600	
	29.5	286	0.98	47.53			6600	
	190.9	45	2.2	7.33	H051	80C4	2500	112-113
	167.2	51	1.96	8.38			2500	
	30.9	273	1.8	45.36	H052	80C4	8000	114-115
	28.5	296	1.66	49.13			8000	
	24.9	338	1.45	56.11			8000	
	23.8	347	1.4	58.81	H053	80C4	8000	114-115
	19.2	429	1.17	72.75			8000	
	15.5	534	0.94	90.51			8000	
	16.3	506	1.7	85.82	H063	80C4	12000	118-119
	14.8	559	1.52	94.76			12000	
	11.9	696	1.22	118.00			12000	
	10.3	799	1.06	135.40			12000	
	9.4	882	0.96	149.51			12000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	9.0	913	2.0	154.76	H083	80C4	18000	122-123
	8.6	958	1.88	162.35			18000	
	7.8	1057	1.70	179.13			18000	
	7.2	1151	1.56	195.07			18000	
	6.3	1314	1.37	222.78			18000	
1.1	260.3	39	3.6	5.38	HA42	90S4	2308	88-89
	214.8	47	3.0	6.52			2461	
	172.6	58	2.2	8.11			2647	
	128.0	79	1.9	10.94			2924	
	105.7	95	1.5	13.25			3117	
	84.9	119	1.2	16.49			3353	
	69.1	146	1.0	20.26			3591	
	57.0	177	0.9	24.55			3828	
	475.5	21	1.9	2.94	HA51	90S4	1786	92-93
	294.7	35	1.4	4.75			2095	
	256.7	40	1.3	5.45			2194	
	145.2	69	4.3	9.64	HA52	90S4	3505	94-95
	120.0	84	3.3	11.67			3735	
	96.6	104	2.7	14.50			4015	
	82.8	122	2.5	16.91			4227	
	68.4	147	2.0	20.46			4504	
	55.1	183	1.5	25.43			4842	
	46.8	215	1.4	29.89			5110	
	38.7	261	1.2	36.17			5445	
	31.1	324	0.9	44.95			5855	
	319.3	32	3.4	4.38	HA61	90S4	3053	98-99
	180.6	56	1.6	7.75			3691	
	131.3	78	0.9	10.67			4106	
	55.1	183	2.3	25.43	HA62	90S4	7147	100-101
	46.8	215	2.1	29.89			7543	
	38.7	261	1.8	36.17			8000	
	31.1	324	1.4	44.95			8000	
	28.1	359	1.0	49.78			8000	
	22.6	446	1.0	61.87			8000	
	28.1	351	1.4	49.80	HA63	90S4	8000	102-103
	23.2	425	1.1	60.25			8000	
	18.7	528	0.9	74.88			8000	
	157.9	64	2.0	8.87	H032	90S4	4280	106-107
	138.0	73	1.92	10.14			4409	
	119.0	85	1.71	11.76			4547	
	102.0	99	1.72	13.72			4683	
	95.5	106	1.61	14.66			4739	
	83.5	121	1.57	16.77			4845	
	76.9	131	1.30	18.20			4905	
	70.4	143	1.40	19.90			4965	
	61.7	163	1.22	22.68			5042	
	58.7	172	1.16	23.83			5067	
	53.0	190	1.05	26.39			5110	
	47.1	214	0.93	29.70			5144	
	42.6	237	0.84	32.89			5157	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	973.9	10	2.4	1.44	H041	90S4	664	108-109
	700.0	15	1.72	2.00			727	
	550.0	19	1.62	2.55			774	
	515.8	20	1.52	2.71			787	
	450.8	23	1.77	3.11			814	
	390.2	26	1.72	3.59			842	
	333.3	31	1.47	4.20			873	
	280.0	36	1.24	5.00			906	
	254.5	40	1.25	5.50			923	
	229.9	44	1.13	6.09			941	
	182.6	56	0.90	7.67			979	
	160.0	64	0.86	8.75			997	
	87.7	115	2.2	15.96	H042	90S4	6509	110-111
	73.7	137	1.83	19.00			6600	
	66.7	151	1.65	21.00			6600	
	60.5	167	1.56	23.15			6600	
	53.8	188	1.39	26.04			6600	
	50.9	198	1.41	27.50			6600	
	46.0	219	1.28	30.45			6600	
	41.1	246	1.14	34.10			6600	
	37.1	272	1.03	37.76			6600	
	190.9	53	1.9	7.33	H051	90S4	2500	112-113
	167.2	61	1.64	8.38			2500	
	44.4	227	2.2	31.52	H052	90S4	8000	114-115
	42.4	238	2.06	33.00			8000	
	35.9	281	1.74	38.98			8000	
	30.9	327	1.50	45.36			8000	
	28.5	354	1.38	49.13			8000	
	24.9	404	1.21	56.11			8000	
	23.8	415	1.2	58.81	H053	90S4	8000	114-115
	19.2	513	0.97	72.75			8000	
	20.6	480	1.8	68.00	H063	90S4	12000	118-119
	16.3	605	1.40	85.82			12000	
	14.8	668	1.27	94.76			12000	
	11.9	832	1.02	118.00			12000	
	14.3	692	2.6	98.09	H083	90S4	18000	122-123
	12.4	796	2.26	112.78			18000	
	11.3	878	2.05	124.44			18000	
	9.8	1003	1.80	142.15			18000	
	9.0	1092	1.65	154.76			18000	
	8.6	1145	1.57	162.35			18000	
	7.8	1263	1.42	179.13			18000	
	7.2	1376	1.31	195.07			18000	
	6.3	1571	1.15	222.78			18000	
1.5	260.3	53	2.6	5.38	HA42	90L4	2308	88-89
	214.8	64	2.2	6.52			2461	
	172.6	80	1.6	8.11			2647	
	128.0	107	1.4	10.94			2924	
	105.7	130	1.1	13.25			3117	
	84.9	162	0.9	16.49			3353	



H Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	966.7	14	2.8	1.45	HA51	90L4	1410	92-93
	475.5	29	1.4	2.94			1786	
	294.7	47	1.1	4.75			2095	
	256.7	54	0.9	5.45			2194	
	145.2	95	3.2	9.64	HA52	90L4	3505	94-95
	120.0	115	2.4	11.67			3735	
	96.6	142	2.0	14.50			4015	
	82.8	166	1.8	16.91			4227	
	68.4	201	1.4	20.46	HA61	90L4	4504	98-99
	55.1	250	1.1	25.43			4842	
	46.8	294	1.0	29.89			5110	
	560.0	25	3.6	2.50			2531	
	319.3	44	2.5	4.38	HA62	90L4	3053	100-101
	180.6	77	1.2	7.75			3691	
	131.3	106	0.7	10.67			4106	
	55.1	250	1.7	25.43			7147	
	46.8	294	1.5	29.89	HA63	90L4	7543	102-103
	38.7	355	1.3	36.17			8000	
	31.1	442	1.0	44.95			8000	
	28.1	479	1.0	49.80	H032	90L4	8000	106-107
	23.2	579	0.8	60.25			8000	
	298.1	46	2.1	4.70			3529	
	224.7	61	1.72	6.23	H041	90L4	3764	108-109
	180.4	76	1.64	7.76			3939	
	157.9	87	1.49	8.87			4039	
	138.0	100	1.41	10.14			4133	
	119.0	116	1.26	11.76	H042	90L4	4226	110-111
	102.0	135	1.26	13.72			4309	
	95.5	144	1.18	14.66			4339	
	83.5	165	1.15	16.77			4389	
	76.9	179	0.95	18.20			4410	
	70.4	195	1.02	19.90			4423	
	61.7	223	0.90	22.68			4424	
	58.7	234	0.85	23.83			4418	
	973.9	14	1.8	1.44			646	108-109
	700.0	20	1.26	2.00			702	
	550.0	25	1.19	2.55			743	
	515.8	27	1.11	2.71			754	
	450.8	31	1.30	3.11			775	110-111
	390.2	36	1.26	3.59			798	
	333.3	42	1.08	4.20			821	
	280.0	50	0.91	5.00			844	
	254.5	55	0.92	5.50			856	
	103.2	133	1.9	13.57			5968	
	87.7	157	1.59	15.96			6163	
	73.7	187	1.34	19.00			6357	
	66.7	206	1.21	21.00			6459	
	60.5	227	1.14	23.15			6551	
	53.8	256	1.02	26.04			6600	
	50.9	270	1.04	27.50			6600	
	46.0	299	0.94	30.45			6600	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	293.5	47	2.0	4.77	H051	90L4	2370	112-113
	266.7	52	1.92	5.25			2432	
	240.6	58	1.73	5.82			2500	
	190.9	73	1.37	7.33			2500	
	167.2	83	1.20	8.38			2500	
	56.7	243	1.9	24.71	H052	90L4	8000	114-115
	53.5	257	1.91	26.18			8000	
	49.2	279	1.75	28.44			8000	
	44.4	310	1.58	31.52			8000	
	42.4	324	1.51	33.00			8000	
	35.9	383	1.28	38.98			8000	
	30.9	446	1.10	45.36			8000	
	28.5	483	1.02	49.13			8000	
	24.9	551	0.9	56.11			8000	
	167.2	83	2.0	8.38	H061	90L4	3700	116-117
	37.8	363	2.2	36.99	H062	90L4	12000	118-119
	34.7	396	2.15	40.33			12000	
	30.4	452	1.88	46.06			12000	
	28.3	476	1.8	49.45	H063	90L4	12000	118-119
	25.6	525	1.62	54.61			12000	
	20.6	654	1.30	68.00			12000	
	16.3	825	1.03	85.82			12000	
	17.8	759	2.4	78.87	H083	90L4	18000	122-123
	14.3	943	1.91	98.09			18000	
	12.4	1085	1.66	112.78			18000	
	11.3	1197	1.50	124.44			18000	
	9.8	1367	1.32	142.15			18000	
	9.0	1489	1.21	154.76			18000	
	8.6	1561	1.15	162.35			18000	
	7.8	1723	1.04	179.13			18000	
	7.2	1876	0.96	195.07			18000	
	6.5	2072	1.7	215.45	H103	90L4	22000	126-127
	5.8	2333	1.54	242.59			22000	
1.84	260.3	65	2.2	5.38	HA42	90LL4	2308	88-89
	214.8	79	1.8	6.52			2461	
	172.6	98	1.3	8.11			2647	
	128.0	132	1.1	10.94			2924	
	105.7	160	0.9	13.25			3117	
	966.7	18	2.3	1.45	HA51	90LL4	1410	92-93
	475.5	36	1.1	2.94			1786	
	294.7	58	0.9	4.75			2095	
	181.0	93	2.6	7.73	HA52	90LL4	3256	94-95
	145.2	116	2.6	9.64			3505	
	120.0	141	2.0	11.67			3735	
	96.6	175	1.6	14.50			4015	
	82.8	204	1.5	16.91			4227	
	68.4	247	1.2	20.46			4504	
	55.1	306	0.9	25.43			4842	
	46.8	360	0.8	29.89			5110	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	560.0	30	3.0	2.50	HA61	90LL4	2531	98-99
	319.3	53	2.1	4.38			3053	
	180.6	94	1.0	7.75			3691	
	68.4	247	1.9	20.46	HA62	90LL4	6647	100-101
	55.1	306	1.4	25.43			7147	
	46.8	360	1.2	29.89			7543	
	38.7	436	1.1	36.17			8000	
	31.1	542	0.8	44.95			8000	
	298.1	57	1.7	4.70	H032	90LL4	3420	106-107
	224.7	75	1.40	6.23			3620	
	180.4	94	1.34	7.76			3759	
	157.9	107	1.22	8.87			3833	
	138.0	122	1.15	10.14			3898	
	119.0	142	1.02	11.76			3954	
	102.0	165	1.03	13.72			3991	
	95.5	177	0.96	14.66			4000	
	83.5	202	0.94	16.77			4000	
	76.9	219	0.78	18.20			3988	
	70.4	240	0.83	19.90			3963	
	194.8	87	1.8	7.19	H042	90LL4	5017	110-111
	157.1	107	1.96	8.91			5267	
	135.7	124	1.93	10.31			5431	
	118.6	142	1.76	11.80			5576	
	103.2	164	1.53	13.57			5718	
	87.7	192	1.30	15.96			5868	
	73.7	229	1.09	19.00			6006	
	66.7	253	0.99	21.00			6072	
	60.5	279	0.93	23.15			6124	
	53.8	314	0.83	26.04			6169	
	50.9	331	0.85	27.50			6182	
	442.1	39	2.1	3.17	H051	90LL4	2083	112-113
	379.7	45	2.00	3.69			2171	
	350.0	49	1.85	4.00			2219	
	293.5	58	1.64	4.77			2324	
	266.7	64	1.56	5.25			2381	
	240.6	71	1.41	5.82			2443	
	190.9	89	1.12	7.33			2500	
	167.2	102	0.98	8.38			2500	
	70.1	241	1.9	19.97	H052	90LL4	8000	114-115
	64.6	261	1.80	21.67			8000	
	56.7	298	1.58	24.71			8000	
	53.5	315	1.55	26.18			8000	
	49.2	343	1.43	28.44			8000	
	44.4	380	1.29	31.52			8000	
	42.4	398	1.23	33.00			8000	
	35.9	470	1.04	38.98			8000	
	30.9	547	0.90	45.36			8000	
	190.9	89	1.9	7.33	H061	90LL4	3700	116-117
	167.2	102	1.67	8.38			3700	
	47.7	353	2.3	29.33	H062	90LL4	12000	118-119
	43.8	386	2.20	32.00			12000	
	37.8	446	1.79	36.99			12000	
	34.7	486	1.75	40.33			12000	
	30.4	555	1.53	46.06			12000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	28.3	583	1.5	49.45	H063	90LL4	12000	118-119
	25.6	644	1.32	54.61			12000	
	20.6	802	1.06	68.00			12000	
	19.6	843	2.1	71.48	H083	90LL4	18000	122-123
	17.8	931	1.93	78.87			18000	
	16.4	1009	1.78	85.56			18000	
	14.3	1157	1.56	98.09			18000	
	12.4	1331	1.35	112.78			18000	
	11.3	1468	1.23	124.44			18000	
	9.8	1677	1.07	142.15			18000	
	9.0	1826	0.99	154.76			18000	
	8.6	1915	0.94	162.35			18000	
	8.7	1897	1.8	160.82	H103	90LL4	22000	126-127
	7.7	2136	1.64	181.07			22000	
	7.2	2291	1.53	194.21			22000	
	6.5	2542	1.38	215.45			22000	
	5.8	2862	1.26	242.59			22000	
2.2	272.2	74	3.2	5.14	HA52	100LA4	2842	94-95
	225.0	90	2.7	6.22			3029	
	181.0	111	2.2	7.73			3256	
	145.2	139	2.2	9.64			3505	
	120.0	168	1.7	11.67			3735	
	96.6	209	1.3	14.50			4015	
	82.8	244	1.2	16.91			4227	
	68.4	295	1.0	20.46			4504	
	1050.0	19	4.6	1.33	HA61	100LA4	2053	98-99
	560.0	36	2.5	2.50			2531	
	319.3	64	1.7	4.38			3053	
	96.6	209	2.0	14.50	HA62	100LA4	5926	100-101
	82.8	244	2.1	16.91			6238	
	68.4	295	1.6	20.46			6647	
	55.1	366	1.2	25.43			7147	
	298.1	68	1.4	4.70	H032	100LA4	3305	106-107
	224.7	90	1.17	6.23			3467	
	180.4	112	1.12	7.76			3569	
	157.9	128	1.02	8.87			3616	
	256.3	79	2.0	5.46	H042	100LA4	4586	110-111
	194.8	104	1.55	7.19			4877	
	157.1	128	1.64	8.91			5093	
	135.7	149	1.62	10.31			5229	
	118.6	170	1.47	11.80			5345	
	103.2	196	1.28	13.57			5452	
	87.7	230	1.09	15.96			5556	
	73.7	274	0.91	19.00			5634	
	1100.0	19	2.2	1.27	H051	100LA4	1585	112-113
	986.4	21	2.90	1.42			1637	
	658.8	31	1.94	2.13			1838	
	544.4	37	1.87	2.57			1938	
	442.1	46	1.74	3.17			2050	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	379.7	54	1.68	3.69	H051	100LA4	2133	112-113
	350.0	58	1.55	4.00			2178	
	293.5	69	1.37	4.77			2274	
	266.7	76	1.31	5.25			2327	
	240.6	85	1.18	5.82			2383	
	98.3	205	2.1	14.24	H052	100LA4	7518	114-115
	84.4	239	1.88	16.59			7752	
	77.8	259	1.77	18.00			7871	
	70.1	288	1.60	19.97			8000	
	64.6	312	1.51	21.67			8000	
	56.7	356	1.32	24.71			8000	
	53.5	377	1.30	26.18			8000	
	49.2	410	1.20	28.44			8000	
	44.4	454	1.08	31.52			8000	
	293.5	69	2.3	4.77	H061	100LA4	3663	116-117
	266.7	76	2.22	5.25			3700	
	240.6	85	2.01	5.82			3700	
	190.9	107	1.59	7.33			3700	
	167.2	122	1.39	8.38			3700	
	47.7	423	1.9	29.33	H062	100LA4	12000	118-119
	43.8	461	1.84	32.00			12000	
	37.8	533	1.50	36.99			12000	
	34.7	581	1.46	40.33			12000	
	30.4	664	1.28	46.06			12000	
	28.3	698	1.2	49.45	H063	100LA4	12000	118-119
	25.6	770	1.10	54.61			12000	
	36.2	558	2.9	38.70	H082	100LA4	18000	122-123
	32.7	616	2.60	42.75			18000	
	29.1	693	2.31	48.13			18000	
	24.8	797	2.0	56.53	H083	100LA4	18000	122-123
	19.6	1008	1.79	71.48			18000	
	17.8	1113	1.62	78.87			18000	
	16.4	1207	1.49	85.56			18000	
	14.3	1384	1.30	98.09			18000	
	12.4	1591	1.13	112.78			18000	
	11.3	1756	1.03	124.44			18000	
	9.8	2005	0.90	142.15			18000	
	9.8	2005	0.90	142.15			18000	
	9.8	2023	1.7	143.42	H103	100LA4	22000	126-127
	8.7	2269	1.54	160.82			22000	
	7.7	2554	1.37	181.07			22000	
	7.2	2740	1.28	194.21			22000	
	6.5	3039	1.15	215.45			22000	
	5.8	3422	1.05	242.59			22000	
	9.0	2190	2.3	155.22	H123	100LA4	30000	130-131
	8.1	2438	2.05	172.80			30000	
	7.4	2669	1.87	189.19			30000	
	6.7	2926	1.71	207.43			30000	
	6.1	3258	1.53	230.92			30000	
	5.4	3663	1.37	259.64			30000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	266.7	104	1.63	5.25	H061	100LB4	3596	116-117
	240.6	115	1.47	5.82			3676	
	190.9	146	1.17	7.33			3700	
	167.2	166	1.02	8.38			3700	
	69.0	398	2.1	20.28	H062	100LB4	12000	118-119
	60.2	457	1.86	23.27			12000	
	54.5	505	1.68	25.70			12000	
	47.7	576	1.39	29.33			12000	
	43.8	629	1.35	32.00			12000	
	37.8	727	1.10	36.99			12000	
	34.7	792	1.07	40.33			12000	
	30.4	905	0.94	46.06			12000	
	165.8	168	2.1	8.44	H081	100LB4	4000	120-121
	40.7	675	2.4	34.38			18000	
	36.2	760	2.10	38.70	H082	100LB4	18000	122-123
	32.7	840	1.91	42.75			18000	
	29.1	946	1.69	48.13			18000	
	24.8	1087	1.5	56.53			18000	
	19.6	1375	1.31	71.48	H083	100LB4	18000	122-123
	17.8	1517	1.19	78.87			18000	
	11.6	2325	1.5	120.84			22000	
	10.4	2579	1.36	134.06	H103	100LB4	22000	126-127
	9.8	2759	1.27	143.42			22000	
	8.7	3094	1.13	160.82			22000	
	7.7	3483	1.00	181.07			22000	
	7.2	3736	0.94	194.21			22000	
	11.8	2282	2.2	118.62			30000	
	10.9	2466	2.03	128.18	H123	100LB4	30000	130-131
	9.7	2785	1.80	144.79			30000	
	9.0	2986	1.67	155.22			30000	
	8.1	3324	1.50	172.80			30000	
	7.4	3639	1.37	189.19			30000	
	6.7	3990	1.25	207.43			30000	
	6.1	4442	1.13	230.92			30000	
	5.4	4994	1.00	259.64			30000	
4	272.2	135	1.8	5.14	HA52	112M4	2842	94-95
	225.0	163	1.5	6.22			3029	
	181.0	203	1.2	7.73			3256	
	145.2	253	1.2	9.64			3505	
	120.0	306	0.9	11.67			3735	
	1050.0	35	2.6	1.33	HA61	112M4	2053	98-99
	560.0	66	1.4	2.50			2531	
	319.3	116	0.9	4.38			3053	
	181.0	203	1.9	7.73	HA62	112M4	4806	100-101
	145.2	253	1.8	9.64			5173	
	120.0	306	1.4	11.67			5512	
	96.6	380	1.1	14.50			5926	
	82.8	443	1.1	16.91			6238	
	68.4	536	0.9	20.46			6647	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4	256.3	143	1.1	5.46	H042	112M4	4052	110-111
	194.8	188	0.85	7.19			4174	
	157.1	233	0.90	8.91			4221	
	135.7	270	0.89	10.31			4221	
	1100.0	34	1.2	1.27	H051	112M4	1519	112-113
	986.4	38	1.60	1.42			1564	
	658.8	56	1.07	2.13			1728	
	544.4	68	1.03	2.57			1805	
	244.4	150	1.7	5.73	H052	112M4	5579	114-115
	203.1	181	1.61	6.89			5790	
	164.2	223	1.52	8.53			6013	
	146.4	250	1.48	9.56			6121	
	121.6	302	1.29	11.51			6272	
	98.3	373	1.15	14.24			6397	
	84.4	435	1.04	16.59			6445	
	77.8	471	0.98	18.00			6453	
	70.1	523	0.88	19.97			6444	
	64.6	568	0.83	21.67			6418	
	1041.9	36	2.2	1.34	H061	112M4	2469	116-117
	658.8	56	2.13	2.13			2788	
	544.4	68	1.76	2.57			2922	
	442.1	84	1.55	3.17			3068	
	379.7	98	1.54	3.69			3173	
	350.0	106	1.42	4.00			3227	
	293.5	126	1.27	4.77			3340	
	266.7	139	1.22	5.25			3399	
	240.6	154	1.10	5.82			3458	
	190.9	194	0.88	7.33			3574	
	110.5	332	2.1	12.67	H062	112M4	12000	118-119
	94.9	386	1.81	14.75			12000	
	86.0	427	1.88	16.29			12000	
	79.2	463	1.79	17.67			12000	
	69.0	531	1.60	20.28			12000	
	60.2	610	1.39	23.27			12000	
	54.5	673	1.26	25.70			12000	
	47.7	768	1.04	29.33			12000	
	43.8	838	1.01	32.00			12000	
	186.7	199	1.8	7.50	H081	112M4	4000	120-121
	165.8	224	1.57	8.44			4000	
	40.7	900	1.8	34.38	H082	112M4	18000	122-123
	36.2	1014	1.58	38.70			18000	
	32.7	1120	1.43	42.75			18000	
	29.1	1261	1.27	48.13			18000	
	24.8	1450	1.1	56.53	H083	112M4	18000	122-123
	19.6	1833	0.98	71.48			18000	
	40.9	896	3.6	34.20	H102	112M4	22000	126-127
	36.4	1007	2.78	38.45			22000	
	33.9	1082	3.05	41.30			22000	
	30.6	1200	2.75	45.82			22000	
	27.2	1349	2.45	51.52			22000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4	17.5	2047	1.7	79.82	H103	112M4	22000	126-127
	16.6	2159	1.62	84.16			22000	
	15.0	2395	1.46	93.36			22000	
	14.0	2567	1.36	100.07			22000	
	11.6	3099	1.13	120.84			22000	
	10.4	3438	1.02	134.06			22000	
	9.8	3678	0.95	143.42			22000	
4.8	16.8	2137	2.3	83.34	H123	112M4	30000	130-131
	15.6	2308	2.17	89.97			30000	
	14.0	2572	1.94	100.29			30000	
	12.9	2779	1.80	108.34			30000	
	11.8	3042	1.64	118.62			30000	
	10.9	3288	1.52	128.18			30000	
	9.7	3714	1.35	144.79			30000	
	9.0	3981	1.26	155.22			30000	
	8.1	4432	1.13	172.80			30000	
	7.4	4853	1.03	189.19			30000	
	6.7	5320	0.94	207.43			30000	
4.8	272.2	162	1.5	5.14	HA52	112MS4	2842	94-95
	225.0	196	1.2	6.22			3029	
	181.0	243	1.0	7.73			3256	
	145.2	303	1.0	9.64			3505	
	120.0	367	0.8	11.67			3735	
4.8	1050.0	42	2.1	1.33	HA61	112MS4	2053	98-99
	560.0	79	1.1	2.50			2531	
	319.3	139	0.8	4.38			3053	
4.8	272.2	162	2.4	5.14	HA62	112MS4	4195	100-101
	225.0	196	1.9	6.22			4470	
	181.0	243	1.6	7.73			4806	
	145.2	303	1.5	9.64			5173	
	120.0	367	1.2	11.67			5512	
	96.6	456	0.9	14.50			5926	
4.8	256.3	172	0.9	5.46	H042	112MS4	3815	110-111
4.8	244.4	180	1.4	5.73	H052	112MS4	5378	114-115
	203.1	217	1.34	6.89			5549	
	164.2	268	1.27	8.53			5714	
	146.4	301	1.23	9.56			5786	
	121.6	362	1.08	11.51			5869	
	98.3	448	0.96	14.24			5898	
4.8	1041.9	43	1.9	1.34	H061	112MS4	2429	116-117
	658.8	67	1.78	2.13			2724	
	544.4	82	1.47	2.57			2845	
	442.1	101	1.29	3.17			2973	
	379.7	117	1.28	3.69			3062	
	350.0	127	1.18	4.00			3107	
	293.5	151	1.06	4.77			3197	
	266.7	167	1.02	5.25			3241	
	240.6	185	0.92	5.82			3283	
4.8	260.5	169	3.0	5.38	H062	112MS4	9750	118-119
	235.9	187	2.95	5.93			10005	
	189.4	232	2.37	7.39			10571	
	164.7	267	2.25	8.50			10931	
	149.2	295	2.03	9.39			11184	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4.8	119.8	367	1.77	11.69	H062	112MS4	11731	118-119
	110.5	398	1.76	12.67			11925	
	94.9	464	1.51	14.75			12000	
	86.0	512	1.56	16.29			12000	
	79.2	555	1.49	17.67			12000	
	69.0	638	1.33	20.28			12000	
	60.2	732	1.16	23.27			12000	
	54.5	808	1.05	25.70			12000	
	252.8	176	1.9	5.54	H081	112MS4	4000	120-121
	230.1	193	1.76	6.08			4000	
	186.7	238	1.47	7.50			4000	
	165.8	268	1.30	8.44			4000	
	52.6	836	1.9	26.60	H082	112MS4	18000	122-123
	50.2	876	1.83	27.88			18000	
	44.9	979	1.63	31.15			18000	
	40.7	1081	1.48	34.38			18000	
	36.2	1217	1.32	38.70			18000	
	32.7	1344	1.19	42.75			18000	
	29.1	1513	1.06	48.13			18000	
	24.8	1740	0.9	56.53	H083	112MS4	18000	122-123
	40.9	1075	3.0	34.20	H102	112MS4	22000	126-127
	36.4	1209	2.32	38.45			22000	
	33.9	1298	2.54	41.30			22000	
	30.6	1440	2.29	45.82			22000	
	27.2	1619	2.04	51.52			22000	
	20.1	2145	1.6	69.69	H103	112MS4	22000	126-127
	17.5	2457	1.42	79.82			22000	
	15.0	2874	1.22	93.36			22000	
	14.0	3080	1.14	100.07			22000	
	11.6	3719	0.94	120.84			22000	
	10.4	4126	0.85	134.06			22000	
	16.8	2565	1.9	83.34	H123	112MS4	30000	130-131
	15.6	2769	1.81	89.97			30000	
	14.0	3087	1.62	100.29			30000	
	12.9	3335	1.50	108.34			30000	
	11.8	3651	1.37	118.62			30000	
	10.9	3945	1.27	128.18			30000	
	9.7	4456	1.12	144.79			30000	
	9.0	4777	1.05	155.22			30000	
	8.1	5318	0.94	172.80			30000	
	7.4	5823	0.86	189.19			30000	
5.5	260.5	194	2.6	5.38	H062	132S4	9607	118-119
	235.9	214	2.57	5.93			9846	
	189.4	266	2.07	7.39			10373	
	164.7	306	1.96	8.50			10704	
	149.2	338	1.77	9.39			10933	
	119.8	421	1.54	11.69			11419	
	110.5	456	1.53	12.67			11586	
	94.9	531	1.32	14.75			11883	
	86.0	587	1.36	16.29			12000	
	79.2	636	1.30	17.67			12000	
	69.0	730	1.16	20.28			12000	
	60.2	838	1.01	23.27			12000	
	54.5	926	0.92	25.70			12000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
5.5	1079.2	47	4.2	1.30	H081	132S4	2950	120-121
	980.0	52	4.23	1.43			3032	
	725.0	70	3.27	1.93			3297	
	550.8	92	3.03	2.54			3547	
	430.8	118	2.62	3.25			3774	
	376.1	135	2.29	3.72			3899	
	350.0	146	2.20	4.00			3965	
	300.0	170	1.88	4.67			4000	
	252.8	202	1.64	5.54			4000	
	230.1	221	1.54	6.08			4000	
	186.7	273	1.28	7.50			4000	
	165.8	307	1.14	8.44			4000	
	75.6	667	2.2	18.53	H082	132S4	16554	122-123
	72.2	698	2.29	19.38			16708	
	65.5	770	2.08	21.39			17034	
	61.4	821	1.95	22.80			17240	
	52.6	958	1.67	26.60			17710	
	50.2	1004	1.59	27.88			17844	
	44.9	1122	1.43	31.15			18000	
	40.7	1238	1.29	34.38			18000	
	36.2	1394	1.15	38.70			18000	
	32.7	1540	1.04	42.75			18000	
	29.1	1734	0.92	48.13			18000	
	166.7	306	2.1	8.40	H101	132S4	5000	124-125
	36.4	1385	2.0	38.45			22000	
	33.9	1488	2.22	41.30			22000	
	30.6	1650	2.00	45.82			22000	
	27.2	1855	1.78	51.52			22000	
	20.1	2458	1.4	69.69			22000	
	17.5	2815	1.24	79.82			22000	
	16.6	2968	1.18	84.16			22000	
	15.0	3293	1.06	93.36			22000	
	14.0	3529	0.99	100.07			22000	
	16.8	2939	1.7	83.34			30000	
	15.6	3173	1.58	89.97			30000	
	14.0	3537	1.41	100.29			30000	
	12.9	3821	1.31	108.34			30000	
	11.8	4183	1.20	118.62			30000	
	10.9	4520	1.11	128.18			30000	
	9.7	5106	0.98	144.79			30000	
	13.4	3686	2.2	104.51	H143	132S4	55000	132-133
	12.1	4088	1.96	115.92			55000	
	10.9	4531	1.77	128.47			55000	
	10.0	4922	1.63	139.55			55000	
	9.1	5443	1.47	154.33			55000	
	7.5	6558	1.22	185.96			55000	
	6.8	7268	1.10	206.08			55000	
7.5	260.5	264	1.9	5.38	H062	132L4	9197	118-119
	235.9	291	1.89	5.93			9393	
	189.4	363	1.52	7.39			9809	
	164.7	417	1.44	8.50			10055	
	149.2	461	1.30	9.39			10217	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
7.5	119.8	574	1.13	11.69	H062	132L4	10527	118-119
	110.5	622	1.13	12.67			10620	
	94.9	724	0.97	14.75			10758	
	86.0	800	1.00	16.29			10816	
	1079.2	64	3.1	1.30	H081	132L4	2880	120-121
	980.0	71	3.10	1.43			2955	
	725.0	96	2.40	1.93			3193	
	550.8	126	2.22	2.54			3411	
	430.8	161	1.92	3.25			3600	
	376.1	185	1.68	3.72			3700	
	350.0	199	1.61	4.00			3751	
	300.0	232	1.38	4.67			3855	
	252.8	275	1.20	5.54			3959	
	230.1	302	1.13	6.08			4000	
	186.7	372	0.94	7.50			4000	
	165.8	419	0.84	8.44			4000	
	189.3	363	2.2	7.39	H082	132L4	12819	122-123
	174.5	394	2.03	8.02			13072	
	158.2	435	2.07	8.85			13376	
	127.2	541	2.03	11.01			14038	
	103.7	663	2.11	13.50			14629	
	94.0	732	2.05	14.90			14898	
	84.3	816	1.84	16.62			15182	
	75.6	910	1.65	18.53			15444	
	72.2	952	1.68	19.38			15547	
	65.5	1051	1.52	21.39			15753	
	61.4	1120	1.43	22.80			15874	
	52.6	1306	1.22	26.60			16116	
	50.2	1369	1.17	27.88			16174	
	44.9	1530	1.05	31.15			16276	
	40.7	1688	0.95	34.38			16321	
	224.7	309	2.1	6.23	H101	132L4	5000	124-125
	185.5	374	1.74	7.55			5000	
	166.7	417	1.56	8.40			5000	
	40.9	1680	1.9	34.20	H102	132L4	22000	126-127
	36.4	1889	1.48	38.45			22000	
	33.9	2028	1.63	41.30			22000	
	30.6	2250	1.47	45.82			22000	
	27.2	2530	1.30	51.52			22000	
	25.2	2668	1.3	55.47	H103	132L4	22000	126-127
	20.1	3351	1.04	69.69			22000	
	17.5	3838	0.91	79.82			22000	
	16.6	4047	0.86	84.16			22000	
	20.8	3238	1.5	67.32	H123	132L4	30000	130-131
	19.0	3545	1.41	73.71			30000	
	16.8	4008	1.25	83.34			30000	
	15.6	4327	1.16	89.97			30000	
	14.0	4823	1.04	100.29			30000	
	12.9	5210	0.96	108.34			30000	
	11.8	5705	0.88	118.62			30000	
	16.2	4157	1.9	86.43	H143	132L4	55000	132-133
	14.6	4627	1.73	96.21			55000	
	13.4	5026	1.59	104.51			55000	
	12.1	5575	1.44	115.92			55000	




H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
7.5	10.9	6178	1.29	128.47	H143	132L4	55000	132-133
	10.0	6711	1.19	139.55			55000	
	9.1	7422	1.08	154.33			55000	
	7.5	8943	0.89	185.96			55000	
9.2	260.5	324	1.5	5.38	H062	132M4	8848	118-119
	235.9	358	1.54	5.93			9008	
	189.4	445	1.24	7.39			9330	
	164.7	512	1.17	8.50			9504	
	149.2	565	1.06	9.39			9608	
	119.8	704	0.92	11.69			9769	
	1079.2	79	2.5	1.30	H081	132M4	2821	120-121
	980.0	87	2.53	1.43			2890	
	725.0	118	1.96	1.93			3106	
	550.8	155	1.81	2.54			3295	
	430.8	198	1.57	3.25			3452	
	376.1	227	1.37	3.72			3531	
	350.0	243	1.31	4.00			3569	
	300.0	284	1.13	4.67			3643	
	252.8	337	0.98	5.54			3707	
	230.1	370	0.92	6.08			3732	
	259.8	325	2.2	5.39	H082	132M4	11559	122-123
	235.5	358	1.95	5.95			11836	
	189.3	446	1.80	7.39			12442	
	174.5	483	1.66	8.02			12663	
	158.2	533	1.69	8.85			12926	
	127.2	663	1.66	11.01			13478	
	103.7	813	1.72	13.50			13942	
	94.0	897	1.67	14.90			14140	
	84.3	1001	1.50	16.62			14336	
	75.6	1116	1.34	18.53			14501	
	72.2	1168	1.37	19.38			14560	
	65.5	1289	1.24	21.39			14664	
	61.4	1374	1.16	22.80			14713	
	52.6	1603	1.00	26.60			14762	
	50.2	1680	0.95	27.88			14755	
	44.9	1877	0.85	31.15			14690	
	287.2	297	2.1	4.88	H101	132M4	5000	124-125
	265.8	321	1.93	5.27			5000	
	224.7	379	1.69	6.23			5000	
	185.5	459	1.42	7.55			5000	
	166.7	511	1.27	8.40			5000	
	48.7	1731	1.9	28.73	H102	132M4	22000	126-127
	45.6	1851	1.73	30.72			22000	
	40.9	2060	1.55	34.20			22000	
	36.4	2317	1.21	38.45			22000	
	33.9	2488	1.33	41.30			22000	
	30.6	2760	1.20	45.82			22000	
	27.2	3104	1.06	51.52			22000	
	25.2	3272	1.1	55.47	H103	132M4	22000	126-127
	224.0	380	2.4	6.25	H121	132M4	6000	128-129
	181.8	469	2.13	7.70			6000	
	31.7	2657	1.9	44.10	H122	132M4	30000	130-131



Prestazioni / Performance / Leistungen / Performances / Prestaciones
H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
9.2	30.6	2700	1.9	45.77	H123	132M4	30000	130-131
	25.1	3296	1.52	55.87			30000	
	20.8	3972	1.26	67.32			30000	
	19.0	4348	1.15	73.71			30000	
	16.8	4916	1.02	83.34			30000	
	15.6	5307	0.94	89.97			30000	
	19.6	4209	1.9	71.35	H143	132M4	55000	132-133
	17.7	4665	1.71	79.07			55000	
	16.2	5099	1.57	86.43			55000	
	14.6	5675	1.41	96.21			55000	
	13.4	6165	1.30	104.51			55000	
	12.1	6838	1.17	115.92			55000	
	10.9	7578	1.06	128.47			55000	
	10.0	8232	0.97	139.55			55000	
	9.1	9104	0.88	154.33			55000	
11	259.8	388	1.8	5.39	H082	160M4	11269	122-123
	235.5	428	1.63	5.95			11515	
	189.3	533	1.50	7.39			12043	
	174.5	578	1.38	8.02			12231	
	158.2	638	1.41	8.85			12449	
	127.2	793	1.39	11.01			12884	
	103.7	972	1.44	13.50			13214	
	94.0	1073	1.40	14.90			13337	
	84.3	1197	1.25	16.62			13440	
	75.6	1334	1.12	18.53			13502	
	72.2	1396	1.15	19.38	H101	160M4	13515	124-125
	65.5	1541	1.04	21.39			13511	
	378.4	269	2.2	3.70			4784	
	331.6	307	1.98	4.22			4931	
	287.2	355	1.75	4.88			5000	
	265.8	383	1.62	5.27			5000	
	224.7	454	1.41	6.23			5000	
	185.5	549	1.18	7.55			5000	
	166.7	611	1.06	8.40			5000	
	78.4	1286	2.5	17.85	H102	160M4	21054	126-127
	70.5	1430	2.24	19.85			21432	
	65.3	1545	2.07	21.44			21690	
	58.4	1727	1.91	23.97			22000	
	54.1	1865	1.77	25.89			22000	
	48.7	2069	1.59	28.73			22000	
	45.6	2213	1.45	30.72			22000	
	40.9	2464	1.30	34.20			22000	
	33.9	2975	1.11	41.30			22000	
	30.6	3300	1.00	45.82			22000	
	25.2	3913	0.9	55.47	H103	160M4	22000	126-127
	268.5	380	2.3	5.21			6000	
	224.0	455	1.98	6.25	H121	160M4	6000	128-129
	181.8	560	1.78	7.70			6000	
	42.4	2377	2.1	33.00	H122	160M4	30000	130-131
	38.7	2603	1.92	36.13			30000	
	31.7	3177	1.57	44.10			30000	



H Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
11	30.6	3229	1.5	45.77	H123	160M4	30000	130-131
	25.1	3941	1.27	55.87			30000	
	20.8	4749	1.05	67.32			30000	
	19.0	5199	0.96	73.71			30000	
	26.2	3775	2.1	53.53	H143	160M4	55000	132-133
	23.6	4177	1.92	59.22			55000	
	22.2	4443	1.80	62.99			55000	
	19.6	5033	1.59	71.35			55000	
	17.7	5577	1.43	79.07			55000	
	16.2	6096	1.31	86.43			55000	
	14.6	6786	1.18	96.21			55000	
	13.4	7371	1.09	104.51			55000	
	12.1	8176	0.98	115.92			55000	
	10.9	9061	0.88	128.47			55000	
15	259.8	529	1.3	5.39	H082	160L4	10623	122-123
	235.5	584	1.20	5.95			10803	
	189.3	726	1.10	7.39			11158	
	174.5	788	1.02	8.02			11270	
	158.2	869	1.04	8.85			11388	
	127.2	1081	1.02	11.01			11566	
	103.7	1326	1.06	13.50			11596	
	94.0	1463	1.03	14.90			11552	
	427.8	325	1.8	3.27	H101	160L4	4426	124-125
	378.4	367	1.63	3.70			4535	
	331.6	419	1.46	4.22			4646	
	287.2	484	1.28	4.88			4759	
	265.8	523	1.19	5.27			4814	
	224.7	618	1.03	6.23			4921	
	185.5	749	0.87	7.55			5000	
	266.0	517	3.5	5.26	H102	160L4	15368	126-127
	220.3	624	3.20	6.36			16074	
	198.6	693	3.32	7.05			16458	
	169.2	813	3.08	8.27			17037	
	140.1	981	2.85	9.99			17689	
	126.3	1089	2.76	11.09			18029	
	105.1	1309	2.37	13.32			18582	
	87.0	1581	2.02	16.09			19064	
	78.4	1754	1.82	17.85			19282	
	70.5	1950	1.64	19.85			19461	
	65.3	2106	1.52	21.44			19561	
	58.4	2354	1.40	23.97			19652	
	54.1	2544	1.30	25.89			19673	
	48.7	2822	1.17	28.73			19639	
	45.6	3018	1.06	30.72			19576	
	40.9	3359	0.95	34.20			19398	
	340.0	409	2.1	4.12	H121	160L4	6000	128-129
	291.7	476	1.83	4.80			6000	
	268.5	518	1.70	5.21			6000	
	224.0	620	1.45	6.25			6000	
	181.8	764	1.31	7.70			6000	
	62.2	2212	2.3	22.52	H122	160L4	30000	130-131
	57.2	2403	2.08	24.47			30000	
	50.9	2700	1.85	27.49			30000	
	46.9	2933	1.70	29.86			30000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
15	42.4	3242	1.54	33.00	H122	160L4	30000	130-131
	38.7	3549	1.41	36.13			30000	
	31.7	4332	1.15	44.10			30000	
	30.6	4403	1.1	45.77	H123	160L4	30000	130-131
	25.1	5374	0.93	55.87			30000	
	32.5	4229	1.9	43.05	H142	160L4	53576	132-133
	29.0	4650	1.7	48.35	H143	160L4	54900	132-133
	26.2	5148	1.55	53.53			55000	
	23.6	5696	1.40	59.22			55000	
	22.2	6059	1.32	62.99			55000	
	19.6	6863	1.17	71.35			55000	
	17.7	7606	1.05	79.07			55000	
	16.2	8313	0.96	86.43			55000	
	14.6	9253	0.86	96.21			55000	
18.5	1083.0	158	2.5	1.29	H101	180M4	3463	124-125
	992.7	173	2.61	1.41			3539	
	688.9	249	1.81	2.03			3855	
	564.2	304	1.81	2.48			4021	
	427.8	401	1.50	3.27			4233	
	378.4	453	1.32	3.70			4316	
	331.6	517	1.18	4.22			4397	
	287.2	597	1.04	4.88			4471	
	265.8	645	0.96	5.27			4504	
	266.0	638	2.8	5.26	H102	180M4	14911	126-127
	220.3	770	2.60	6.36			15522	
	198.6	854	2.69	7.05			15845	
	169.2	1002	2.49	8.27			16318	
	140.1	1211	2.31	9.99			16821	
	126.3	1343	2.23	11.09			17065	
	105.1	1614	1.92	13.32			17424	
	87.0	1949	1.64	16.09			17666	
	78.4	2163	1.48	17.85			17730	
	70.5	2405	1.33	19.85			17737	
	65.3	2598	1.23	21.44			17698	
	58.4	2904	1.14	23.97			17569	
	54.1	3137	1.05	25.89			17423	
	48.7	3480	0.95	28.73			17143	
	445.5	385	2.1	3.14	H121	180M4	5756	128-129
	391.2	438	1.94	3.58			5925	
	340.0	504	1.69	4.12			6000	
	291.7	588	1.48	4.80			6000	
	268.5	638	1.38	5.21			6000	
	224.0	765	1.18	6.25			6000	
	181.8	943	1.06	7.70			6000	
	265.4	639	4.7	5.27	H122	180M4	22825	130-131
	242.4	700	4.57	5.78			23385	
	198.6	854	4.22	7.05			24631	
	180.8	938	3.94	7.74			25221	
	165.2	1027	3.70	8.48			25792	
	135.3	1253	3.19	10.35			27041	
	110.6	1534	2.87	12.66			28280	
	101.0	1680	2.74	13.86			28820	
	82.7	2050	2.34	16.92			29954	
	72.5	2341	2.14	19.32			30000	



H Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
18.5	68.1	2492	2.01	20.57	H122	180M4	30000	130-131
	62.2	2729	1.83	22.52			30000	
	57.2	2964	1.69	24.47			30000	
	50.9	3330	1.50	27.49			30000	
	46.9	3618	1.38	29.86			30000	
	42.4	3998	1.25	33.00			30000	
	38.7	4377	1.14	36.13			30000	
	31.7	5343	0.94	44.10			30000	
	30.6	5430	0.9	45.77	H123	180M4	30000	130-131
	43.4	3906	2.0	32.24	H142	180M4	48515	132-133
	36.0	4707	1.70	38.85			49940	
	32.5	5216	1.53	43.05			50624	
	29.0	5735	1.4	48.35	H143	180M4	51654	132-133
	26.2	6350	1.26	53.53			52166	
	23.6	7025	1.14	59.22			52559	
	22.2	7472	1.07	62.99			52735	
	19.6	8464	0.95	71.35			52921	
	17.7	9380	0.85	79.07			52879	
22	1083.0	188	2.1	1.29	H101	180L4	3387	124-125
	992.7	205	2.19	1.41			3456	
	688.9	296	1.52	2.03			3735	
	564.2	361	1.52	2.48			3874	
	427.8	476	1.26	3.27			4039	
	266.0	758	2.4	5.26	H102	180L4	14453	126-127
	220.3	916	2.18	6.36			14970	
	198.6	1016	2.26	7.05			15233	
	169.2	1192	2.10	8.27			15599	
	140.1	1440	1.95	9.99			15953	
	126.3	1597	1.88	11.09			16102	
	105.1	1920	1.61	13.32			16266	
	87.0	2318	1.38	16.09			16267	
	78.4	2572	1.24	17.85			16179	
	70.5	2860	1.12	19.85			16012	
	65.3	3089	1.04	21.44			15835	
	58.4	3453	0.96	23.97			15486	
	54.1	3731	0.88	25.89			15173	
	775.0	263	2.7	1.81	H121	180L4	4926	128-129
	700.0	291	2.58	2.00			5051	
	564.5	361	2.22	2.48			5311	
	473.8	430	1.86	2.95			5519	
	445.5	458	1.79	3.14			5590	
	391.2	521	1.63	3.58			5736	
	340.0	599	1.42	4.12			5884	
	291.7	699	1.25	4.80			6000	
	268.5	759	1.16	5.21			6000	
	224.0	910	0.99	6.25			6000	
	181.8	1121	0.89	7.70			6000	
	265.4	760	3.9	5.27	H122	180L4	22436	130-131
	242.4	832	3.85	5.78			22959	
	198.6	1016	3.54	7.05			24111	
	180.8	1115	3.32	7.74			24650	
	165.2	1221	3.11	8.48			25166	
	135.3	1491	2.68	10.35			26277	
	110.6	1824	2.41	12.66			27345	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

H

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
22	101.0	1997	2.30	13.86	H122	180L4	27796	130-131
	82.7	2438	1.97	16.92			28704	
	72.5	2784	1.80	19.32			29226	
	68.1	2964	1.69	20.57			29445	
	62.2	3245	1.54	22.52			29723	
	57.2	3525	1.42	24.47			29933	
	50.9	3961	1.26	27.49			30000	
	46.9	4302	1.16	29.86			30000	
	42.4	4754	1.05	33.00			30000	
	38.7	5205	0.96	36.13			30000	
	58.0	3479	2.3	24.15	H142	180L4	44316	132-133
	52.3	3856	2.07	26.76			45077	
	43.4	4645	1.72	32.24			46304	
	36.0	5597	1.43	38.85			47276	
	32.5	6203	1.29	43.05			47672	
	29.0	6820	1.2	48.35	H143	180L4	48408	132-133
	26.2	7551	1.06	53.53			48572	
	23.6	8354	0.96	59.22			48583	
	22.2	8886	0.90	62.99			48506	
30	1137.5	244	2.7	1.23	H121	200L4	4311	128-129
	988.2	281	2.49	1.42			4458	
	775.0	359	1.95	1.81			4708	
	700.0	397	1.89	2.00			4809	
	564.5	492	1.63	2.48			5012	
	473.8	586	1.36	2.95			5161	
	445.5	624	1.31	3.14			5210	
	391.2	710	1.20	3.58			5303	
	340.0	817	1.04	4.12			5387	
	291.7	953	0.91	4.80			5454	
	268.5	1035	0.85	5.21	H122	200L4	5477	130-131
	265.4	1036	2.9	5.27			21545	
	242.4	1135	2.82	5.78			21984	
	198.6	1385	2.60	7.05			22921	
	180.8	1521	2.43	7.74			23343	
	165.2	1665	2.28	8.48			23736	
	135.3	2033	1.97	10.35			24532	
	110.6	2488	1.77	12.66			25208	
	101.0	2724	1.69	13.86			25457	
	82.7	3324	1.44	16.92			25849	
	72.5	3796	1.32	19.32	H142	200L4	25966	132-133
	68.1	4041	1.24	20.57			25973	
	62.2	4425	1.13	22.52			25922	
	50.9	5401	0.93	27.49			25510	
	80.2	3429	2.3	17.45			38906	
	69.9	3938	2.03	20.04			39680	
	58.0	4744	1.69	24.15			40531	
	52.3	5258	1.52	26.76			40882	
	43.4	6334	1.26	32.24			41250	
	36.0	7632	1.05	38.85			41187	
	32.5	8458	0.95	43.05	H143	200L4	40924	132-133
	29.0	9300	0.9	48.35			40988	



H Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
37	265.4	1278	3.6	5.27	H142	225S4	29300	132-133
	220.3	1540	3.18	6.36			30618	
	198.8	1707	2.93	7.04			31335	
	178.5	1900	2.79	7.84			32072	
	148.1	2290	2.84	9.45			33302	
	133.7	2538	2.84	10.47			33946	
	107.1	3167	2.30	13.07			35214	
	88.9	3816	2.04	15.75			36108	
	80.2	4229	1.87	17.45			36512	
	69.9	4856	1.65	20.04			36931	
	58.0	5851	1.37	24.15			37219	
	52.3	6485	1.23	26.76			37212	
	43.4	7812	1.02	32.24			36829	
	36.0	9413	0.85	38.85			35859	
45	265.4	1554	3.0	5.27	H142	225M4	28474	132-133
	220.3	1873	2.62	6.36			29622	
	198.8	2075	2.41	7.04			30231	
	178.5	2311	2.29	7.84			30843	
	148.1	2785	2.33	9.45			31821	
	133.7	3086	2.33	10.47			32305	
	107.1	3852	1.90	13.07			33166	
	88.9	4641	1.68	15.75			33640	
	80.2	5144	1.54	17.45			33776	
	69.9	5906	1.35	20.04			33790	
	58.0	7117	1.12	24.15			33434	
	52.3	7887	1.01	26.76			33017	