



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.06	280.0	1.8	6.2	5	NMRV025	56A4	439	280
	186.7	2.6	4.2	7.5			503	
	140.0	3.4	3.5	10			553	
	93.3	4.9	2.5	15			633	
	70.0	6.1	2.0	20			697	
	46.7	8.2	1.6	30			798	
	35.0	10	1.3	40			878	
	28.0	12	0.9	50			946	
	23.3	14	0.7	60			1006	
	180.0	2.7	4.8	5	NMRV025	56B6	509	280
	120.0	4.0	3.2	7.5			583	
	90.0	5.2	2.7	10			641	
	60.0	7.4	1.9	15			734	
	45.0	9.3	1.4	20			808	
	30.0	12	1.2	30			925	
	22.5	15	0.9	40			1018	
	18.0	18	0.7	50			1096	
	280.0	1.8	10.1	5	NMRV030	56A4	597	281
	186.7	2.6	6.9	7.5			683	
	140.0	3.4	5.4	10			752	
	93.3	4.7	3.8	15			861	
	70.0	6.0	3.0	20			948	
	56.0	7.0	3.0	25			1021	
	46.7	8.0	2.5	30			1085	
	35.0	9.7	1.9	40			1194	
	28.0	11	1.5	50			1286	
	23.3	13	1.3	60			1367	
	17.5	14	0.9	80			1504	
	15.0	18	0.9	60	NMRV030	56B6	1583	281
	14.0	25	1.3	100			1620	
	9.3	32	0.9	150	NMRV025/030	56A4	1830	296
	7.0	41	0.7	200			1830	
	5.6	44	0.8	250			1830	
	18.0	18	2.3	50	NMRV040	56B6	2868	282
	15.0	21	1.9	60			3047	
	11.3	24	1.4	80			3354	
	9.0	27	1.2	100			3490	
	4.7	59	1.2	300	NMRV025/040	56A4	3490	296
	3.5	71	0.9	400			3490	
	2.8	82	0.7	500			3490	
	2.3	101	0.6	600			3490	
	1.9	116	0.5	750			3490	
	1.6	143	0.5	900			3490	
	1.2	171	0.4	1200			3490	
	0.9	197	0.3	1500			3490	
	0.8	217	0.3	1800			3490	
	0.6	268	0.2	2400			3490	
	0.5	324	0.2	3000			3490	
	0.4	294	0.1	4000			3490	
	0.3	356	0.1	5000			3490	
	4.7	57	1.3	300	NMRV030/040	56A4	3490	297
	3.5	70	0.9	400			3490	
	2.8	96	0.6	500			3490	
	2.3	104	0.7	600			3490	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.06	1.9	121	0.6	750	NMRV030/040	56A4	3490	297
	1.6	139	0.5	900			3490	
	1.2	166	0.4	1200			3490	
	0.9	196	0.4	1500			3490	
	0.8	218	0.3	1800			3490	
	0.58	261	0.2	2400			3490	
	0.4	300	0.2	3200			3490	
	0.4	279	0.1	4000			3490	
	0.28	338	0.1	5000			3490	
	1.6	141	1.0	900	NMRV030/050	56A4	4840	297
	1.2	169	0.7	1200			4840	
	0.93	199	0.7	1500			4840	
	0.78	222	0.7	1800			4840	
	0.6	266	0.5	2400			4840	
	0.5	307	0.4	3000			4840	
	0.35	288	0.3	4000			4840	
	0.29	311	0.3	4800			4840	
	0.9	204	1.1	1500	NMRV030/063	56A4	6270	297
	0.78	225	0.9	1800			6270	
	0.58	276	0.8	2400			6270	
	0.47	319	0.7	3000			6270	
	0.35	306	0.6	4000			6270	
	0.28	360	0.4	5000			6270	
	0.6	330	1.1	2400	NMRV040/075	56A4	7380	298
	0.47	377	0.8	3000			7380	
	0.35	355	0.7	4000			7380	
	0.28	419	0.5	5000			7380	
	0.5	406	1.4	3000	NMRV040/090	56A4	8180	298
	0.35	365	1.3	4000			8180	
	0.28	431	1.0	5000			8180	
0.09	560.0	1.4	5.9	5	NMRV025	56A2	349	280
	373.3	2.0	3.9	7.5			399	
	280.0	2.6	3.4	10			439	
	186.7	3.8	2.4	15			503	
	140.0	4.9	1.9	20			553	
	93.3	6.7	1.3	30			633	
	70.0	8.3	1.1	40			697	
	56.0	10	0.9	50			751	
	280.0	2.7	4.1	5	NMRV025	56B4	439	280
	186.7	3.9	2.8	7.5			503	
	140.0	5.1	2.4	10			553	
	93.3	7.3	1.6	15			633	
	70.0	9.2	1.3	20			697	
	46.7	12	1.1	30			798	
	35.0	15	0.9	40			878	
	560.0	1.4	8.8	5	NMRV030	56A2	474	281
	373.3	2.0	6.5	7.5			542	
	280.0	2.6	5.0	10			597	
	186.7	3.7	3.5	15			683	
	140.0	4.8	2.5	20			752	
	112.0	5.7	2.8	25			810	
	93.3	6.5	2.3	30			861	
	70.0	8.1	1.7	40			948	
	56.0	10	1.4	50			1021	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.09	46.7	11	1.1	60	NMRV030	56A2	1085	281
	35.0	13	0.9	80			1194	
	280.0	2.7	6.7	5	NMRV030	56B4	597	281
	186.7	3.9	4.6	7.5			683	
	140.0	5.0	3.6	10			752	
	93.3	7.1	2.5	15			861	
	70.0	9.0	2.0	20			948	
	56.0	10	2.0	25			1021	
	46.7	12	1.7	30			1085	
	35.0	14	1.2	40			1194	
	28.0	17	1.0	50			1286	
	23.3	19	0.9	60			1367	
	180.0	4.1	4.9	5	NMRV030	63A6	692	281
	120.0	5.9	3.4	7.5			792	
	90.0	7.6	2.6	10			871	
	60.0	11	1.9	15			997	
	45.0	13	1.5	20			1098	
	36.0	15	1.5	25			1183	
	30.0	17	1.2	30			1257	
	22.5	21	1.0	40			1383	
	18.0	24	0.7	50			1490	
	28.0	20	1.6	100	NMRV025/030	56A2	1286	296
	18.7	25	1.1	150			1472	
	14.0	33	0.9	200			1620	
	14.0	38	0.8	100	NMRV025/030	56B4	1620	296
	9.3	49	0.6	150			1830	
	7.0	62	0.5	200			1830	
	5.6	66	0.5	250			1830	
	4.7	75	0.4	300			1830	
	3.5	107	0.3	400			1830	
	2.8	115	0.3	500			1830	
	2.3	135	0.2	600			1830	
	1.9	151	0.2	750			1830	
	1.6	178	0.2	900			1830	
	1.2	212	0.1	1200			1830	
	0.9	247	0.1	1500			1830	
	0.78	304	0.1	1800			1830	
	0.58	340	0.1	2400			1830	
	0.47	405	0.1	3000			1830	
	28.0	19	2.0	50	NMRV040	56B4	2475	282
	23.3	21	1.7	60			2630	
	17.5	26	1.3	80			2895	
	14.0	29	1.0	100			3118	
	30.0	19	2.6	30	NMRV040	63A6	2419	282
	22.5	24	1.9	40			2662	
	18.0	27	1.5	50			2868	
	15.0	31	1.3	60			3047	
	11.3	37	1.0	80			3354	
	9.0	41	0.8	100			3490	
	12.0	47	1.3	75	PC063+NMRV040	63A6	3283	291
	10.0	51	1.4	90			3488	
	7.5	62	1.1	120			3490	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.09	6.0	72	0.8	150	PC063+NMRV040	63A6	3490	291
	5.0	79	0.7	180			3490	
	9.3	45	1.6	300	NMRV025/040	56A2	3490	296
	7.0	54	1.2	400			3490	
	5.6	77	0.8	500			3490	
	4.7	88	0.8	300	NMRV030/040	56B4	3490	297
	15.0	32	2.3	60	NMRV050	63A6	4183	283
	11.3	37	1.8	80			4604	
	9.0	42	1.3	100			4840	
	6.0	73	1.6	150	PC063+NMRV050	63A6	4840	291
	5.0	81	1.3	180			4840	
	3.8	94	0.9	240			4840	
	3.0	106	0.7	300			4840	
	3.5	107	1.2	400	NMRV030/050	56B4	4840	297
	2.8	123	1.0	500			4840	
	2.3	159	0.9	600			4840	
	1.9	185	0.8	750			4840	
	1.6	212	0.7	900			4840	
	3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292
	3.0	109	1.4	300			6270	
	1.6	200	1.0	900	NMRV030/063	56B4	6270	297
	1.2	263	0.9	1200			6270	
	0.93	305	0.7	1500			6270	
	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298
	0.78	404	1.0	1800			7380	
	0.58	496	0.7	2400			7380	
	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298
	0.35	548	0.8	4000			8180	
0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280
	373.3	2.7	3.0	7.5			399	
	280.0	3.5	2.6	10			439	
	186.7	5.0	1.8	15			503	
	140.0	6.5	1.4	20			553	
	93.3	9.0	1.0	30			633	
	70.0	11	0.8	40			697	
	280.0	3.6	5.1	5	NMRV030	63A4	597	281
	186.7	5.2	3.4	7.5			683	
	140.0	6.7	2.7	10			752	
	93.3	9.5	1.9	15			861	
	70.0	12	1.5	20			948	
	56.0	14	1.5	25			1021	
	46.7	16	1.3	30			1085	
	35.0	19	0.9	40			1194	
	28.0	23	0.8	50			1286	
	180.0	5.4	3.7	5	NMRV030	63B6	692	281
	120.0	7.9	2.5	7.5			792	
	90.0	10	2.0	10			871	
	60.0	14	1.4	15			997	
	45.0	18	1.1	20			1098	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	36.0	20	1.1	25	NMRV030	63B6	1183	281
	30.0	23	0.9	30			1257	
	46.7	17	2.6	30	NMRV040	63A4	2087	282
	35.0	21	1.9	40			2298	
	28.0	25	1.5	50			2475	
	23.3	28	1.3	60			2630	
	17.5	34	1.0	80			2895	
	14.0	38	0.8	100			3118	
	30.0	25	1.9	30	NMRV040	63B6	2419	282
	22.5	32	1.4	40			2662	
	18.0	36	1.2	50			2868	
	15.0	41	0.9	60			3047	
	18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291
	15.6	46	1.2	90			3011	
	11.7	57	0.9	120			3314	
	9.3	66	0.7	150			3490	
	7.8	74	0.6	180			3490	
	12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291
	10.0	68	1.1	90			3488	
	7.5	83	0.8	120			3490	
	23.3	29	2.3	60	NMRV050	63A4	3610	283
	17.5	35	1.9	80			3973	
	14.0	40	1.4	100			4280	
	22.5	32	2.6	40	NMRV050	63B6	3654	283
	18.0	38	2.0	50			3936	
	15.0	42	1.7	60			4183	
	11.3	50	1.4	80			4604	
	9.0	56	1.0	100			4840	
	9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291
	7.8	75	1.1	180			4840	
	5.8	88	0.8	240			4840	
	4.7	98	0.7	300			4840	
	12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291
	10.0	70	2.1	90			4788	
	7.5	84	1.5	120			4840	
	6.0	97	1.2	150			4840	
	5.0	108	1.0	180			4840	
	3.8	125	0.7	240			4840	
	4.7	119	1.2	300	NMRV030/050	63A4	4840	297
	3.5	142	0.9	400			4840	
	2.8	164	0.7	500			4840	
	5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292
	4.7	103	1.2	300			6270	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	6.0	101	2.1	150	PC063+NMRV063	63B6	6270	292
	5.0	112	1.8	180			6270	
	3.8	131	1.3	240			6270	
	3.0	145	1.0	300			6270	
	2.8	171	1.3	500	NMRV030/063	63A4	6270	297
	2.3	208	1.1	600			6270	
	1.9	241	0.9	750			6270	
	1.6	325	1.2	900	NMRV040/075	63A4	7380	298
	1.2	399	0.9	1200			7380	
	0.8	547	0.9	1800	NMRV040/090	63A4	8180	298
	0.58	695	0.9	2400			8180	
	0.5	884	1.1	3000	NMRV050/105	63A4	10320	298
	0.35	784	1.0	4000			10320	
	0.28	928	0.76	5000			10320	
	0.5	884	1.2	3000	NMRV050/110	63A4	10320	299
	0.35	784	1.0	4000			10320	
	0.28	928	0.80	5000			10320	
0.15	180.0	7	3.0	5	NMRV030	63C6	692	281
	120.0	10	2.0	7.5			792	
	90.0	13	1.6	10			871	
	60.0	18	1.1	15			997	
	45.0	22	0.9	20			1098	
	60.0	19	2.4	15	NMRV040	63C6	1920	282
	45.0	24	1.8	20			2113	
	36.0	29	1.5	25			2276	
	30.0	32	1.6	30			2419	
	22.5	39	1.1	40			2662	
	18.0	45	0.9	50			2868	
	18.0	47	1.6	50	NMRV050	63C6	3936	283
	15.0	53	1.4	60			4183	
	11.3	62	1.1	80			4604	
	10.0	87	1.7	90	PC063+NMRV050	63C6	4788	291
	7.5	105	1.2	120			4840	
	6.0	127	1.7	150	PC063+NMRV063	63C6	6270	292
	5.0	140	1.4	180			6270	
0.18	560.0	2.7	4.4	5	NMRV030	63A2	474	281
	373.3	4.0	3.2	7.5			542	
	280.0	5.2	2.5	10			597	
	186.7	7.5	1.7	15			683	
	140.0	10	1.3	20			752	
	112.0	11	1.4	25			810	
	93.3	13	1.1	30			861	
	70.0	16	0.9	40			948	
	280.0	5.3	3.4	5	NMRV030	63B4	597	281
	186.7	7.8	2.3	7.5			683	
	140.0	10	1.8	10			752	
	93.3	14	1.3	15			861	
	70.0	18	1.0	20			948	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	56.0	21	1.0	25	NMRV030	63B4	1021	281
	46.7	24	0.8	30			1085	
	93.3	14	2.4	30	NMRV040	63A2	1657	282
	70.0	18	1.8	40			1824	
	56.0	21	1.4	50			1964	
	70.0	19	2.0	20	NMRV040	63B4	1824	282
	56.0	23	1.7	25			1964	
	46.7	26	1.7	30			2087	
	35.0	32	1.3	40			2298	
	28.0	38	1.0	50			2475	
	23.3	43	0.8	60			2630	
	45.0	29	1.5	20	NMRV040	71A6	2113	282
	36.0	34	1.3	25			2276	
	30.0	38	1.3	30			2419	
	22.5	47	1.0	40			2662	
	18.7	64	0.8	75	PC063+NMRV040	63B4	2833	291
	15.6	70	0.8	90			3011	
	11.7	85	0.6	120			3314	
	46.7	24	2.1	60	NMRV050	63A2	2865	283
	35.0	30	1.5	80			3153	
	28.0	34	1.2	100			3397	
	35.0	33	2.3	40	NMRV050	63B4	3153	283
	28.0	39	1.9	50			3397	
	23.3	43	1.6	60			3610	
	17.5	52	1.2	80			3973	
	14.0	60	0.9	100			4280	
	18.0	56	1.4	50	NMRV050	71A6	3936	283
	15.0	63	1.1	60			4183	
	11.3	75	0.9	80			4604	
	18.7	64	1.4	75	PC063+NMRV050	63B4	3889	291
	15.6	71	1.5	90			4132	
	11.7	87	1.1	120			4548	
	9.3	101	0.9	150			4840	
	7.8	113	0.7	180			4840	
	5.8	133	0.6	240			4840	
	12.0	95	1.2	75	PC071+NMRV050	71A6	4506	292
	10.0	105	1.4	90			4788	
	7.5	126	1.0	120			4840	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	15.0	66	2.1	60	NMRV063	71A6	5467	284
	11.3	79	1.6	80			6018	
	9.0	90	1.4	100			6270	
	9.3	103	1.7	150	PC063+NMRV063	63B4	6270	292
	7.8	117	1.4	180			6270	
	5.8	139	1.0	240			6270	
	4.7	155	0.8	300			6270	
	12.0	97	2.2	75	PC071+NMRV063	71A6	5889	292
	10.0	107	2.4	90			6259	
	7.5	131	1.8	120			6270	
	6.0	152	1.4	150			6270	
	5.0	168	1.2	180			6270	
	3.8	197	0.9	240			6270	
	3.0	218	0.7	300			6270	
	3.5	222	1.0	400	NMRV030/063	63B4	6270	297
	2.8	257	0.8	500			6270	
	5.0	179	1.7	180	PC071+NMRV075	71A6	7380	293
	3.8	211	1.2	240			7380	
	3.0	235	1.0	300			7380	
	2.3	362	1.1	600	NMRV040/075	63B4	7380	298
	1.9	435	0.9	750			7380	
	1.6	487	0.8	900			7380	
	1.2	629	1.0	1200	NMRV040/090	63B4	8180	298
	0.93	735	0.8	1500			8180	
	0.8	861	1.3	1800	NMRV050/105	63B4	10320	298
	0.58	1113	0.9	2400			10320	
	0.8	861	1.5	1800	NMRV050/110	63B4	10320	299
	0.58	1113	1.1	2400			10320	
0.22	280.0	7	2.8	5	NMRV030	63C4	597	281
	186.7	10	1.9	7.5			683	
	140.0	12	1.5	10			752	
	93.3	17	1.0	15			861	
	70.0	22	0.8	20			948	
	93.3	18	2.2	15	NMRV040	63C4	1657	282
	70.0	23	1.7	20			1824	
	56.0	28	1.4	25			1964	
	46.7	32	1.4	30			2087	
	35.0	39	1.1	40			2298	
	28.0	47	0.8	50			2475	
	28.0	47	1.5	50	NMRV050	63C4	3397	283
	23.3	53	1.3	60			3610	
	17.5	64	1.0	80			3973	
	18.7	78	1.2	75	PC063+NMRV050	63C4	3889	291
	15.6	86	1.2	90			4132	
	11.7	106	0.9	120			4548	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.22	9.3	126	1.4	150	PC063+NMRV063	63C4	6270	292
	7.8	143	1.1	180			6270	
	4.7	210	1.1	300	NMRV030/063	63C4	6270	297
	3.5	271	0.8	400			6270	
	560.0	3.8	3.2	5	NMRV030	63B2	474	281
	373.3	5.6	2.3	7.5			542	
	280.0	7.2	1.8	10			597	
	186.7	10	1.3	15			683	
	140.0	13	0.9	20			752	
	112.0	16	1.0	25			810	
	93.3	18	0.8	30			861	
0.25	280.0	8	4.5	5	NMRV040	71A4	1149	282
	186.7	11	3.6	7.5			1315	
	140.0	14	2.8	10			1447	
	93.3	21	1.9	15			1657	
	70.0	27	1.5	20			1824	
	56.0	32	1.2	25			1964	
	46.7	36	1.3	30			2087	
	35.0	44	0.9	40			2298	
	180.0	12	3.5	5	NMRV040	71B6	1331	282
	120.0	17	2.6	7.5			1524	
	90.0	22	2.0	10			1677	
	60.0	31	1.4	15			1920	
	45.0	40	1.1	20			2113	
	36.0	48	0.9	25			2276	
	30.0	53	0.9	30			2419	
	35.0	42	1.1	80	NMRV050	63B2	3153	283
	28.0	48	0.8	100			3397	
	70.0	27	2.7	20	NMRV050	71A4	2503	283
	56.0	32	2.2	25			2696	
	46.7	37	2.3	30			2865	
	35.0	46	1.7	40			3153	
	28.0	54	1.4	50			3397	
	23.3	60	1.1	60			3610	
	17.5	72	0.9	80			3973	
	45.0	40	1.9	20	NMRV050	71B6	2900	283
	36.0	48	1.5	25			3124	
	30.0	54	1.7	30			3320	
	22.5	67	1.2	40			3654	
	18.0	78	1.0	50			3936	
	15.0	88	0.8	60			4183	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.25	18.7	88	1.0	75	PC071+NMRV050	71A4	3889	292
	15.6	98	1.1	90			4132	
	11.7	121	0.8	120			4548	
	28.0	56	2.4	50	NMRV063	71A4	4440	284
	23.3	63	2.0	60			4719	
	17.5	78	1.6	80			5193	
	14.0	87	1.4	100			5595	
	18.0	81	1.8	50	NMRV063	71B6	5145	284
	15.0	92	1.5	60			5467	
	11.3	110	1.2	80			6018	
	9.0	125	1.0	100			6270	
	18.7	91	1.8	75	PC071+NMRV063	71A4	5083	292
	15.6	100	2.0	90			5401	
	11.7	125	1.5	120			5945	
	9.3	143	1.2	150			6270	
	7.8	163	1.0	180			6270	
	5.8	192	0.7	240			6270	
	4.7	215	0.6	300			6270	
	12.0	135	1.6	75	PC071+NMRV063	71B6	5889	292
	10.0	148	1.8	90			6259	
	7.5	181	1.3	120			6270	
	6.0	211	1.0	150			6270	
	7.0	159	1.4	400	NMRV030/063	63B2	6270	297
	5.6	185	1.2	500			6270	
	17.5	82	2.3	80	NMRV075	71A4	6130	285
	14.0	94	1.9	100			6603	
	11.3	117	1.7	80	NMRV075	71B6	7103	285
	9.0	133	1.4	100			7380	
	9.3	151	1.7	150	PC071+NMRV075	71A4	7380	293
	7.8	172	1.4	180			7380	
	5.8	201	1.1	240			7380	
	4.7	230	0.9	300			7380	
	12.0	139	2.4	75	PC071+NMRV075	71B6	6952	293
	10.0	155	2.5	90			7380	
	7.5	191	1.9	120			7380	
	6.0	219	1.5	150			7380	
	5.0	248	1.2	180			7380	
	3.5	336	1.1	400	NMRV040/075	71A4	7380	298
	2.8	384	0.8	500			7380	
	5.0	263	1.9	180	PC071+NMRV090	71B6	8180	293
	3.8	318	1.4	240			8180	
	3.0	358	1.1	300			8180	
	2.3	512	1.2	600	NMRV040/090	71A4	8180	298
	1.9	598	0.9	750			8180	
	1.6	667	0.8	900			8180	
	1.2	943	1.1	1200	NMRV050/105	71A4	10320	298
	0.93	1064	1.0	1500			10320	
	0.78	1195	0.9	1800			10320	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.25	1.2	943	1.3	1200	NMRV050/110	71A4	10320	299
	0.93	1064	1.2	1500			10320	
	0.78	1195	1.1	1800			10320	
	0.6	1624	1.0	2400	NMRV063/130	71A4	13500	299
	0.47	1935	0.8	3000			13500	
	0.35	2046	0.6	4000			13500	
	0.28	2430	0.5	5000			13500	
	0.8	1199	1.8	1800	NMRV063/150	71A4	18000	299
	0.6	1446	1.8	2400			18000	
	0.5	1713	1.4	3000			18000	
	0.4	2026	0.9	4000			18000	
	0.3	2251	0.7	5000			18000	
0.37	560.0	5.6	2.1	5	NMRV030	63C2	474	281
	373.3	8.2	1.6	7.5			542	
	280.0	11	1.2	10			597	
	186.7	15	0.8	15			683	
	560.0	5.7	4.2	5	NMRV040	71A2	912	282
	373.3	8.4	3.3	7.5			1044	
	280.0	11	2.6	10			1149	
	186.7	16	1.9	15			1315	
	140.0	21	1.4	20			1447	
	112.0	25	1.1	25			1559	
	280.0	11	3.0	5	NMRV040	71B4	1149	282
	186.7	16	2.4	7.5			1315	
	140.0	21	1.9	10			1447	
	93.3	31	1.3	15			1657	
	70.0	39	1.0	20			1824	
	56.0	47	0.8	25			1964	
	46.7	53	0.8	30			2087	
	112.0	25	2.0	25	NMRV050	71A2	2140	283
	93.3	29	2.2	30			2274	
	70.0	37	1.6	40			2503	
	56.0	44	1.2	50			2696	
	46.7	50	1.0	60			2865	
	35.0	62	0.7	80			3153	
	140.0	22	3.3	10	NMRV050	71B4	1987	283
	93.3	31	2.4	15			2274	
	70.0	40	1.8	20			2503	
	56.0	48	1.5	25			2696	
	46.7	55	1.5	30			2865	
	35.0	68	1.1	40			3153	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	28.0	80	0.9	50	NMRV050	71B4	3397	283
	23.3	89	0.8	60			3610	
	180.0	17	4.3	5	NMRV050	80A6	1827	283
	120.0	25	3.3	7.5			2091	
	90.0	33	2.5	10			2302	
	60.0	47	1.8	15			2635	
	45.0	60	1.3	20			2900	
	36.0	72	1.0	25			3124	
	30.0	80	1.1	30			3320	
	35.0	71	2.1	40	NMRV063	71B4	4122	284
	28.0	83	1.6	50			4440	
	23.3	94	1.4	60			4719	
	17.5	115	1.1	80			5193	
	14.0	129	0.9	100			5595	
	45.0	60	2.4	20	NMRV063	80A6	3791	284
	36.0	74	1.9	25			4084	
	30.0	82	2.1	30			4339	
	22.5	102	1.6	40			4776	
	18.0	120	1.2	50			5145	
	15.0	137	1.0	60			5467	
	18.7	134	1.2	75	PC071+NMRV063	71B4	5083	292
	15.6	148	1.4	90			5401	
	11.7	185	1.0	120			5945	
	9.3	212	0.8	150			6270	
	9.3	181	1.3	300	NMRV030/063	63C2	6270	297
	7.0	236	1.0	400			6270	
	23.3	98	2.0	60	NMRV075	71B4	5569	285
	17.5	121	1.6	80			6130	
	14.0	139	1.3	100			6603	
	18.0	126	1.8	50	NMRV075	80A6	6073	285
	15.0	144	1.5	60			6453	
	11.3	173	1.2	80			7103	
	9.0	196	1.0	100			7380	
	18.7	138	1.8	75	PC071+NMRV075	71B4	6000	293
	15.6	154	1.9	90			6375	
	11.7	191	1.5	120			7017	
	9.3	223	1.1	150			7380	
	7.8	254	0.9	180			7380	
	12.0	206	1.6	75	PC080+NMRV075	80A6	6952	293
	10.0	230	1.7	90			7380	
	7.5	283	1.3	120			7380	
	6.0	324	1.0	150			7380	
	4.7	405	1.0	300	NMRV040/075	71B4	7380	298
	3.5	498	0.7	400			7380	
	11.3	185	1.7	80	NMRV090	80A6	7859	286
	9.0	212	1.3	100			8180	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	7.8	268	1.5	180	PC071+NMRV090	71B4	8180	293
	5.8	321	1.1	240			8180	
	4.7	371	0.9	300			8180	
	6.0	347	1.6	150	PC080+NMRV090	80A6	8180	294
	5.0	389	1.3	180			8180	
	3.8	471	1.0	240			8180	
	4.7	402	1.5	300	NMRV040/090	71B4	8180	298
	3.5	523	1.2	400			8180	
	2.8	611	0.9	500			8180	
	2.3	757	0.8	600			8180	
	3.8	509	1.5	240	PC080+NMRV105	80A6	10320	294
	3.0	577	1.2	300			10320	
	1.9	950	1.2	750	NMRV050/105	71B4	10320	298
	1.6	1079	1.0	900			10320	
	1.2	1396	0.7	1200			10320	
	3.8	509	1.6	240	PC080+NMRV110	80A6	10320	294
	3.0	577	1.3	300			10320	
	1.9	950	1.3	750	NMRV050/110	71B4	10320	299
	1.6	1079	1.2	900			10320	
	1.2	1396	0.8	1200			10320	
	0.9	1674	1.1	1500	NMRV063/130	71B4	13500	299
	0.78	1887	0.9	1800			13500	
	0.8	1775	1.2	1800	NMRV063/150	71B4	18000	299
	0.6	2141	1.2	2400			18000	
	0.5	2535	0.9	3000			18000	
0.55	560.0	8.4	2.8	5	NMRV040	71B2	912	282
	373.3	13	2.2	7.5			1044	
	280.0	17	1.8	10			1149	
	186.7	24	1.3	15			1315	
	140.0	31	0.9	20			1447	
	112.0	37	0.8	25			1559	
	280.0	17	2.0	5	NMRV040	71C4	1149	282
	186.7	24	1.6	7.5			1315	
	140.0	32	1.3	10			1447	
	93.3	46	0.9	15			1657	
	140.0	31	1.7	20	NMRV050	71B2	1987	283
	112.0	38	1.4	25			2140	
	93.3	43	1.5	30			2274	
	70.0	55	1.1	40			2503	
	56.0	65	0.8	50			2696	
	46.7	74	0.7	60			2865	
	280.0	17	3.7	5	NMRV050	80A4	1577	283
	186.7	25	2.9	7.5			1805	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	140.0	32	2.2	10	NMRV050	80A4	1987	283
	93.3	46	1.6	15			2274	
	70.0	59	1.2	20			2503	
	56.0	71	1.0	25			2696	
	46.7	81	1.0	30			2865	
	120.0	38	2.2	7.5	NMRV050	80B6	2091	283
	90.0	49	1.7	10			2302	
	60.0	69	1.2	15			2635	
	45.0	89	0.9	20			2900	
	70.0	56	1.9	40	NMRV063	71B2	3272	284
	56.0	67	1.5	50			3524	
	46.7	77	1.2	60			3745	
	35.0	95	0.9	80			4122	
	28.0	109	0.7	100			4440	
	70.0	61	2.2	20	NMRV063	80A4	3272	284
	56.0	73	1.8	25			3524	
	46.7	83	1.9	30			3745	
	35.0	105	1.4	40			4122	
	28.0	124	1.1	50			4440	
	23.3	140	0.9	60			4719	
	60.0	71	2.2	15	NMRV063	80B6	3444	284
	45.0	90	1.6	20			3791	
	36.0	109	1.3	25			4084	
	30.0	123	1.4	30			4339	
	22.5	152	1.1	40			4776	
	18.7	200	0.8	75	PC071+NMRV063	71C4	5083	292
	15.6	219	0.9	90			5401	
	35.0	99	1.3	80	NMRV075	71B2	4865	285
	28.0	114	1.0	100			5241	
	35.0	108	2.0	40	NMRV075	80A4	4865	285
	28.0	129	1.6	50			5241	
	23.3	146	1.4	60			5569	
	17.5	180	1.1	80			6130	
	14.0	206	0.9	100			6603	
	30.0	128	2.0	30	NMRV075	80B6	5122	285
	22.5	159	1.5	40			5637	
	18.0	187	1.2	50			6073	
	15.0	214	1.0	60			6453	
	18.7	205	1.2	75	PC071+NMRV075	71C4	6000	293
	15.6	230	1.3	90			6375	
	11.7	284	1.0	120			7017	
	18.7	205	1.2	75	PC080+NMRV075	80A4	6000	293
	15.6	230	1.3	90			6375	
	11.7	284	1.0	120			7017	
	9.3	332	0.8	150			7380	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	12.0	306	1.1	75	PC080+NMRV075	80B6	6952	293
	10.0	341	1.1	90			7380	
	17.5	189	1.5	80	NMRV090	80A4	6783	286
	14.0	221	1.2	100			7306	
	18.0	198	2.0	50	NMRV090	80B6	6719	286
	15.0	224	1.6	60			7140	
	11.3	275	1.1	80			7859	
	9.0	315	0.9	100			8180	
	15.6	240	2.3	90	PC080+NMRV090	80A4	7054	294
	11.7	297	1.6	120			7764	
	9.3	355	1.3	150			8180	
	7.8	398	1.0	180			8180	
	10.0	357	2.0	90	PC080+NMRV090	80B6	8174	294
	7.5	441	1.4	120			8180	
	6.0	516	1.1	150			8180	
	5.0	578	0.9	180			8180	
	9.3	306	2.0	300	NMRV040/090	71B2	8180	298
	7.0	403	1.5	400			8180	
	5.6	470	1.2	500			8180	
	17.5	201	2.4	80	NMRV105	80A4	8571	287
	14.0	236	1.9	100			9232	
	11.3	294	1.8	80	NMRV105	80B6	9931	287
	9.0	338	1.4	100			10320	
	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294
	5.8	513	1.2	240			10320	
	4.7	597	1.0	300			10320	
	7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294
	6.0	552	1.8	150			10320	
	5.0	620	1.5	180			10320	
	3.8	756	1.0	240			10320	
	4.7	639	1.7	300	NMRV050/105	80A4	10320	298
	3.5	826	1.2	400			10320	
	2.8	984	1.0	500			10320	
	2.3	1181	0.9	600			10320	
	1.9	1411	0.8	750			10320	
	17.5	201	2.6	80	NMRV110	80A4	8571	288
	14.0	236	2.0	100			9232	
	11.3	294	1.9	80	NMRV110	80B6	9931	288
	9.0	338	1.5	100			10320	
	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294
	5.8	513	1.3	240			10320	
	4.7	597	1.0	300			10320	
	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294
	6.0	552	2.0	150			10320	
	5.0	620	1.6	180			10320	
	3.8	756	1.1	240			10320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	4.7	639	2.0	300	NMRV050/110	80A4	10320	299
	3.5	826	1.4	400			10320	
	2.8	984	1.1	500			10320	
	2.3	1181	1.0	600			10320	
	1.9	1411	0.9	750			10320	
	3.8	756	1.6	240	PC080+NMRV130	80B6	13500	295
	3.0	858	1.3	300			13500	
	2.8	996	1.6	500	NMRV063/130	80A4	13500	299
	1.9	1471	1.2	750			13500	
	1.2	2132	0.8	1200			13500	
	0.8	2638	0.8	1800	NMRV063/150	80A4	18000	299
	0.6	3182	0.8	2400			18000	
0.75	560.0	12	2.1	5	NMRV040	71C2	912	282
	373.3	17	1.6	7.5			1044	
	280.0	23	1.3	10			1149	
	186.7	32	1.0	15			1315	
	560.0	12	3.9	5	NMRV050	80A2	1251	283
	373.3	17	3.0	7.5			1433	
	280.0	23	2.4	10			1577	
	186.7	33	1.7	15			1805	
	140.0	42	1.3	20			1987	
	112.0	51	1.0	25			2140	
	93.3	58	1.1	30			2274	
	280.0	23	2.7	5	NMRV050	80B4	1577	283
	186.7	34	2.1	7.5			1805	
	140.0	44	1.6	10			1987	
	93.3	63	1.2	15			2274	
	70.0	81	0.9	20			2503	
	140.0	43	2.3	20	NMRV063	80A2	2597	284
	112.0	52	1.8	25			2797	
	93.3	60	2.0	30			2973	
	70.0	77	1.4	40			3272	
	56.0	91	1.1	50			3524	
	46.7	104	0.9	60			3745	
	93.3	64	2.2	15	NMRV063	80B4	2973	284
	70.0	83	1.6	20			3272	
	56.0	100	1.3	25			3524	
	46.7	114	1.4	30			3745	
	35.0	143	1.0	40			4122	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	120.0	52	2.9	7.5	NMRV063	90S6	2734	284
	90.0	68	2.3	10			3009	
	60.0	97	1.6	15			3444	
	45.0	123	1.2	20			3791	
	36.0	149	0.9	25			4084	
	30.0	167	1.0	30			4339	
	46.7	109	1.3	60	NMRV075	80A2	4421	285
	28.0	156	0.8	100			5241	
	56.0	102	2.0	25	NMRV075	80B4	4160	285
	46.7	117	2.0	30			4421	
	35.0	147	1.5	40			4865	
	28.0	177	1.2	50			5241	
	23.3	200	1.0	60			5569	
	60.0	98	2.4	15	NMRV075	90S6	4065	285
	45.0	126	1.9	20			4474	
	36.0	153	1.4	25			4820	
	30.0	174	1.5	30			5122	
	22.5	216	1.1	40			5637	
	18.7	280	0.9	75	PC080+NMRV075	80B4	6000	293
	15.6	313	1.0	90			6375	
	35.0	141	1.6	80	NMRV090	80A2	5383	286
	28.0	166	1.2	100			5799	
	28.0	184	1.8	50	NMRV090	80B4	5799	286
	23.3	212	1.5	60			6163	
	17.5	258	1.1	80			6783	
	14.0	302	0.9	100			7306	
	30.0	179	2.6	30	NMRV090	90S6	5667	286
	22.5	226	1.8	40			6238	
	18.0	271	1.4	50			6719	
	15.0	306	1.1	60			7140	
	15.6	327	1.7	90	PC080+NMRV090	80B4	7054	294
	11.7	405	1.2	120			7764	
	9.3	483	0.9	150			8180	
	7.8	543	0.7	180			8180	
	7.0	549	1.1	400	NMRV040/090	71C2	8180	298
	5.6	642	0.9	500			8180	
	17.5	274	1.8	80	NMRV105	80B4	8571	287
	14.0	322	1.4	100			9232	
	15.0	325	1.9	60	NMRV105	90S6	9023	287
	11.3	401	1.3	80			9931	
	9.0	462	1.1	100			10320	
	11.7	430	1.9	120	PC080+NMRV105	80B4	9811	294
	9.3	506	1.6	150			10320	
	7.8	580	1.2	180			10320	
	5.8	700	0.9	240			10320	
	12.4	393	2.8	73	PC090+NMRV105	90S6	9614	294
	9.3	508	2.0	96.8			10320	
	7.4	607	1.6	121			10320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	6.2	682	1.3	145.2	PC090+NMRV105	90S6	10320	294
	4.6	832	0.9	193.6			10320	
	9.3	446	2.5	300	NMRV050/105	80A2	10320	298
	7.0	563	1.8	400			10320	
	5.6	687	1.5	500			10320	
	4.7	871	1.3	300	NMRV050/105	80B4	10320	298
	3.5	1126	0.9	400			10320	
	17.5	274	1.9	80	NMRV110	80B4	8571	288
	14.0	322	1.5	100			9232	
	15.0	325	2.1	60	NMRV110	90S6	9023	288
	11.3	401	1.4	80			9931	
	9.0	462	1.1	100			10320	
	11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294
	9.3	506	1.7	150			10320	
	7.8	580	1.3	180			10320	
	5.8	700	0.9	240			10320	
	12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294
	9.3	508	2.3	96.8			10320	
	7.4	607	1.8	121			10320	
	6.2	682	1.5	145.2			10320	
	4.6	832	1.0	193.6			10320	
	9.3	446	2.8	300	NMRV050/110	80A2	10320	299
	7.0	563	2.1	400			10320	
	5.6	687	1.6	500			10320	
	4.7	871	1.5	300	NMRV050/110	80B4	10320	299
	3.5	1126	1.1	400			10320	
	11.3	407	2.1	80	NMRV130	90S6	12989	289
	9.0	470	1.7	100			13500	
	5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295
	4.7	813	1.1	300			13500	
	12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295
	9.3	508	3.2	96.8			13500	
	7.4	607	2.6	121			13500	
	6.2	682	2.1	145.2			13500	
	4.6	832	1.5	193.6			13500	
	3.7	944	1.2	242			13500	
	2.8	1358	1.1	500	NMRV063/130	80B4	13500	299
	2.3	1631	1.0	600			13500	
	1.9	2005	0.9	750			13500	
	1.6	2283	0.8	900			13500	
	2.8	1291	1.8	500	NMRV063/150	80B4	18000	299
	2.3	1529	1.7	600			18000	
	1.9	1783	1.3	750			18000	
	1.6	2215	0.9	900			18000	
	1.2	2680	1.0	1200			18000	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	280.0	28	2.2	5	NMRV050	80C4	1577	283
	186.7	41	1.7	7.5			1805	
	140.0	54	1.3	10			1987	
	93.3	77	1.0	15			2274	
	140.0	55	2.4	10	NMRV063	80C4	2597	284
	93.3	78	1.8	15			2973	
	70.0	102	1.3	20			3272	
	56.0	122	1.1	25			3524	
	46.7	139	1.1	30			3745	
	35.0	176	0.8	40			4122	
	70.0	103	2.0	20	NMRV075	80C4	3862	285
	56.0	126	1.6	25			4160	
	46.7	143	1.6	30			4421	
	35.0	181	1.2	40			4865	
	28.0	217	1.0	50			5241	
	23.3	245	0.8	60			5569	
	18.7	344	0.7	75	PC080+NMRV075	80C4	6000	293
	15.6	384	0.8	90			6375	
	28.0	226	1.5	50	NMRV090	80C4	5799	286
	23.3	260	1.2	60			6163	
	17.5	316	0.9	80			6783	
	15.6	401	1.4	90	PC080+NMRV090	80C4	7054	294
	11.7	497	1.0	120			7764	
	9.3	593	0.8	150			8180	
	17.5	336	1.5	80	NMRV105	80C4	8571	287
	14.0	395	1.2	100			9232	
	18.7	367	2.2	75	PC080+NMRV105	80C4	8388	294
	11.7	527	1.5	120			9811	
	9.3	621	1.3	150			10320	
	7.8	712	1.0	180			10320	
	4.7	1069	1.0	300	NMRV050/105	80C4	10320	298
	3.5	1382	0.7	400			10320	
	17.5	336	1.5	80	NMRV110	80C4	8571	288
	14.0	395	1.2	100			9232	
	18.7	367	2.5	75	PC080+NMRV110	80C4	8388	294
	11.7	527	1.8	120			9811	
	9.3	621	1.4	150			10320	
	7.8	712	1.1	180			10320	
	4.7	1069	1.2	300	NMRV050/110	80C4	10320	299
	3.5	1382	0.9	400			10320	
	3.5	1398	1.2	400	NMRV063/130	80C4	13500	299
	2.8	1665	0.9	500			13500	
	7.8	712	1.5	180	PC080+NMRV130	80C4	13500	295
	5.8	874	1.1	240			13500	
	4.7	998	0.9	300			13500	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	2.8	1583	1.5	500	NMRV063/150	80C4	18000	299
	2.3	1875	1.4	600			18000	
	1.9	2188	1.1	750			18000	
	1.6	2717	0.8	900			18000	
	1.2	3288	0.8	1200			18000	
1.1	560.0	17	2.6	5	NMRV050	80B2	1251	283
	373.3	25	2.1	7.5			1433	
	280.0	33	1.6	10			1577	
	186.7	48	1.2	15			1805	
	140.0	62	0.9	20			1987	
	186.7	48	2.1	15	NMRV063	80B2	2359	284
	140.0	63	1.6	20			2597	
	112.0	77	1.2	25			2797	
	93.3	88	1.4	30			2973	
	70.0	113	1.0	40			3272	
	120.0	76	2.0	7.5	NMRV063	90L6	2734	284
	90.0	99	1.5	10			3009	
	60.0	142	1.1	15			3444	
	45.0	180	0.8	20			3791	
	186.7	50	2.6	7.5	NMRV063	90S4	2359	284
	140.0	65	2.0	10			2597	
	93.3	93	1.5	15			2973	
	70.0	122	1.1	20			3272	
	56.0	146	0.9	25			3524	
	46.7	167	1.0	30			3745	
	112.0	78	1.9	25	NMRV075	80B2	3302	285
	93.3	90	1.9	30			3509	
	70.0	116	1.4	40			3862	
	56.0	139	1.1	50			4160	
	46.7	160	0.9	60			4421	
	90.0	100	2.3	10	NMRV075	90L6	3551	285
	60.0	144	1.6	15			4065	
	45.0	184	1.3	20			4474	
	36.0	225	1.0	25			4820	
	30.0	256	1.0	30			5122	
	93.3	96	2.1	15	NMRV075	90S4	3509	285
	70.0	123	1.7	20			3862	
	56.0	150	1.3	25			4160	
	46.7	171	1.3	30			4421	
	35.0	216	1.0	40			4865	
	35.0	207	1.1	80	NMRV090	80B2	5383	286
	28.0	244	0.8	100			5799	
	36.0	231	1.6	25	NMRV090	90L6	5333	286
	30.0	263	1.8	30			5667	
	22.5	331	1.2	40			6238	
	18.0	397	1.0	50			6719	
	15.0	448	0.8	60			7140	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	35.0	225	1.6	40	NMRV090	90S4	5383	286
	28.0	270	1.3	50			5799	
	23.3	311	1.0	60			6163	
	22.5	345	2.0	40	NMRV105	90L6	7882	287
	18.0	414	1.6	50			8491	
	15.0	476	1.3	60			9023	
	11.3	588	0.9	80			9931	
	28.0	281	2.1	50	NMRV105	90S4	7328	287
	23.3	324	1.7	60			7787	
	17.5	402	1.2	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	1.9	73	PC090+NMRV105	90L6	9614	294
	9.3	746	1.4	96.8			10320	
	7.4	890	1.1	121			10320	
	6.2	1000	0.9	145.2			10320	
	19.3	392	2.2	73	PC090+NMRV105	90S4	8298	294
	14.5	508	1.6	96.8			9133	
	11.6	599	1.3	121			9838	
	9.6	686	1.0	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.7	300	NMRV050/105	80B2	10320	298
	7.0	845	1.2	400			10320	
	5.6	1007	1.0	500			10320	
	22.5	345	2.3	40	NMRV110	90L6	7882	288
	18.0	414	1.8	50			8491	
	15.0	476	1.4	60			9023	
	11.3	588	1.0	80			9931	
	28.0	281	2.3	50	NMRV110	90S4	7328	288
	23.3	324	1.9	60			7787	
	17.5	402	1.3	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	2.2	73	PC090+NMRV110	90L6	9614	294
	9.3	746	1.6	96.8			10320	
	7.4	890	1.2	121			10320	
	6.2	1000	1.0	145.2			10320	
	19.3	392	2.5	73	PC090+NMRV110	90S4	8298	294
	14.5	508	1.8	96.8			9133	
	11.6	599	1.5	121			9838	
	9.6	686	1.1	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.9	300	NMRV050/110	80B2	10320	299
	7.0	845	1.4	400			10320	
	5.6	1007	1.1	500			10320	
	11.3	598	1.4	80	NMRV130	90L6	12989	289
	9.0	689	1.1	100			13500	
	17.5	408	2.1	80	NMRV130	90S4	11210	289
	14.0	480	1.5	100			12076	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	12.4	585	3.0	73	PC090+NMRV130	90L6	12575	295
	9.3	746	2.2	96.8			13500	
	7.4	890	1.7	121			13500	
	6.2	1000	1.4	145.2			13500	
	4.6	1220	1.0	193.6			13500	
	19.3	398	3.5	73	PC090+NMRV130	90S4	10853	295
	14.5	508	2.6	96.8			11945	
	11.6	608	2.0	121			12868	
	9.6	686	1.6	145.2			13500	
	7.2	843	1.2	193.6			13500	
	5.8	962	0.9	242			13500	
	4.7	1312	1.3	300	NMRV063/130	90S4	13500	299
	3.5	1671	1.0	400			13500	
	2.8	1991	0.8	500			13500	
	9.3	753	3.1	150	NMRV063/150	90S4	18000	299
	7.0	966	2.4	200			18000	
	5.6	1175	1.7	250			18000	
	4.7	1364	1.7	300			18000	
	3.5	1619	1.6	400			18000	
	2.8	1893	1.2	500			18000	
	2.3	2242	1.2	600			18000	
	1.9	2616	0.9	750			18000	
1.5	560.0	23	1.9	5	NMRV050	80C2	1251	283
	373.3	35	1.5	7.5			1433	
	280.0	45	1.2	10			1577	
	186.7	65	0.9	15			1805	
	186.7	68	1.9	7.5	NMRV063	90L4	2359	284
	140.0	89	1.5	10			2597	
	93.3	127	1.1	15			2973	
	70.0	166	0.8	20			3272	
	373.3	35	2.7	7.5	NMRV063	90S2	1873	284
	280.0	46	2.1	10			2061	
	186.7	66	1.6	15			2359	
	140.0	86	1.2	20			2597	
	112.0	105	0.9	25			2797	
	93.3	120	1.0	30			2973	
	120.0	105	2.0	7.5	NMRV075	100LA6	3227	285
	90.0	137	1.7	10			3551	
	60.0	196	1.2	15			4065	
	56.0	189	0.8	50	NMRV075	90S2	4160	285
	46.7	218	0.7	60			4421	
	140.0	90	2.2	10	NMRV075	90L4	3065	285
	93.3	130	1.5	15			3509	
	70.0	168	1.3	20			3862	
	56.0	205	1.0	25			4160	
	46.7	233	1.0	30			4421	
	280.0	46	3.1	10	NMRV075	90S2	2433	285
	186.7	67	2.2	15			2785	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	140.0	87	1.8	20	NMRV075	90S2	3065	285
	112.0	106	1.4	25			3302	
	93.3	123	1.4	30			3509	
	70.0	158	1.0	40			3862	
	90.0	138	2.7	10	NMRV090	100LA6	3929	286
	60.0	201	2.1	15			4498	
	45.0	258	1.5	20			4951	
	36.0	314	1.2	25			5333	
	30.0	358	1.3	30			5667	
	70.0	172	2.1	20	NMRV090	90L4	4273	286
	56.0	210	1.6	25			4603	
	46.7	239	1.7	30			4891	
	35.0	307	1.2	40			5383	
	28.0	368	0.9	50			5799	
	23.3	424	0.8	60			6163	
	56.0	194	1.4	50	NMRV090	90S2	4603	286
	46.7	227	1.1	60			4891	
	45.0	264	2.4	20	NMRV105	100LA6	6256	287
	36.0	322	2.0	25			6739	
	30.0	363	2.0	30			7161	
	22.5	471	1.5	40			7882	
	18.0	565	1.2	50			8491	
	15.0	649	1.0	60			9023	
	35.0	319	1.9	40	NMRV105	90L4	6803	287
	28.0	384	1.6	50			7328	
	23.3	442	1.3	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	1.8	60	NMRV105	90S2	6181	287
	35.0	299	1.3	80			6803	
	28.0	353	1.0	100			7328	
	19.3	535	1.6	73	PC090+NMRV105	90L4	8298	294
	14.5	693	1.2	96.8			9133	
	11.6	817	1.0	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.2	300	NMRV050/105	80C2	10320	298
	7.0	1153	0.9	400			10320	
	5.6	1373	0.7	500			10320	
	45.0	264	2.7	20	NMRV110	100LA6	6256	288
	36.0	322	2.4	25			6739	
	30.0	363	2.3	30			7161	
	22.5	471	1.7	40			7882	
	18.0	565	1.3	50			8491	
	15.0	649	1.1	60			9023	
	35.0	319	2.2	40	NMRV110	90L4	6803	288
	28.0	384	1.7	50			7328	
	23.3	442	1.4	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	2.0	60	NMRV110	90S2	6181	288
	35.0	299	1.3	80			6803	
	28.0	353	1.0	100			7328	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	19.3	535	1.9	73	PC090+NMRV110	90L4	8298	294
	14.5	693	1.3	96.8			9133	
	11.6	817	1.1	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.4	300	NMRV050/110	90S2	10320	299
	7.0	1153	1.0	400			10320	
	5.6	1373	0.8	500			10320	
	22.5	478	2.3	40	NMRV130	100LA6	10309	289
	18.0	573	1.8	50			11105	
	15.0	659	1.4	60			11801	
	11.3	815	1.1	80			12989	
	17.5	557	1.5	80	NMRV130	90L4	11210	289
	14.0	655	1.1	100			12076	
	19.3	542	2.6	73	PC090+NMRV130	90L4	10853	295
	14.5	693	1.9	96.8			11945	
	11.6	830	1.5	121			12868	
	9.6	936	1.1	145.2			13500	
	7.2	1149	0.8	194			13500	
	9.3	915	1.9	300	NMRV063/130	90S2	13500	299
	7.0	1166	1.4	400			13500	
	5.6	1389	1.1	500			13500	
	4.7	1789	1.0	300	NMRV063/130	90L4	13500	299
	3.5	2279	0.7	400			13500	
	9.3	1026	2.3	150	NMRV063/150	90L4	18000	299
	7.0	1317	1.8	200			18000	
	5.6	1602	1.3	250			18000	
	4.7	1860	1.3	300			18000	
	3.5	2208	1.2	400			18000	
	2.8	2582	0.9	500			18000	
	2.3	3057	0.9	600			18000	
1.84	186.7	83	1.5	7.5	NMRV063	90LL4	2359	284
	140.0	109	1.2	10			2597	
	93.3	156	0.9	15			2973	
	186.7	84	2.2	7.5	NMRV075	90LL4	2785	285
	140.0	110	1.8	10			3065	
	93.3	160	1.2	15			3509	
	70.0	206	1.0	20			3862	
	56.0	251	0.8	25			4160	
	46.7	286	0.8	30			4421	
	70.0	211	1.7	20	NMRV090	90LL4	4273	286
	56.0	257	1.3	25			4603	
	46.7	294	1.4	30			4891	
	35.0	377	1.0	40			5383	
	28.0	452	0.8	50			5799	
	56.0	264	2.2	25	NMRV105	90LL4	5816	287
	35.0	392	1.6	40			6803	
	28.0	471	1.3	50			7328	
	23.3	542	1.0	60			7787	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	19.3	656	1.3	73	PC090+NMRV105	90LL4	8298	294
	14.5	850	1.0	96.8			9133	
	11.6	1002	0.8	121			9838	
	56.0	264	2.6	25	NMRV110	90LL4	5816	288
	35.0	392	1.8	40			6803	
	28.0	471	1.4	50			7328	
	23.3	542	1.1	60			7787	
	19.3	656	1.5	73	PC090+NMRV110	90LL4	8298	294
	14.5	850	1.1	96.8			9133	
	11.6	1002	0.9	121			9838	
	17.5	683	1.2	80	NMRV130	90LL4	11210	289
	14.0	803	0.9	100			12076	
	19.3	665	2.1	73	PC090+NMRV130	90LL4	10853	295
	14.5	850	1.5	96.8			11945	
	11.6	1018	1.2	121			12868	
	9.6	1148	0.9	145.2			13500	
	9.3	1259	1.9	150	NMRV063/150	90LL4	18000	299
	7.0	1616	1.4	200			18000	
	5.6	1966	1.0	250			18000	
	4.7	2281	1.0	300			18000	
	3.5	2708	1.0	400			18000	
	2.8	3167	0.7	500			18000	
2.2	373.3	51	1.8	7.5	NMRV063	90L2	1873	284
	280.0	67	1.5	10			2061	
	186.7	97	1.1	15			2359	
	186.7	100	1.8	7.5	NMRV075	100LA4	2785	285
	140.0	132	1.5	10			3065	
	93.3	191	1.0	15			3509	
	373.3	51	2.5	7.5	NMRV075	90L2	2210	285
	280.0	68	2.1	10			2433	
	186.7	98	1.5	15			2785	
	140.0	128	1.3	20			3065	
	112.0	156	1.0	25			3302	
	93.3	180	0.9	30			3509	
	186.7	101	2.9	7.5	NMRV090	100LA4	3081	286
	140.0	134	2.3	10			3391	
	93.3	194	1.9	15			3882	
	70.0	252	1.4	20			4273	
	56.0	308	1.1	25			4603	
	46.7	351	1.2	30			4891	
	120.0	156	2.2	7.5	NMRV090	112M6	3570	286
	90.0	203	1.8	10			3929	
	60.0	294	1.4	15			4498	
	45.0	378	1.0	20			4951	
	140.0	131	2.0	20	NMRV090	90L2	3391	286
	112.0	159	1.6	25			3653	
	93.3	185	1.7	30			3882	
	70.0	237	1.2	40			4273	
	56.0	285	0.9	50			4603	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	70.0	255	2.2	20	NMRV105	100LA4	5399	287
	56.0	315	1.9	25			5816	
	46.7	356	1.8	30			6181	
	35.0	468	1.3	40			6803	
	28.0	563	1.1	50			7328	
	23.3	648	0.9	60			7787	
	90.0	205	3.0	10	NMRV105	112M6	4965	287
	60.0	298	2.2	15			5684	
	45.0	388	1.6	20			6256	
	36.0	473	1.4	25			6739	
	30.0	532	1.4	30			7161	
	112.0	163	2.7	25	NMRV105	90L2	4616	287
	93.3	187	2.6	30			4905	
	70.0	246	1.9	40			5399	
	56.0	296	1.5	50			5816	
	46.7	347	1.2	60			6181	
	38.6	398	1.8	73	PC090+NMRV105	90L2	6586	294
	28.9	516	1.3	96.8			7249	
	23.1	617	1.1	121			7809	
	70.0	255	2.5	20	NMRV110	100LA4	5399	288
	56.0	315	2.2	25			5816	
	46.7	356	2.0	30			6181	
	35.0	468	1.5	40			6803	
	28.0	563	1.2	50			7328	
	23.3	648	1.0	60			7787	
	90.0	205	3.5	10	NMRV110	112M6	4965	288
	60.0	298	2.6	15			5684	
	45.0	388	1.9	20			6256	
	36.0	473	1.6	25			6739	
	30.0	532	1.6	30			7161	
	112.0	163	3.1	25	NMRV110	90L2	4616	288
	93.3	187	3.0	30			4905	
	70.0	246	2.1	40			5399	
	56.0	296	1.7	50			5816	
	46.7	347	1.4	60			6181	
	38.6	398	2.1	73	PC090+NMRV110	90L2	6586	294
	28.9	516	1.5	96.8			7249	
	23.1	617	1.2	121			7809	
	35.0	468	2.2	40	NMRV130	100LA4	8897	289
	28.0	563	1.7	50			9584	
	23.3	648	1.4	60			10185	
	17.5	816	1.0	80			11210	
	36.0	479	2.2	25	NMRV130	112M6	8814	289
	30.0	546	2.1	30			9366	
	22.5	700	1.6	40			10309	
	18.0	840	1.2	50			11105	
	15.0	966	1.0	60			11801	
	35.0	438	1.3	80	NMRV130	90L2	8897	289
	28.0	525	1.0	100			9584	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	38.6	409	2.9	73	PC090+NMRV130	90L2	8614	295
	28.9	545	2.0	96.8			9481	
	23.1	654	1.6	121			10213	
	19.3	752	1.3	145.2			10853	
	28.0	570	2.5	50	NMRV150	100LA4	13103	290
	23.3	657	1.9	60			13924	
	17.5	816	1.4	80			15325	
	14.0	960	1.0	100			16508	
3	373.3	70	1.9	7.5	NMRV075	100LA2	2210	285
	280.0	92	1.6	10			2433	
	186.7	137	1.4	7.5	NMRV075	100LB4	2785	285
	140.0	180	1.1	10			3065	
	93.3	261	0.8	15	3509			
	373.3	71	3.0	7.5	NMRV090	100LA2	2446	286
	280.0	92	2.6	10			2692	
	186.7	138	2.1	7.5	NMRV090	100LB4	3081	286
	140.0	182	1.7	10			3391	
	93.3	264	1.4	15	3882			
	70.0	344	1.0	20	4273			
	56.0	420	0.8	25	4603			
	46.7	479	0.9	30	4891			
	93.3	264	2.2	15	NMRV105	100LB4	4905	287
	70.0	348	1.6	20			5399	
	56.0	430	1.4	25	5816			
	46.7	485	1.3	30	6181			
	35.0	638	1.0	40	6803			
	28.0	767	0.8	50	7328			
	120.0	212	2.7	7.5	NMRV105	132S6	4511	287
	90.0	280	2.2	10			4965	
	60.0	406	1.6	15	5684			
	45.0	528	1.2	20	6256			
	93.3	264	2.5	15	NMRV110	100LB4	4905	288
	70.0	348	1.9	20			5399	
	56.0	430	1.6	25	5816			
	46.7	485	1.5	30	6181			
	35.0	638	1.1	40	6803			
28.0	767	0.9	50	7328				
120.0	212	3.1	7.5	NMRV110	132S6	4511	288	
90.0	280	2.5	10			4965		
60.0	406	1.9	15	5684				
45.0	528	1.4	20	6256				
56.0	430	2.2	25	NMRV130	100LB4	7607	289	
46.7	491	2.1	30			8084		
35.0	638	1.6	40	8897				
28.0	767	1.3	50	9584				
23.3	884	1.0	60	10185				
17.5	1113	0.8	80	11210				
90.0	280	3.4	10	NMRV130	132S6	6494	289	
60.0	406	2.6	15			7434		
45.0	535	1.9	20	8182				


Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	36.0	653	1.6	25	NMRV130	132S6	8814	289
	30.0	745	1.6	30			9366	
	22.5	955	1.2	40			10309	
	28.0	778	1.8	50	NMRV150	100LB4	13103	290
	23.3	896	1.4	60			13924	
	17.5	1113	1.0	80			15325	
	14.0	1310	0.8	100			16508	
	373.3	93	1.4	7.5	NMRV075	112M2	2210	285
	280.0	123	1.2	10			2433	
	186.7	182	1.0	7.5	NMRV075	112M4	2785	285
	140.0	240	0.8	10			3065	
4	373.3	94	2.2	7.5	NMRV090	112M2	2446	286
	280.0	123	1.9	10			2692	
	186.7	184	1.6	7.5	NMRV090	112M4	3081	286
	140.0	243	1.3	10			3391	
	93.3	352	1.0	15			3882	
	70.0	458	0.8	20			4273	
	140.0	243	2.1	10	NMRV105	112M4	4285	287
	93.3	352	1.6	15			4905	
	70.0	464	1.2	20			5399	
	56.0	573	1.0	25			5816	
	46.7	647	1.0	30			6181	
	120.0	283	2.0	7.5	NMRV105	132M6	4511	287
	90.0	374	1.7	10			4965	
	60.0	541	1.2	15			5684	
	140.0	243	2.5	10	NMRV110	112M4	4285	288
	93.3	352	1.9	15			4905	
	70.0	464	1.4	20			5399	
	56.0	573	1.2	25			5816	
	46.7	647	1.1	30			6181	
	120.0	283	2.3	7.5	NMRV110	132M6	4511	288
	90.0	374	1.9	10			4965	
	60.0	541	1.4	15			5684	
	56.0	573	1.6	25	NMRV130	112M4	7607	289
	46.7	655	1.6	30			8084	
	35.0	851	1.2	40			8897	
	28.0	1023	1.0	50			9584	
	23.3	1179	0.8	60			10185	
	120.0	287	3.1	7.5	NMRV130	132M6	5901	289
	90.0	374	2.6	10			6494	
	60.0	541	2.0	15			7434	
	45.0	713	1.5	20			8182	
	36.0	870	1.2	25			8814	
	28.0	1037	1.4	50	NMRV150	112M4	13103	290
	23.3	1195	1.1	60			13924	
	17.5	1484	0.8	80			15325	



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4.8	186.7	221	1.3	7.5	NMRV090	112MS4	3081	286
	140.0	291	1.1	10			3391	
	93.3	422	0.9	15			3882	
	186.7	221	2.2	7.5	NMRV105	112MS4	3893	287
	140.0	291	1.8	10			4285	
	93.3	422	1.3	15			4905	
	70.0	557	1.0	20			5399	
	56.0	688	0.9	25			5816	
	186.7	221	2.5	7.5	NMRV110	112MS4	3893	288
	140.0	291	2.1	10			4285	
	93.3	422	1.6	15			4905	
	70.0	557	1.2	20			5399	
	56.0	688	1.0	25			5816	
	56.0	688	1.4	25	NMRV130	112MS4	7607	289
	46.7	786	1.3	30			8084	
	35.0	1022	1.0	40			8897	
	28.0	1228	0.8	50			9584	
	28.0	1244	1.1	50			13103	
	23.3	1434	0.9	60			13924	
5.5	186.7	253	1.9	7.5	NMRV105	132S4	3893	287
	140.0	334	1.6	10			4285	
	93.3	484	1.2	15			4905	
	70.0	638	0.9	20			5399	
	186.7	253	2.2	7.5	NMRV110	132S4	3893	288
	140.0	334	1.8	10			4285	
	93.3	484	1.4	15			4905	
	70.0	638	1.0	20			5399	
	140.0	334	2.5	10	NMRV130	132S4	5605	289
	93.3	490	1.9	15			6416	
	70.0	645	1.4	20			7062	
	56.0	788	1.2	25			7607	
	46.7	900	1.2	30			8084	
	35.0	1171	0.9	40			8897	
	70.0	645	2.0	20	NMRV150	132S4	9654	290
	56.0	788	1.5	25			10400	
	46.7	934	1.3	30			11051	
	35.0	1171	1.3	40			12163	
	28.0	1426	1.0	50			13103	
	23.3	1643	0.8	60			13924	
7.5	186.7	345	1.4	7.5	NMRV105	132L4	3893	287
	140.0	455	1.1	10			4285	
	93.3	660	0.9	15			4905	
	186.7	345	1.6	7.5	NMRV110	132L4	3893	288
	140.0	455	1.3	10			4285	
	93.3	660	1.0	15			4905	

