



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.06	280.0	1.8	10.1	5	597	PMRV030 - 56A4	72
	186.7	2.6	6.9	7.5	683		
	140.0	3.4	5.4	10	752		
	93.3	4.7	3.8	15	861		
	70.0	6.0	3.0	20	948		
	56.0	7.0	3.0	25	1021		
	46.7	8.0	2.5	30	1085		
	35.0	9.7	1.9	40	1194		
	28.0	11	1.5	50	1286		
	23.3	13	1.3	60	1367		
	17.5	14	0.9	80	1504		
	15.0	18	0.9	60	1583	PMRV030 - 56B6	72
	18.0	18	2.3	50	2868	PMRV040 - 56B6	73
	15.0	21	1.9	60	3047		
	11.3	24	1.4	80	3354		
	9.0	27	1.2	100	3490		
	4.7	57	1.3	300	3490	PMRV030/040 - 56A4	87
	3.5	70	0.9	400	3490		
	2.8	96	0.6	500	3490		
	2.3	104	0.7	600	3490		
	1.9	121	0.6	750	3490		
	1.6	139	0.5	900	3490		
	1.2	166	0.4	1200	3490		
	0.9	196	0.4	1500	3490		
	0.8	218	0.3	1800	3490		
	0.58	261	0.2	2400	3490		
	0.4	300	0.2	3200	3490		
	0.4	279	0.1	4000	3490		
	0.28	338	0.1	5000	3490		
	1.6	141	1.0	900	4840	PMRV030/050 - 56A4	87
	1.2	169	0.7	1200	4840		
	0.93	199	0.7	1500	4840		
	0.78	222	0.7	1800	4840		
	0.6	266	0.5	2400	4840		
	0.5	307	0.4	3000	4840		
	0.35	288	0.3	4000	4840		
	0.29	311	0.3	4800	4840		
	0.9	204	1.1	1500	6270	PMRV030/063 - 56A4	88
	0.78	225	0.9	1800	6270		
	0.58	276	0.8	2400	6270		
	0.47	319	0.7	3000	6270		
	0.35	306	0.6	4000	6270		
	0.28	360	0.4	5000	6270		
	0.6	330	1.1	2400	7380	PMRV040/075 - 56A4	88
	0.47	377	0.8	3000	7380		
	0.35	355	0.7	4000	7380		
	0.28	419	0.5	5000	7380		
	0.5	406	1.4	3000	8180	PMRV040/090 - 56A4	88
	0.35	365	1.3	4000	8180		
	0.28	431	1.0	5000	8180		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.09	560.0	1.4	8.8	5	474	PMRV030 - 56A2	72
	373.3	2.0	6.5	7.5	542		
	280.0	2.6	5.0	10	597		
	186.7	3.7	3.5	15	683		
	140.0	4.8	2.5	20	752		
	112.0	5.7	2.8	25	810		
	93.3	6.5	2.3	30	861		
	70.0	8.1	1.7	40	948		
	56.0	10	1.4	50	1021		
	46.7	11	1.1	60	1085		
	35.0	13	0.9	80	1194		
	280.0	2.7	6.7	5	597	PMRV030 - 56B4	72
	186.7	3.9	4.6	7.5	683		
	140.0	5.0	3.6	10	752		
	93.3	7.1	2.5	15	861		
	70.0	9.0	2.0	20	948		
	56.0	10	2.0	25	1021		
	46.7	12	1.7	30	1085		
	35.0	14	1.2	40	1194		
	28.0	17	1.0	50	1286		
	23.3	19	0.9	60	1367		
	180.0	4.1	4.9	5	692	PMRV030 - 63A6	72
	120.0	5.9	3.4	7.5	792		
	90.0	7.6	2.6	10	871		
	60.0	11	1.9	15	997		
	45.0	13	1.5	20	1098		
	36.0	15	1.5	25	1183		
	30.0	17	1.2	30	1257		
	22.5	21	1.0	40	1383		
	18.0	24	0.7	50	1490		
	28.0	19	2.0	50	2475	PMRV040 - 56B4	73
	23.3	21	1.7	60	2630		
	17.5	26	1.3	80	2895		
	14.0	29	1.0	100	3118		
	30.0	19	2.6	30	2419	PMRV040 - 63A6	73
	22.5	24	1.9	40	2662		
	18.0	27	1.5	50	2868		
	15.0	31	1.3	60	3047		
	11.3	37	1.0	80	3354		
	9.0	41	0.8	100	3490		
	12.0	47	1.3	75	3283	PPC063/PMRV040 - 63A6	82
	10.0	51	1.4	90	3488		
	7.5	62	1.1	120	3490		
	6.0	72	0.8	150	3490		
	5.0	79	0.7	180	3490		
	4.7	88	0.8	300	3490	PMRV030/040 - 56B4	87
	15.0	32	2.3	60	4183	PMRV050 - 63A6	74
	11.3	37	1.8	80	4604		
	9.0	42	1.3	100	4840		
	6.0	73	1.6	150	4840	PPC063/PMRV050 - 63A6	82
	5.0	81	1.3	180	4840		
	3.8	94	0.9	240	4840		
	3.0	106	0.7	300	4840		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.09	3.5	107	1.2	400	4840	PMRV030/050 - 56B4	87
	2.8	123	1.0	500	4840		
	2.3	159	0.9	600	4840		
	1.9	185	0.8	750	4840		
	1.6	212	0.7	900	4840		
	3.8	99	1.7	240	6270	PPC063/PMRV063 - 63A6	83
	3.0	109	1.4	300	6270		
	1.6	200	1.0	900	6270	PMRV030/063 - 56B4	88
	1.2	263	0.9	1200	6270		
	0.93	305	0.7	1500	6270		
0.12	0.9	360	1.1	1500	7380	PMRV040/075 - 56B4	88
	0.78	404	1.0	1800	7380		
	0.58	496	0.7	2400	7380		
	0.5	609	0.9	3000	8180	PMRV040/090 - 56B4	88
	0.35	548	0.8	4000	8180		
	280.0	3.6	5.1	5	597	PMRV030 - 63A4	72
	186.7	5.2	3.4	7.5	683		
	140.0	6.7	2.7	10	752		
	93.3	9.5	1.9	15	861		
	70.0	12	1.5	20	948		
	56.0	14	1.5	25	1021		
	46.7	16	1.3	30	1085		
	35.0	19	0.9	40	1194		
	28.0	23	0.8	50	1286		
	180.0	5.4	3.7	5	692	PMRV030 - 63B6	72
	120.0	7.9	2.5	7.5	792		
	90.0	10	2.0	10	871		
	60.0	14	1.4	15	997		
	45.0	18	1.1	20	1098		
	36.0	20	1.1	25	1183		
	30.0	23	0.9	30	1257		
	46.7	17	2.6	30	2087	PMRV040 - 63A4	73
	35.0	21	1.9	40	2298		
	28.0	25	1.5	50	2475		
	23.3	28	1.3	60	2630		
	17.5	34	1.0	80	2895		
	14.0	38	0.8	100	3118		
	30.0	25	1.9	30	2419	PMRV040 - 63B6	73
	22.5	32	1.4	40	2662		
	18.0	36	1.2	50	2868		
	15.0	41	0.9	60	3047		
	18.7	42	1.2	75	2833	PPC063/PMRV040 - 63A4	82
	15.6	46	1.2	90	3011		
	11.7	57	0.9	120	3314		
	9.3	66	0.7	150	3490		
	7.8	74	0.6	180	3490		
	12.0	62	1.0	75	3283	PPC063/PMRV040 - 63B6	82
	10.0	68	1.1	90	3488		
	7.5	83	0.8	120	3490		
	23.3	29	2.3	60	3610	PMRV050 - 63A4	74
	17.5	35	1.9	80	3973		
	14.0	40	1.4	100	4280		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.12	22.5	32	2.6	40	3654	PMRV050 - 63B6	74
	18.0	38	2.0	50	3936		
	15.0	42	1.7	60	4183		
	11.3	50	1.4	80	4604		
	9.0	56	1.0	100	4840		
	9.3	68	1.3	150	4840	PPC063/PMRV050 - 63A4	82
	7.8	75	1.1	180	4840		
	5.8	88	0.8	240	4840		
	4.7	98	0.7	300	4840		
	12.0	63	1.7	75	4506	PPC063/PMRV050 - 63B6	82
	10.0	70	2.1	90	4788		
	7.5	84	1.5	120	4840		
	6.0	97	1.2	150	4840		
	5.0	108	1.0	180	4840		
	3.8	125	0.7	240	4840		
	4.7	119	1.2	300	4840	PMRV030/050 - 63A4	87
	3.5	142	0.9	400	4840		
	2.8	164	0.7	500	4840		
	5.8	92	1.5	240	6270	PPC063/PMRV063 - 63A4	83
	4.7	103	1.2	300	6270		
	6.0	101	2.1	150	6270	PPC063/PMRV063 - 63B6	83
	5.0	112	1.8	180	6270		
	3.8	131	1.3	240	6270		
	3.0	145	1.0	300	6270		
	2.8	171	1.3	500	6270	PMRV030/063 - 63A4	88
	2.3	208	1.1	600	6270		
	1.9	241	0.9	750	6270		
	1.6	325	1.2	900	7380	PMRV040/075 - 63A4	88
	1.2	399	0.9	1200	7380		
0.15	0.8	547	0.9	1800	8180	PMRV040/090 - 63A4	88
	0.58	695	0.9	2400	8180		
	0.5	884	1.2	3000	10320	PMRV050/110 - 63A4	89
	0.35	784	1.0	4000	10320		
	0.28	928	0.8	5000	10320		
	180.0	7	3.0	5	692	PMRV030 - 63C6	72
	120.0	10	2.0	7.5	792		
	90.0	13	1.6	10	871		
	60.0	18	1.1	15	997		
	45.0	22	0.9	20	1098		
	60.0	19	2.4	15	1920	PMRV040 - 63C6	73
	45.0	24	1.8	20	2113		
	36.0	29	1.5	25	2276		
	30.0	32	1.6	30	2419		
	22.5	39	1.1	40	2662		
	18.0	45	0.9	50	2868		
	18.0	47	1.6	50	3936	PMRV050 - 63C6	74
	15.0	53	1.4	60	4183		
	11.3	62	1.1	80	4604		
	10.0	87	1.7	90	4788	PPC063/PMRV050 - 63C6	82
	7.5	105	1.2	120	4840		
	6.0	127	1.7	150	6270	PPC063/PMRV063 - 63C6	83
	5.0	140	1.4	180	6270		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.18	560.0	2.7	4.4	5	474	PMRV030 - 63A2	72
	373.3	4.0	3.2	7.5	542		
	280.0	5.2	2.5	10	597		
	186.7	7.5	1.7	15	683		
	140.0	10	1.3	20	752		
	112.0	11	1.4	25	810		
	93.3	13	1.1	30	861		
	70.0	16	0.9	40	948		
	280.0	5.3	3.4	5	597	PMRV030 - 63B4	72
	186.7	7.8	2.3	7.5	683		
	140.0	10	1.8	10	752		
	93.3	14	1.3	15	861		
	70.0	18	1.0	20	948		
	56.0	21	1.0	25	1021		
	46.7	24	0.8	30	1085		
	93.3	14	2.4	30	1657	PMRV040 - 63A2	73
	70.0	18	1.8	40	1824		
	56.0	21	1.4	50	1964		
	70.0	19	2.0	20	1824	PMRV040 - 63B4	73
	56.0	23	1.7	25	1964		
	46.7	26	1.7	30	2087		
	35.0	32	1.3	40	2298		
	28.0	38	1.0	50	2475		
	23.3	43	0.8	60	2630		
	45.0	29	1.5	20	2113	PMRV040 - 71A6	73
	36.0	34	1.3	25	2276		
	30.0	38	1.3	30	2419		
	22.5	47	1.0	40	2662		
	18.7	64	0.8	75	2833	PPC063/PMRV040 - 63B4	82
	15.6	70	0.8	90	3011		
	11.7	85	0.6	120	3314		
	46.7	24	2.1	60	2865	PMRV050 - 63A2	74
	35.0	30	1.5	80	3153		
	28.0	34	1.2	100	3397		
	35.0	33	2.3	40	3153	PMRV050 - 63B4	74
	28.0	39	1.9	50	3397		
	23.3	43	1.6	60	3610		
	17.5	52	1.2	80	3973		
	14.0	60	0.9	100	4280		
	18.0	56	1.4	50	3936	PMRV050 - 71A6	74
	15.0	63	1.1	60	4183		
	11.3	75	0.9	80	4604		
	18.7	64	1.4	75	3889	PPC063/PMRV050 - 63B4	82
	15.6	71	1.5	90	4132		
	11.7	87	1.1	120	4548		
	9.3	101	0.9	150	4840		
	7.8	113	0.7	180	4840		
	5.8	133	0.6	240	4840		
	12.0	95	1.2	75	4506	PPC071/PMRV050 - 71A6	83
	10.0	105	1.4	90	4788		
	7.5	126	1.0	120	4840		
	15.0	66	2.1	60	5467	PMRV063 - 71A6	75
	11.3	79	1.6	80	6018		
	9.0	90	1.4	100	6270		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.18	9.3	103	1.7	150	6270	PPC063/PMRV063 - 63B4	83
	7.8	117	1.4	180	6270		
	5.8	139	1.0	240	6270		
	4.7	155	0.8	300	6270		
	12.0	97	2.2	75	5889	PPC071/PMRV063 - 71A6	83
	10.0	107	2.4	90	6259		
	7.5	131	1.8	120	6270		
	6.0	152	1.4	150	6270		
	5.0	168	1.2	180	6270		
	3.8	197	0.9	240	6270		
	3.0	218	0.7	300	6270		
	3.5	222	1.0	400	6270	PMRV030/063 - 63B4	88
	2.8	257	0.8	500	6270		
	5.0	179	1.7	180	7380	PPC071/PMRV075 - 71A6	84
	3.8	211	1.2	240	7380		
	3.0	235	1.0	300	7380		
	2.3	362	1.1	600	7380	PMRV040/075 - 63B4	88
	1.9	435	0.9	750	7380		
	1.6	487	0.8	900	7380		
	1.2	629	1.0	1200	8180	PMRV040/090 - 63B4	88
	0.93	735	0.8	1500	8180		
0.22	0.8	861	1.3	1800	10320	PMRV050/105 - 63B4	89
	0.58	1113	0.9	2400	10320		
	0.8	861	1.5	1800	10320	PMRV050/110 - 63B4	89
	0.58	1113	1.1	2400	10320		
	280.0	7	2.8	5	597	PMRV030 - 63C4	72
	186.7	10	1.9	7.5	683		
	140.0	12	1.5	10	752		
	93.3	17	1.0	15	861		
	70.0	22	0.8	20	948		
	93.3	18	2.2	15	1657	PMRV040 - 63C4	73
	70.0	23	1.7	20	1824		
	56.0	28	1.4	25	1964		
	46.7	32	1.4	30	2087		
	35.0	39	1.1	40	2298		
	28.0	47	0.8	50	2475		
	28.0	47	1.5	50	3397	PMRV050 - 63C4	74
	23.3	53	1.3	60	3610		
	17.5	64	1.0	80	3973		
	18.7	78	1.2	75	3889	PPC063/PMRV050 - 63C4	82
	15.6	86	1.2	90	4132		
	11.7	106	0.9	120	4548		
	9.3	126	1.4	150	6270	PPC063/PMRV063 - 63C4	83
	7.8	143	1.1	180	6270		
	4.7	210	1.1	300	6270	PMRV030/063 - 63C4	88
	3.5	271	0.8	400	6270		
0.25	560.0	3.8	3.2	5	474	PMRV030 - 63B2	72
	373.3	5.6	2.3	7.5	542		
	280.0	7.2	1.8	10	597		
	186.7	10	1.3	15	683		
	140.0	13	0.9	20	752		
	112.0	16	1.0	25	810		
	93.3	18	0.8	30	861		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.25	280.0	8	4.5	5	1149	PMRV040 - 71A4	73
	186.7	11	3.6	7.5	1315		
	140.0	14	2.8	10	1447		
	93.3	21	1.9	15	1657		
	70.0	27	1.5	20	1824		
	56.0	32	1.2	25	1964		
	46.7	36	1.3	30	2087		
	35.0	44	0.9	40	2298		
	180.0	12	3.5	5	1331	PMRV040 - 71B6	73
	120.0	17	2.6	7.5	1524		
	90.0	22	2.0	10	1677		
	60.0	31	1.4	15	1920		
	45.0	40	1.1	20	2113		
	36.0	48	0.9	25	2276		
	30.0	53	0.9	30	2419		
	35.0	42	1.1	80	3153	PMRV050 - 63B2	74
	28.0	48	0.8	100	3397		
	70.0	27	2.7	20	2503	PMRV050 - 71A4	74
	56.0	32	2.2	25	2696		
	46.7	37	2.3	30	2865		
	35.0	46	1.7	40	3153		
	28.0	54	1.4	50	3397		
	23.3	60	1.1	60	3610		
	17.5	72	0.9	80	3973		
	45.0	40	1.9	20	2900	PMRV050 - 71B6	74
	36.0	48	1.5	25	3124		
	30.0	54	1.7	30	3320		
	22.5	67	1.2	40	3654		
	18.0	78	1.0	50	3936		
	15.0	88	0.8	60	4183		
	18.7	88	1.0	75	3889	PPC071/PMRV050 - 71A4	83
	15.6	98	1.1	90	4132		
	11.7	121	0.8	120	4548		
	28.0	56	2.4	50	4440	PMRV063 - 71A4	75
	23.3	63	2.0	60	4719		
	17.5	78	1.6	80	5193		
	14.0	87	1.4	100	5595		
	18.0	81	1.8	50	5145	PMRV063 - 71B6	75
	15.0	92	1.5	60	5467		
	11.3	110	1.2	80	6018		
	9.0	125	1.0	100	6270		
	18.7	91	1.8	75	5083	PPC071/PMRV063 - 71A4	83
	15.6	100	2.0	90	5401		
	11.7	125	1.5	120	5945		
	9.3	143	1.2	150	6270		
	7.8	163	1.0	180	6270		
	5.8	192	0.7	240	6270		
	4.7	215	0.6	300	6270		
	12.0	135	1.6	75	5889	PPC071/PMRV063 - 71B6	83
	10.0	148	1.8	90	6259		
	7.5	181	1.3	120	6270		
	6.0	211	1.0	150	6270		
	7.0	159	1.4	400	6270	PMRV030/063 - 63B2	88
	5.6	185	1.2	500	6270		
	17.5	82	2.3	80	6130	PMRV075 - 71A4	76
	14.0	94	1.9	100	6603		
	11.3	117	1.7	80	7103	PMRV075 - 71B6	76
	9.0	133	1.4	100	7380		
	9.3	151	1.7	150	7380	PPC071/PMRV075 - 71A4	84
	7.8	172	1.4	180	7380		
	5.8	201	1.1	240	7380		
	4.7	230	0.9	300	7380		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.25	12.0	139	2.4	75	6952	PPC071/PMRV075 - 71B6	84
	10.0	155	2.5	90	7380		
	7.5	191	1.9	120	7380		
	6.0	219	1.5	150	7380		
	5.0	248	1.2	180	7380		
	3.5	336	1.1	400	7380	PMRV040/75 - 71A4	88
	2.8	384	0.8	500	7380		
	5.0	263	1.9	180	8180	PPC071/PMRV090 - 71B6	84
	3.8	318	1.4	240	8180		
	3.0	358	1.1	300	8180		
	2.3	512	1.2	600	8180	PMRV040/090 - 71A4	88
	1.9	598	0.9	750	8180		
	1.6	667	0.8	900	8180		
	1.2	943	1.1	1200	10320	PMRV050/105 - 71A4	89
	0.93	1064	1.0	1500	10320		
	0.78	1195	0.9	1800	10320		
	1.2	943	1.3	1200	10320	PMRV050/110 - 71A4	89
	0.93	1064	1.2	1500	10320		
	0.78	1195	1.1	1800	10320		
	0.6	1624	1.0	2400	13500	PMRV063/130 - 71A4	89
	0.47	1935	0.8	3000	13500		
	0.35	2046	0.6	4000	13500		
	0.28	2430	0.5	5000	13500		
	0.8	1199	1.8	1800	18000	PMRV063/150 - 71A4	90
	0.6	1446	1.8	2400	18000		
	0.5	1713	1.4	3000	18000		
	0.4	2026	0.9	4000	18000		
	0.3	2251	0.7	5000	18000		
0.37	560.0	5.6	2.1	5	474	PMRV030 - 63C2	72
	373.3	8.2	1.6	7.5	542		
	280.0	11	1.2	10	597		
	186.7	15	0.8	15	683		
	560.0	5.7	4.2	5	912	PMRV040 - 71A2	73
	373.3	8.4	3.3	7.5	1044		
	280.0	11	2.6	10	1149		
	186.7	16	1.9	15	1315		
	140.0	21	1.4	20	1447		
	112.0	25	1.1	25	1559		
	280.0	11	3.0	5	1149	PMRV040 - 71B4	73
	186.7	16	2.4	7.5	1315		
	140.0	21	1.9	10	1447		
	93.3	31	1.3	15	1657		
	70.0	39	1.0	20	1824		
	56.0	47	0.8	25	1964		
	46.7	53	0.8	30	2087		
	112.0	25	2.0	25	2140	PMRV050 - 71A2	74
	93.3	29	2.2	30	2274		
	70.0	37	1.6	40	2503		
	56.0	44	1.2	50	2696		
	46.7	50	1.0	60	2865		
	35.0	62	0.7	80	3153		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.37	140.0	22	3.3	10	1987	PMRV050 - 71B4	74
	93.3	31	2.4	15	2274		
	70.0	40	1.8	20	2503		
	56.0	48	1.5	25	2696		
	46.7	55	1.5	30	2865		
	35.0	68	1.1	40	3153		
	28.0	80	0.9	50	3397		
	23.3	89	0.8	60	3610		
	180.0	17	4.3	5	1827	PMRV050 - 80A6	74
	120.0	25	3.3	7.5	2091		
	90.0	33	2.5	10	2302		
	60.0	47	1.8	15	2635		
	45.0	60	1.3	20	2900		
	36.0	72	1.0	25	3124		
	30.0	80	1.1	30	3320		
	35.0	71	2.1	40	4122	PMRV063 - 71B4	75
	28.0	83	1.6	50	4440		
	23.3	94	1.4	60	4719		
	17.5	115	1.1	80	5193		
	14.0	129	0.9	100	5595	PMRV063 - 80A6	75
	45.0	60	2.4	20	3791		
	36.0	74	1.9	25	4084		
	30.0	82	2.1	30	4339		
	22.5	102	1.6	40	4776		
	18.0	120	1.2	50	5145		
	15.0	137	1.0	60	5467	PPC071/PMRV063 - 71B4	83
	18.7	134	1.2	75	5083		
	15.6	148	1.4	90	5401		
	11.7	185	1.0	120	5945		
	9.3	212	0.8	150	6270	PMRV030/063 - 71A2	88
	9.3	181	1.3	300	6270		
	7.0	236	1.0	400	6270	PMRV075 - 71B4	76
	23.3	98	2.0	60	5569		
	17.5	121	1.6	80	6130		
	14.0	139	1.3	100	6603	PMRV075 - 80A6	76
	18.0	126	1.8	50	6073		
	15.0	144	1.5	60	6453		
	11.3	173	1.2	80	7103		
	9.0	196	1.0	100	7380	PPC071/PMRV075 - 71B4	84
	18.7	138	1.8	75	6000		
	15.6	154	1.9	90	6375		
	11.7	191	1.5	120	7017		
	9.3	223	1.1	150	7380		
	7.8	254	0.9	180	7380	PPC080/PMRV075 - 80A6	84
	12.0	206	1.6	75	6952		
	10.0	230	1.7	90	7380		
	7.5	283	1.3	120	7380		
	6.0	324	1.0	150	7380	PMRV040/075 - 71B4	88
	4.7	405	1.0	300	7380		
	3.5	498	0.7	400	7380	PMRV090 - 80A6	77
	11.3	185	1.7	80	7859		
	9.0	212	1.3	100	8180		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.37	7.8	268	1.5	180	8180	PPC071/PMRV090 - 71B4	84
	5.8	321	1.1	240	8180		
	4.7	371	0.9	300	8180		
	6.0	347	1.6	150	8180	PPC080/PMRV090 - 80A6	85
	5.0	389	1.3	180	8180		
	3.8	471	1.0	240	8180		
	4.7	402	1.5	300	8180	PMRV040/090 - 71B4	88
	3.5	523	1.2	400	8180		
	2.8	611	0.9	500	8180		
	2.3	757	0.8	600	8180		
	3.8	509	1.5	240	10320	PPC080/PMRV105 - 80A6	85
	3.0	577	1.2	300	10320		
	1.9	950	1.2	750	10320	PMRV050/105 - 71B4	89
	1.6	1079	1.0	900	10320		
	1.2	1396	0.7	1200	10320		
0.55	3.8	509	1.6	240	10320	PPC080/PMRV110 - 80A6	85
	3.0	577	1.3	300	10320		
	1.9	950	1.3	750	10320	PMRV050/110 - 71B4	89
	1.6	1079	1.2	900	10320		
	1.2	1396	0.8	1200	10320		
	0.9	1674	1.1	1500	13500	PMRV063/130 - 71B4	89
	0.78	1887	0.9	1800	13500		
	0.8	1775	1.2	1800	18000	PMRV063/150 - 71B4	90
	0.6	2141	1.2	2400	18000		
	0.5	2535	0.9	3000	18000		
	560.0	8.4	2.8	5	912	PMRV040 - 71B2	73
	373.3	13	2.2	7.5	1044		
	280.0	17	1.8	10	1149		
	186.7	24	1.3	15	1315		
	140.0	31	0.9	20	1447		
	112.0	37	0.8	25	1559		
	280.0	17	2.0	5	1149	PMRV040 - 71C4	73
	186.7	24	1.6	7.5	1315		
	140.0	32	1.3	10	1447		
	93.3	46	0.9	15	1657		
	140.0	31	1.7	20	1987	PMRV050 - 71B2	74
	112.0	38	1.4	25	2140		
	93.3	43	1.5	30	2274		
	70.0	55	1.1	40	2503		
	56.0	65	0.8	50	2696		
	46.7	74	0.7	60	2865		
	280.0	17	3.7	5	1577	PMRV050 - 80A4	74
	186.7	25	2.9	7.5	1805		
	140.0	32	2.2	10	1987		
	93.3	46	1.6	15	2274		
	70.0	59	1.2	20	2503		
	56.0	71	1.0	25	2696		
	46.7	81	1.0	30	2865		
	120.0	38	2.2	7.5	2091	PMRV050 - 80B6	74
	90.0	49	1.7	10	2302		
	60.0	69	1.2	15	2635		
	45.0	89	0.9	20	2900		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.55	70.0	56	1.9	40	3272	PMRV063 - 71B2	75
	56.0	67	1.5	50	3524		
	46.7	77	1.2	60	3745		
	35.0	95	0.9	80	4122		
	28.0	109	0.7	100	4440		
	70.0	61	2.2	20	3272	PMRV063 - 80A4	75
	56.0	73	1.8	25	3524		
	46.7	83	1.9	30	3745		
	35.0	105	1.4	40	4122		
	28.0	124	1.1	50	4440		
	23.3	140	0.9	60	4719		
	60.0	71	2.2	15	3444	PMRV063 - 80B6	75
	45.0	90	1.6	20	3791		
	36.0	109	1.3	25	4084		
	30.0	123	1.4	30	4339		
	22.5	152	1.1	40	4776		
	18.7	200	0.8	75	5083	PPC071/PMRV063 - 71C4	83
	15.6	219	0.9	90	5401		
	35.0	99	1.3	80	4865	PMRV075 - 71B2	76
	28.0	114	1.0	100	5241		
	35.0	108	2.0	40	4865	PMRV075 - 80A4	76
	28.0	129	1.6	50	5241		
	23.3	146	1.4	60	5569		
	17.5	180	1.1	80	6130		
	14.0	206	0.9	100	6603		
	30.0	128	2.0	30	5122	PMRV075 - 80B6	76
	22.5	159	1.5	40	5637		
	18.0	187	1.2	50	6073		
	15.0	214	1.0	60	6453		
	18.7	205	1.2	75	6000	PPC071/PMRV075 - 71C4	84
	15.6	230	1.3	90	6375		
	11.7	284	1.0	120	7017		
	18.7	205	1.2	75	6000	PPC080/PMRV075 - 80A4	84
	15.6	230	1.3	90	6375		
	11.7	284	1.0	120	7017		
	9.3	332	0.8	150	7380		
	12.0	306	1.1	75	6952	PPC080/PMRV075 - 80B6	84
	10.0	341	1.1	90	7380		
	17.5	189	1.5	80	6783	PMRV090 - 80A4	77
	14.0	221	1.2	100	7306		
	18.0	198	2.0	50	6719	PMRV090 - 80B6	77
	15.0	224	1.6	60	7140		
	11.3	275	1.1	80	7859		
	9.0	315	0.9	100	8180		
	15.6	240	2.3	90	7054	PPC080/PMRV090 - 80A4	85
	11.7	297	1.6	120	7764		
	9.3	355	1.3	150	8180		
	7.8	398	1.0	180	8180		
	10.0	357	2.0	90	8174	PPC080/PMRV090 - 80B6	85
	7.5	441	1.4	120	8180		
	6.0	516	1.1	150	8180		
	5.0	578	0.9	180	8180		
	9.3	306	2.0	300	8180	PMRV040/090 - 71B2	88
	7.0	403	1.5	400	8180		
	5.6	470	1.2	500	8180		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.55	17.5 14.0	201 236	2.4 1.9	80 100	8571 9232	PMRV105 - 80A4	78
	11.3 9.0	294 338	1.8 1.4	80 100	9931 10320	PMRV105 - 80B6	78
	7.8 5.8 4.7	425 513 597	1.7 1.2 1.0	180 240 300	10320 10320 10320	PPC080/PMRV105 - 80A4	85
	7.5 6.0 5.0 3.8	462 552 620 756	2.2 1.8 1.5 1.0	120 150 180 240	10320 10320 10320 10320	PPC080/PMRV105 - 80B6	85
	4.7 3.5 2.8 2.3 1.9	639 826 984 1181 1411	1.7 1.2 1.0 0.9 0.8	300 400 500 600 750	10320 10320 10320 10320 10320	PMRV050/105 - 80A4	89
	17.5 14.0	201 236	2.6 2.0	80 100	8571 9232	PMRV110 - 80A4	79
	11.3 9.0	294 338	1.9 1.5	80 100	9931 10320	PMRV110 - 80B6	79
	7.8 5.8 4.7	425 513 597	1.8 1.3 1.0	180 240 300	10320 10320 10320	PPC080/PMRV110 - 80A4	85
	7.5 6.0 5.0 3.8	462 552 620 756	2.6 2.0 1.6 1.1	120 150 180 240	10320 10320 10320 10320	PPC080/PMRV110 - 80B6	85
	4.7 3.5 2.8 2.3 1.9	639 826 984 1181 1411	2.0 1.4 1.1 1.0 0.9	300 400 500 600 750	10320 10320 10320 10320 10320	PMRV050/110 - 80A4	89
	3.8 3.0	756 858	1.6 1.3	240 300	13500 13500	PPC080/PMRV130 - 80B6	86
	2.8 1.9 1.2	996 1471 2132	1.6 1.2 0.8	500 750 1200	13500 13500 13500	PMRV063/130 - 80A4	89
	0.8 0.6	2638 3182	0.8 0.8	1800 2400	18000 18000	PMRV063/150 - 80A4	90
0.75	560.0 373.3 280.0 186.7	12 17 23 32	2.1 1.6 1.3 1.0	5 7.5 10 15	912 1044 1149 1315	PMRV040 - 71C2	73
	560.0 373.3 280.0 186.7 140.0 112.0 93.3	12 17 23 33 42 51 58	3.9 3.0 2.4 1.7 1.3 1.0 1.1	5 7.5 10 15 20 25 30	1251 1433 1577 1805 1987 2140 2274	PMRV050 - 80A2	74



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.75	280.0 186.7 140.0 93.3 70.0	23 34 44 63 81	2.7 2.1 1.6 1.2 0.9	5 7.5 10 15 20	1577 1805 1987 2274 2503	PMRV050 - 80B4	74
	140.0 112.0 93.3 70.0 56.0 46.7	43 52 60 77 91 104	2.3 1.8 2.0 1.4 1.1 0.9	20 25 30 40 50 60	2597 2797 2973 3272 3524 3745	PMRV063 - 80A2	75
	93.3 70.0 56.0 46.7 35.0	64 83 100 114 143	2.2 1.6 1.3 1.4 1.0	15 20 25 30 40	2973 3272 3524 3745 4122	PMRV063 - 80B4	75
	120.0 90.0 60.0 45.0 36.0 30.0	52 68 97 123 149 167	2.9 2.3 1.6 1.2 0.9 1.0	7.5 10 15 20 25 30	2734 3009 3444 3791 4084 4339	PMRV063 - 90S6	75
	46.7 28.0	109 156	1.3 0.8	60 100	4421 5241	PMRV075 - 80A2	76
	56.0 46.7 35.0 28.0 23.3	102 117 147 177 200	2.0 2.0 1.5 1.2 1.0	25 30 40 50 60	4160 4421 4865 5241 5569	PMRV075 - 80B4	76
	60.0 45.0 36.0 30.0 22.5	98 126 153 174 216	2.4 1.9 1.4 1.5 1.1	15 20 25 30 40	4065 4474 4820 5122 5637	PMRV075 - 90S6	76
	18.7 15.6	280 313	0.9 1.0	75 90	6000 6375	PPC080/PMRV075 - 80B4	84
	35.0 28.0	141 166	1.6 1.2	80 100	5383 5799	PMRV090 - 80A2	77
	28.0 23.3 17.5 14.0	184 212 258 302	1.8 1.5 1.1 0.9	50 60 80 100	5799 6163 6783 7306	PMRV090 - 80B4	77
	30.0 22.5 18.0 15.0	179 226 271 306	2.6 1.8 1.4 1.1	30 40 50 60	5667 6238 6719 7140	PMRV090 - 90S6	77
	15.6 11.7 9.3 7.8	327 405 483 543	1.7 1.2 0.9 0.7	90 120 150 180	7054 7764 8180 8180	PPC080/PMRV090 - 80B4	85
	7.0 5.6	549 642	1.1 0.9	400 500	8180 8180	PMRV040/090 - 80A2	88
	17.5 14.0	274 322	1.8 1.4	80 100	8571 9232	PMRV105 - 80B4	78



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.75	15.0 11.3 9.0	325 401 462	1.9 1.3 1.1	60 80 100	9023 9931 10320	PMRV105 - 90S6	78
	11.7 9.3 7.8 5.8	430 506 580 700	1.9 1.6 1.2 0.9	120 150 180 240	9811 10320 10320 10320	PPC080/PMRV105 - 80B4	85
	12.4 9.3 7.4 6.2 4.6	393 508 607 682 832	2.8 2.0 1.6 1.3 0.9	73 96.8 121 145.2 193.6	9614 10320 10320 10320 10320	PPC090/PMRV105 - 90S6	85
	9.3 7.0 5.6	446 563 687	2.5 1.8 1.5	300 400 500	10320 10320 10320	PMRV050/105 - 80A2	89
	4.7 3.5	871 1126	1.3 0.9	300 400	10320 10320	PMRV050/105 - 80B4	89
	17.5 14.0	274 322	1.9 1.5	80 100	8571 9232	PMRV110 - 80B4	79
	15.0 11.3 9.0	325 401 462	2.1 1.4 1.1	60 80 100	9023 9931 10320	PMRV110 - 90S6	79
	11.7 9.3 7.8 5.8	430 506 580 700	2.2 1.7 1.3 0.9	120 150 180 240	9811 10320 10320 10320	PPC080/PMRV110 - 80B4	85
	12.4 9.3 7.4 6.2 4.6	393 508 607 682 832	3.2 2.3 1.8 1.5 1.0	73 96.8 121 145.2 193.6	9614 10320 10320 10320 10320	PPC090/PMRV110 - 90S6	85
	9.3 7.0 5.6	446 563 687	2.8 2.1 1.6	300 400 500	10320 10320 10320	PMRV050/110 - 80A2	89
	4.7 3.5	871 1126	1.5 1.1	300 400	10320 10320	PMRV050/110 - 80B4	89
	11.3 9.0	407 470	2.1 1.7	80 100	12989 13500	PMRV130 - 90S6	80
	5.8 4.7	712 813	1.4 1.1	240 300	13500 13500	PPC080/PMRV130 - 80B4	86
	12.4 9.3 7.4 6.2 4.6 3.7	399 508 607 682 832 944	4.4 3.2 2.6 2.1 1.5 1.2	73 96.8 121 145.2 193.6 242	12575 13500 13500 13500 13500 13500	PPC090/PMRV130 - 90S6	86
	2.8 2.3 1.9 1.6	1358 1631 2005 2283	1.1 1.0 0.9 0.8	500 600 750 900	13500 13500 13500 13500	PMRV063/130 - 80B4	89



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.75	2.8	1291	1.8	500	18000	PMRV063/150 - 80B4	90
	2.3	1529	1.7	600	18000		
	1.9	1783	1.3	750	18000		
	1.6	2215	0.9	900	18000		
	1.2	2680	1.0	1200	18000		
0.92	280.0	28	2.2	5	1577	PMRV050 - 80C4	74
	186.7	41	1.7	7.5	1805		
	140.0	54	1.3	10	1987		
	93.3	77	1.0	15	2274		
	140.0	55	2.4	10	2597	PMRV063 - 80C4	75
	93.3	78	1.8	15	2973		
	70.0	102	1.3	20	3272		
	56.0	122	1.1	25	3524		
	46.7	139	1.1	30	3745		
	35.0	176	0.8	40	4122		
	70.0	103	2.0	20	3862	PMRV075 - 80C4	76
	56.0	126	1.6	25	4160		
	46.7	143	1.6	30	4421		
	35.0	181	1.2	40	4865		
	28.0	217	1.0	50	5241		
	23.3	245	0.8	60	5569		
	18.7	344	0.7	75	6000	PPC080/PMRV075 - 80C4	84
	15.6	384	0.8	90	6375		
	28.0	226	1.5	50	5799	PMRV090 - 80C4	77
	23.3	260	1.2	60	6163		
	17.5	316	0.9	80	6783		
	15.6	401	1.4	90	7054	PPC080/PMRV090 - 80C4	85
	11.7	497	1.0	120	7764		
	9.3	593	0.8	150	8180		
	17.5	336	1.5	80	8571	PMRV105 - 80C4	78
	14.0	395	1.2	100	9232		
	18.7	367	2.2	75	8388	PPC080/PMRV105 - 80C4	85
	11.7	527	1.5	120	9811		
	9.3	621	1.3	150	10320		
	7.8	712	1.0	180	10320		
	4.7	1069	1.0	300	10320	PMRV050/105 - 80C4	89
	3.5	1382	0.7	400	10320		
	17.5	336	1.5	80	8571	PMRV110 - 80C4	79
	14.0	395	1.2	100	9232		
	18.7	367	2.5	75	8388	PPC080/PMRV110 - 80C4	85
	11.7	527	1.8	120	9811		
	9.3	621	1.4	150	10320		
	7.8	712	1.1	180	10320		
	4.7	1069	1.2	300	10320	PMRV050/110 - 80C4	89
	3.5	1382	0.9	400	10320		
	3.5	1398	1.2	400	13500	PMRV063/130 - 80C4	89
	2.8	1665	0.9	500	13500		
	7.8	712	1.5	180	13500	PPC080/PMRV130 - 80C4	86
	5.8	874	1.1	240	13500		
	4.7	998	0.9	300	13500		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
0.92	2.8	1583	1.5	500	18000	PMRV063/150 - 80C4	90
	2.3	1875	1.4	600	18000		
	1.9	2188	1.1	750	18000		
	1.6	2717	0.8	900	18000		
	1.2	3288	0.8	1200	18000		
1.10	560.0	17	2.6	5	1251	PMRV050 - 80B2	74
	373.3	25	2.1	7.5	1433		
	280.0	33	1.6	10	1577		
	186.7	48	1.2	15	1805		
	140.0	62	0.9	20	1987		
	186.7	48	2.1	15	2359	PMRV063 - 80B2	75
	140.0	63	1.6	20	2597		
	112.0	77	1.2	25	2797		
	93.3	88	1.4	30	2973		
	70.0	113	1.0	40	3272		
	120.0	76	2.0	7.5	2734	PMRV063 - 90L6	75
	90.0	99	1.5	10	3009		
	60.0	142	1.1	15	3444		
	45.0	180	0.8	20	3791		
	186.7	50	2.6	7.5	2359	PMRV063 - 90S4	75
	140.0	65	2.0	10	2597		
	93.3	93	1.5	15	2973		
	70.0	122	1.1	20	3272		
	56.0	146	0.9	25	3524		
	46.7	167	1.0	30	3745		
	112.0	78	1.9	25	3302	PMRV075 - 80B2	76
	93.3	90	1.9	30	3509		
	70.0	116	1.4	40	3862		
	56.0	139	1.1	50	4160		
	46.7	160	0.9	60	4421		
	90.0	100	2.3	10	3551	PMRV075 - 90L6	76
	60.0	144	1.6	15	4065		
	45.0	184	1.3	20	4474		
	36.0	225	1.0	25	4820		
	30.0	256	1.0	30	5122		
	93.3	96	2.1	15	3509	PMRV075 - 90S4	76
	70.0	123	1.7	20	3862		
	56.0	150	1.3	25	4160		
	46.7	171	1.3	30	4421		
	35.0	216	1.0	40	4865		
	35.0	207	1.1	80	5383	PMRV090 - 80B2	77
	28.0	244	0.8	100	5799		
	36.0	231	1.6	25	5333	PMRV090 - 90L6	77
	30.0	263	1.8	30	5667		
	22.5	331	1.2	40	6238		
	18.0	397	1.0	50	6719		
	15.0	448	0.8	60	7140		
	35.0	225	1.6	40	5383	PMRV090 - 90S4	77
	28.0	270	1.3	50	5799		
	23.3	311	1.0	60	6163		
	22.5	345	2.0	40	7882	PMRV105 - 90L6	78
	18.0	414	1.6	50	8491		
	15.0	476	1.3	60	9023		
	11.3	588	0.9	80	9931		

1.10 kW



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
1.10	28.0 23.3 17.5 14.0	281 324 402 473	2.1 1.7 1.2 1.0	50 60 80 100	7328 7787 8571 9232	PMRV105 - 90S4	78
	12.4 9.3 7.4 6.2	576 746 890 1000	1.9 1.4 1.1 0.9	73 96.8 121 145.2	9614 10320 10320 10320	PPC090/PMRV105 - 90L6	85
	19.3 14.5 11.6 9.6 7.2	392 508 599 686 828	2.2 1.6 1.3 1.0 0.8	73 96.8 121 145.2 193.6	8298 9133 9838 10320 10320	PPC090/PMRV105 - 90S4	85
	9.3 7.0 5.6	654 845 1007	1.7 1.2 1.0	300 400 500	10320 10320 10320	PMRV050/105 - 80B2	89
	22.5 18.0 15.0 11.3	345 414 476 588	2.3 1.8 1.4 1.0	40 50 60 80	7882 8491 9023 9931	PMRV110 - 90L6	79
	28.0 23.3 17.5 14.0	281 324 402 473	2.3 1.9 1.3 1.0	50 60 80 100	7328 7787 8571 9232	PMRV110 - 90S4	79
	12.4 9.3 7.4 6.2	576 746 890 1000	2.2 1.6 1.2 1.0	73 96.8 121 145.2	9614 10320 10320 10320	PPC090/PMRV110 - 90L6	85
	19.3 14.5 11.6 9.6 7.2	392 508 599 686 828	2.5 1.8 1.5 1.1 0.8	73 96.8 121 145.2 193.6	8298 9133 9838 10320 10320	PPC090/PMRV110 - 90S4	85
	9.3 7.0 5.6	654 845 1007	1.9 1.4 1.1	300 400 500	10320 10320 10320	PMRV050/110 - 80B2	89
	11.3 9.0	598 689	1.4 1.1	80 100	12989 13500	PMRV130 - 90L6	80
	17.5 14.0	408 480	2.1 1.5	80 100	11210 12076	PMRV130 - 90S4	80
	12.4 9.3 7.4 6.2 4.6	585 746 890 1000 1220	3.0 2.2 1.7 1.4 1.0	73 96.8 121 145.2 193.6	12575 13500 13500 13500 13500	PPC090/PMRV130 - 90L6	86
	19.3 14.5 11.6 9.6 7.2 5.8	398 508 608 686 843 962	3.5 2.6 2.0 1.6 1.2 0.9	73 96.8 121 145.2 193.6 242	10853 11945 12868 13500 13500 13500	PPC090/PMRV130 - 90S4	86



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
1.10	4.7	1312	1.3	300	13500	PMRV063/130 - 90S4	89
	3.5	1671	1.0	400	13500		
	2.8	1991	0.8	500	13500		
	9.3	753	3.1	150	18000	PMRV063/150 - 90S4	90
	7.0	966	2.4	200	18000		
	5.6	1175	1.7	250	18000		
	4.7	1364	1.7	300	18000		
	3.5	1619	1.6	400	18000		
	2.8	1893	1.2	500	18000		
	2.3	2242	1.2	600	18000		
	1.9	2616	0.9	750	18000		
1.50	560.0	23	1.9	5	1251	PMRV050 - 80C2	74
	373.3	35	1.5	7.5	1433		
	280.0	45	1.2	10	1577		
	186.7	65	0.9	15	1805		
	186.7	68	1.9	7.5	2359	PMRV063 - 90L4	75
	140.0	89	1.5	10	2597		
	93.3	127	1.1	15	2973		
	70.0	166	0.8	20	3272		
	373.3	35	2.7	7.5	1873	PMRV063 - 90S2	75
	280.0	46	2.1	10	2061		
	186.7	66	1.6	15	2359		
	140.0	86	1.2	20	2597		
	112.0	105	0.9	25	2797		
	93.3	120	1.0	30	2973		
	120.0	105	2.0	7.5	3227	PMRV075 - 100LA6	76
	90.0	137	1.7	10	3551		
	60.0	196	1.2	15	4065		
	56.0	189	0.8	50	4160	PMRV075 - 90S2	76
	46.7	218	0.7	60	4421		
	140.0	90	2.2	10	3065	PMRV075 - 90L4	76
	93.3	130	1.5	15	3509		
	70.0	168	1.3	20	3862		
	56.0	205	1.0	25	4160		
	46.7	233	1.0	30	4421		
	280.0	46	3.1	10	2433	PMRV075 - 90S2	76
	186.7	67	2.2	15	2785		
	140.0	87	1.8	20	3065		
	112.0	106	1.4	25	3302		
	93.3	123	1.4	30	3509		
	70.0	158	1.0	40	3862		
	90.0	138	2.7	10	3929	PMRV090 - 100LA6	77
	60.0	201	2.1	15	4498		
	45.0	258	1.5	20	4951		
	36.0	314	1.2	25	5333		
	30.0	358	1.3	30	5667		
	70.0	172	2.1	20	4273	PMRV090 - 90L4	77
	56.0	210	1.6	25	4603		
	46.7	239	1.7	30	4891		
	35.0	307	1.2	40	5383		
	28.0	368	0.9	50	5799		
	23.3	424	0.8	60	6163		
	56.0	194	1.4	50	4603	PMRV090 - 90S2	77
	46.7	227	1.1	60	4891		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
1.50	45.0	264	2.4	20	6256	PMRV105 - 100LA6	78
	36.0	322	2.0	25	6739		
	30.0	363	2.0	30	7161		
	22.5	471	1.5	40	7882		
	18.0	565	1.2	50	8491		
	15.0	649	1.0	60	9023	PMRV105 - 90L4	78
	35.0	319	1.9	40	6803		
	28.0	384	1.6	50	7328		
	23.3	442	1.3	60	7787		
	17.5	548	0.9	80	8571	PMRV105 - 90S2	78
	46.7	236	1.8	60	6181		
	35.0	299	1.3	80	6803		
	28.0	353	1.0	100	7328	PPC090/PMRV105 - 90L4	85
	19.3	535	1.6	73	8298		
	14.5	693	1.2	96.8	9133		
	11.6	817	1.0	121	9838		
	9.6	936	0.8	145.2	10320	PMRV050/105- 80C2	89
	9.3	891	1.2	300	10320		
	7.0	1153	0.9	400	10320		
	5.6	1373	0.7	500	10320	PMRV110 - 100LA6	79
	45.0	264	2.7	20	6256		
	36.0	322	2.4	25	6739		
	30.0	363	2.3	30	7161		
	22.5	471	1.7	40	7882		
	18.0	565	1.3	50	8491	PMRV110 - 90L4	79
	15.0	649	1.1	60	9023		
	35.0	319	2.2	40	6803		
	28.0	384	1.7	50	7328		
	23.3	442	1.4	60	7787	PMRV110 - 90S2	79
	17.5	548	0.9	80	8571		
	46.7	236	2.0	60	6181		
	35.0	299	1.3	80	6803	PPC090/PMRV110 - 90L4	85
	28.0	353	1.0	100	7328		
	19.3	535	1.9	73	8298		
	14.5	693	1.3	96.8	9133		
	11.6	817	1.1	121	9838	PMRV050/110 - 80C2	89
	9.6	936	0.8	145.2	10320		
	9.3	891	1.4	300	10320		
	7.0	1153	1.0	400	10320	PMRV130 - 100LA6	80
	5.6	1373	0.8	500	10320		
	22.5	478	2.3	40	10309		
	18.0	573	1.8	50	11105		
	15.0	659	1.4	60	11801	PMRV130 - 90L4	80
	11.3	815	1.1	80	12989		
	17.5	557	1.5	80	11210		
	14.0	655	1.1	100	12076	PPC090/PMRV130 - 90L4	86
	19.3	542	2.6	73	10853		
	14.5	693	1.9	96.8	11945		
	11.6	830	1.5	121	12868		
	9.6	936	1.1	145.2	13500		
	7.2	1149	0.8	194	13500	PMRV063/130 - 90S2	89
	9.3	915	1.9	300	13500		
	7.0	1166	1.4	400	13500		
	5.6	1389	1.1	500	13500		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
1.50	4.7	1789	1.0	300	13500	PMRV063/130 - 90L4	89
	3.5	2279	0.7	400	13500		
	9.3	1026	2.3	150	18000	PMRV063/150 - 90L4	90
	7.0	1317	1.8	200	18000		
	5.6	1602	1.3	250	18000		
	4.7	1860	1.3	300	18000		
	3.5	2208	1.2	400	18000		
	2.8	2582	0.9	500	18000		
	2.3	3057	0.9	600	18000		
1.84	186.7	83	1.5	7.5	2359	PMRV063 - 90LL4	75
	140.0	109	1.2	10	2597		
	93.3	156	0.9	15	2973		
	186.7	84	2.2	7.5	2785	PMRV075 - 90LL4	76
	140.0	110	1.8	10	3065		
	93.3	160	1.2	15	3509		
	70.0	206	1.0	20	3862		
	56.0	251	0.8	25	4160		
	46.7	286	0.8	30	4421		
	70.0	211	1.7	20	4273	PMRV090 - 90LL4	77
	56.0	257	1.3	25	4603		
	46.7	294	1.4	30	4891		
	35.0	377	1.0	40	5383		
	28.0	452	0.8	50	5799		
	56.0	264	2.2	25	5816	PMRV105 - 90LL4	78
	35.0	392	1.6	40	6803		
	28.0	471	1.3	50	7328		
	23.3	542	1.0	60	7787		
	19.3	656	1.3	73	8298	PPC090/PMRV105 - 90LL4	85
	14.5	850	1.0	96.8	9133		
	11.6	1002	0.8	121	9838		
	56.0	264	2.6	25	5816	PMRV110 - 90LL4	79
	35.0	392	1.8	40	6803		
	28.0	471	1.4	50	7328		
	23.3	542	1.1	60	7787		
	19.3	656	1.5	73	8298	PPC090/PMRV110 - 90LL4	85
	14.5	850	1.1	96.8	9133		
	11.6	1002	0.9	121	9838		
	17.5	683	1.2	80	11210	PMRV130 - 90LL4	80
	14.0	803	0.9	100	12076		
	19.3	665	2.1	73	10853	PPC090/PMRV130 - 90LL4	86
	14.5	850	1.5	96.8	11945		
	11.6	1018	1.2	121	12868		
	9.6	1148	0.9	145.2	13500		
	9.3	1259	1.9	150	18000	PMRV063/150 - 90LL4	90
	7.0	1616	1.4	200	18000		
	5.6	1966	1.0	250	18000		
	4.7	2281	1.0	300	18000		
	3.5	2708	1.0	400	18000		
	2.8	3167	0.7	500	18000		

2.20 kW



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
2.20	373.3 280.0 186.7	51 67 97	1.8 1.5 1.1	7.5 10 15	1873 2061 2359	PMRV063 - 90L2	75
	186.7 140.0 93.3	100 132 191	1.8 1.5 1.0	7.5 10 15	2785 3065 3509	PMRV075 - 100LA4	76
	373.3 280.0 186.7 140.0 112.0 93.3	51 68 98 128 156 180	2.5 2.1 1.5 1.3 1.0 0.9	7.5 10 15 20 25 30	2210 2433 2785 3065 3302 3509	PMRV075 - 90L2	76
	186.7 140.0 93.3 70.0 56.0 46.7	101 134 194 252 308 351	2.9 2.3 1.9 1.4 1.1 1.2	7.5 10 15 20 25 30	3081 3391 3882 4273 4603 4891	PMRV090 - 100LA4	77
	120.0 90.0 60.0 45.0	156 203 294 378	2.2 1.8 1.4 1.0	7.5 10 15 20	3570 3929 4498 4951	PMRV090 - 112M6	77
	140.0 112.0 93.3 70.0 56.0	131 159 185 237 285	2.0 1.6 1.7 1.2 0.9	20 25 30 40 50	3391 3653 3882 4273 4603	PMRV090 - 90L2	77
	70.0 56.0 46.7 35.0 28.0 23.3	255 315 356 468 563 648	2.2 1.9 1.8 1.3 1.1 0.9	20 25 30 40 50 60	5399 5816 6181 6803 7328 7787	PMRV105 - 100LA4	78
	90.0 60.0 45.0 36.0 30.0	205 298 388 473 532	3.0 2.2 1.6 1.4 1.4	10 15 20 25 30	4965 5684 6256 6739 7161	PMRV105 - 112M6	78
	112.0 93.3 70.0 56.0 46.7	163 187 246 296 347	2.7 2.6 1.9 1.5 1.2	25 30 40 50 60	4616 4905 5399 5816 6181	PMRV105 - 90L2	78
	38.6 28.9 23.1	398 516 617	1.8 1.3 1.1	73 96.8 121	6586 7249 7809	PPC090/PMRV105 - 90L2	85
	70.0 56.0 46.7 35.0 28.0 23.3	255 315 356 468 563 648	2.5 2.2 2.0 1.5 1.2 1.0	20 25 30 40 50 60	5399 5816 6181 6803 7328 7787	PMRV110 - 100LA4	79



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
2.20	90.0	205	3.5	10	4965	PMRV110 - 112M6	79
	60.0	298	2.6	15	5684		
	45.0	388	1.9	20	6256		
	36.0	473	1.6	25	6739		
	30.0	532	1.6	30	7161		
	112.0	163	3.1	25	4616	PMRV110 - 90L2	79
	93.3	187	3.0	30	4905		
	70.0	246	2.1	40	5399		
	56.0	296	1.7	50	5816		
	46.7	347	1.4	60	6181		
	38.6	398	2.1	73	6586	PPC090/PMRV110 - 90L2	85
	28.9	516	1.5	96.8	7249		
	23.1	617	1.2	121	7809		
	35.0	468	2.2	40	8897	PMRV130 - 100LA4	80
	28.0	563	1.7	50	9584		
	23.3	648	1.4	60	10185		
	17.5	816	1.0	80	11210		
	36.0	479	2.2	25	8814	PMRV130 - 112M6	80
	30.0	546	2.1	30	9366		
	22.5	700	1.6	40	10309		
	18.0	840	1.2	50	11105		
	15.0	966	1.0	60	11801		
	35.0	438	1.3	80	8897	PMRV130 - 90L2	80
	28.0	525	1.0	100	9584		
	38.6	409	2.9	73	8614	PPC090/PMRV130 - 90L2	86
	28.9	545	2.0	96.8	9481		
	23.1	654	1.6	121	10213		
	19.3	752	1.3	145.2	10853		
	28.0	570	2.5	50	13103		
	23.3	657	1.9	60	13924	PMRV150 - 100LA4	81
	17.5	816	1.4	80	15325		
	14.0	960	1.0	100	16508		
	373.3	70	1.9	7.5	2210	PMRV075 - 100LA2	76
	280.0	92	1.6	10	2433		
3.00	186.7	137	1.4	7.5	2785	PMRV075 - 100LB4	76
	140.0	180	1.1	10	3065		
	93.3	261	0.8	15	3509		
	373.3	71	3.0	7.5	2446	PMRV090 - 100LA2	77
	280.0	92	2.6	10	2692		
	186.7	138	2.1	7.5	3081	PMRV090 - 100LB4	77
	140.0	182	1.7	10	3391		
	93.3	264	1.4	15	3882		
	70.0	344	1.0	20	4273		
	56.0	420	0.8	25	4603		
	46.7	479	0.9	30	4891		
	93.3	264	2.2	15	4905		
	70.0	348	1.6	20	5399	PMRV105 - 100LB4	78
	56.0	430	1.4	25	5816		
	46.7	485	1.3	30	6181		
	35.0	638	1.0	40	6803		
	28.0	767	0.8	50	7328		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
3.00	120.0	212	2.7	7.5	4511	PMRV105 - 132S6	78
	90.0	280	2.2	10	4965		
	60.0	406	1.6	15	5684		
	45.0	528	1.2	20	6256		
	93.3	264	2.5	15	4905	PMRV110 - 100LB4	79
	70.0	348	1.9	20	5399		
	56.0	430	1.6	25	5816		
	46.7	485	1.5	30	6181		
	35.0	638	1.1	40	6803		
	28.0	767	0.9	50	7328		
	120.0	212	3.1	7.5	4511	PMRV110 - 132S6	79
	90.0	280	2.5	10	4965		
	60.0	406	1.9	15	5684		
	45.0	528	1.4	20	6256		
	56.0	430	2.2	25	7607	PMRV130 - 100LB4	80
	46.7	491	2.1	30	8084		
	35.0	638	1.6	40	8897		
	28.0	767	1.3	50	9584		
	23.3	884	1.0	60	10185		
	17.5	1113	0.8	80	11210		
	90.0	280	3.4	10	6494	PMRV130 - 132S6	80
	60.0	406	2.6	15	7434		
	45.0	535	1.9	20	8182		
	36.0	653	1.6	25	8814		
	30.0	745	1.6	30	9366		
	22.5	955	1.2	40	10309		
	28.0	778	1.8	50	13103	PMRV150 - 100LB4	81
	23.3	896	1.4	60	13924		
	17.5	1113	1.0	80	15325		
	14.0	1310	0.8	100	16508		
4.00	373.3	93	1.4	7.5	2210	PMRV075 - 112M2	76
	280.0	123	1.2	10	2433		
	186.7	182	1.0	7.5	2785	PMRV075 - 112M4	76
	140.0	240	0.8	10	3065		
	373.3	94	2.2	7.5	2446	PMRV090 - 112M2	77
	280.0	123	1.9	10	2692		
	186.7	184	1.6	7.5	3081	PMRV090 - 112M4	77
	140.0	243	1.3	10	3391		
	93.3	352	1.0	15	3882		
	70.0	458	0.8	20	4273		
	140.0	243	2.1	10	4285	PMRV105 - 112M4	78
	93.3	352	1.6	15	4905		
	70.0	464	1.2	20	5399		
	56.0	573	1.0	25	5816		
	46.7	647	1.0	30	6181		
	120.0	283	2.0	7.5	4511	PMRV105 - 132M6	78
	90.0	374	1.7	10	4965		
	60.0	541	1.2	15	5684		
	140.0	243	2.5	10	4285	PMRV110 - 112M4	79
	93.3	352	1.9	15	4905		
	70.0	464	1.4	20	5399		
	56.0	573	1.2	25	5816		
	46.7	647	1.1	30	6181		



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
4.00	120.0	283	2.3	7.5	4511	PMRV110 - 132M6	79
	90.0	374	1.9	10	4965		
	60.0	541	1.4	15	5684		
	56.0	573	1.6	25	7607	PMRV130 - 112M4	80
	46.7	655	1.6	30	8084		
	35.0	851	1.2	40	8897		
	28.0	1023	1.0	50	9584		
	23.3	1179	0.8	60	10185		
	120.0	287	3.1	7.5	5901	PMRV130 - 132M6	80
	90.0	374	2.6	10	6494		
	60.0	541	2.0	15	7434		
	45.0	713	1.5	20	8182		
	36.0	870	1.2	25	8814		
	28.0	1037	1.4	50	13103	PMRV150 - 112M4	81
	23.3	1195	1.1	60	13924		
	17.5	1484	0.8	80	15325		
4.80	186.7	221	1.3	7.5	3081	PMRV090 - 112MS4	77
	140.0	291	1.1	10	3391		
	93.3	422	0.9	15	3882		
	186.7	221	2.2	7.5	3893	PMRV105 - 112MS4	78
	140.0	291	1.8	10	4285		
	93.3	422	1.3	15	4905		
	70.0	557	1.0	20	5399		
	56.0	688	0.9	25	5816		
	186.7	221	2.5	7.5	3893	PMRV110 - 112MS4	79
	140.0	291	2.1	10	4285		
	93.3	422	1.6	15	4905		
	70.0	557	1.2	20	5399		
	56.0	688	1.0	25	5816		
	56.0	688	1.4	25	7607	PMRV130 - 112MS4	80
	46.7	786	1.3	30	8084		
	35.0	1022	1.0	40	8897		
	28.0	1228	0.8	50	9584		
	23.3	1434	0.9	60	13924		
5.50	186.7	253	1.9	7.5	3893	PMRV105 - 132S4	78
	140.0	334	1.6	10	4285		
	93.3	484	1.2	15	4905		
	70.0	638	0.9	20	5399		
	186.7	253	2.2	7.5	3893	PMRV110 - 132S4	79
	140.0	334	1.8	10	4285		
	93.3	484	1.4	15	4905		
	70.0	638	1.0	20	5399		
	140.0	334	2.5	10	5605	PMRV130 - 132S4	80
	93.3	490	1.9	15	6416		
	70.0	645	1.4	20	7062		
	56.0	788	1.2	25	7607		
	46.7	900	1.2	30	8084		
	35.0	1171	0.9	40	8897		

5.50 kW
7.50 kW 11.0 kW
9.20 kW 15.0 kW



P ₁ [kW]	n ₂ [Min ⁻¹]	M ₂ [Nm]	f _B	i _{ges}	F _R [N]	Tip / Type	Sayfa Page mm
5.50	70.0	645	2.0	20	9654	PMRV150 - 132S4	81
	56.0	788	1.5	25	10400		
	46.7	934	1.3	30	11051		
	35.0	1171	1.3	40	12163		
	28.0	1426	1.0	50	13103		
	23.3	1643	0.8	60	13924		
7.50	186.7	345	1.4	7.5	3893	PMRV105 - 132L4	78
	140.0	455	1.1	10	4285		
	93.3	660	0.9	15	4905		
	186.7	345	1.6	7.5	3893	PMRV110 - 132L4	79
	140.0	455	1.3	10	4285		
	93.3	660	1.0	15	4905		
	186.7	349	2.1	7.5	5092	PMRV130 - 132L4	80
	140.0	455	1.8	10	5605		
	93.3	668	1.4	15	6416		
	70.0	880	1.0	20	7062		
	56.0	1074	0.9	25	7607		
	46.7	1228	0.8	30	8084		
	35.0	1596	0.7	40	8897		
	70.0	880	1.5	20	9654	PMRV150 - 132L4	81
	56.0	1074	1.1	25	10400		
	46.7	1274	0.9	30	11051		
	35.0	1596	1.0	40	12163		
9.20	186.7	424	1.3	7.5	3893	PMRV110 - 132M4	79
	186.7	428	1.8	7.5	5092	PMRV130 - 132M4	80
	140.0	559	1.5	10	5605		
	93.3	819	1.1	15	6416		
	70.0	1079	0.8	20	7062		
	56.0	1318	0.7	25	7607		
	70.0	1079	1.2	20	9654	PMRV150 - 132M4	81
	56.0	1318	0.9	25	10400		
	46.7	1563	0.8	30	11051		
	35.0	1958	0.8	40	12163		
11.0	186.7	512	2.3	7.5	6962	PMRV150 - 160M4	81
	140.0	675	1.8	10	7663		
	93.3	990	1.3	15	8771		
	70.0	1291	1.0	20	9654		
	56.0	1576	0.8	25	10400		
15.0	186.7	698	1.7	7.5	6962	PMRV150 - 160L4	81
	140.0	921	1.3	10	7663		
	93.3	1351	0.9	15	8771		
	70.0	1760	0.7	20	9654		